

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Kosciusko County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
Ab	Abscota fine sandy loam, occasionally flooded	82	28	0	0.0	0.0
Ao	Aquents-Urban land complex, rarely flooded	0	0	0	0.0	0.0
ArA	Aubbeenaubbee sandy loam, 0 to 2 percent slopes	155	51	62	5.1	10.2
AtA	Aubbeenaubbee fine sandy loam, moderately permeable substratum, 0 to 2 percent slopes	155	51	62	5.1	10.2
Bc	Barry loam	175	51	70	5.8	11.6
BIA	Blount silt loam, 0 to 2 percent slopes	142	46	63	4.6	9.2
BnB	Blount-Glynwood complex, 1 to 3 percent slopes	123	41	56	4.1	8.2
BoB	Boyer loamy sand, 1 to 6 percent slopes	97	34	48	3.1	6.2
BoC	Boyer loamy sand, 6 to 12 percent slopes	86	30	42	2.8	5.6
Bp	Brady sandy loam	124	37	61	4.1	8.2
BrA	Bronson sandy loam, 0 to 2 percent slopes	120	42	48	4.0	8.0
CaA	Carmi loam, 0 to 2 percent slopes	130	46	52	4.3	8.6
CIB	Coloma loamy sand, 0 to 6 percent slopes, fine-loamy minor components	88	31	34	2.8	5.6
CIC	Coloma loamy sand, 6 to 12 percent slopes, fine-loamy minor components	78	27	30	2.5	5.0
CrA	Crosier loam, 0 to 1 percent slopes	155	50	69	5.1	10.2
CrB	Crosier loam, 1 to 4 percent slopes	155	50	68	5.1	10.2
De	Del Rey silt loam	140	46	56	4.6	9.2

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Kosciusko County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
Ed	Edwards muck, drained	134	34	54	4.5	8.9
Gf	Gilford sandy loam, gravelly substratum	150	42	60	5.0	10.0
Gm	Gilford mucky sandy loam, gravelly substratum	150	42	60	5.0	10.0
Go	Gravelton loamy sand, occasionally flooded	115	30	0	0.0	0.0
Gr	Gravelton-Palms, gravelly substratum complex, frequently flooded	120	32	0	0.0	0.0
GtA	Griswold loam, 0 to 2 percent slopes	155	54	62	5.1	10.2
He	Histosols and Aquolls	0	0	0	0.0	0.0
Ho	Homer sandy loam	108	34	53	3.5	7.0
Ht	Houghton muck, undrained	0	0	0	0.0	0.0
Hx	Houghton muck, drained	159	42	66	5.4	10.7
KoA	Kosciusko sandy loam, 0 to 2 percent slopes	95	33	48	3.1	6.2
KoB	Kosciusko sandy loam, 2 to 6 percent slopes	95	33	48	3.1	6.2
KoC	Kosciusko sandy loam, 6 to 12 percent slopes	85	30	43	2.8	5.6
KoE	Kosciusko sandy loam, 18 to 30 percent slopes	0	0	0	0.0	0.0
KtA	Kosciusko silt loam, 0 to 2 percent slopes	100	35	50	3.3	6.6
KxC3	Kosciusko sandy clay loam, 8 to 15 percent slopes, severely eroded	80	28	40	2.6	5.2
MaA	Martinsville sandy loam, 0 to 2 percent slopes	135	47	54	4.5	9.0
MaB	Martinsville sandy loam, 2 to 6 percent slopes	135	47	54	4.5	9.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Kosciusko County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
MaC	Martinsville sandy loam, 6 to 12 percent slopes	125	44	50	4.1	8.2
MbA	Metea loamy sand, 0 to 2 percent slopes	115	40	46	3.8	7.6
MbB	Metea loamy sand, 2 to 6 percent slopes	115	40	46	3.8	7.6
MbC	Metea loamy sand, 6 to 12 percent slopes	105	37	42	3.5	7.0
MeA	Metea loamy fine sand, moderately slowly permeable, 0 to 2 percent slopes	115	40	46	3.8	7.6
MeB	Metea loamy fine sand, moderately slowly permeable, 2 to 6 percent slopes	115	40	46	3.8	7.6
MeC	Metea loamy fine sand, moderately slowly permeable, 6 to 12 percent slopes	100	35	40	3.3	6.6
MI B	Miami loam, 2 to 6 percent slopes	145	51	65	4.8	9.6
MIC	Miami loam, 6 to 12 percent slopes	135	47	61	4.5	9.0
MrC3	Miami clay loam, 6 to 12 percent slopes, severely eroded	125	44	56	4.1	8.2
MrD3	Miami clay loam, 12 to 18 percent slopes, severely eroded	110	39	50	3.6	7.2
MsB	Miami-Owosso-Metea complex, 2 to 8 percent slopes	138	48	61	4.8	9.5
MsD	Miami-Owosso-Metea complex, 10 to 25 percent slopes	113	39	50	3.9	7.9
MvC	Morley loam, 6 to 12 percent slopes	120	42	54	4.0	8.0
MxC3	Morley silty clay loam, 5 to 15 percent slopes, severely eroded	105	37	47	3.5	7.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Kosciusko County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
MxD3	Morley silty clay loam, 15 to 25 percent slopes, severely eroded	90	32	41	3.0	6.0
MzB	Morley-Glynwood complex, 1 to 4 percent slopes	130	46	59	4.3	8.6
OrA	Ormas loamy sand, 0 to 2 percent slopes	100	35	50	3.3	6.6
OrB	Ormas loamy sand, 2 to 6 percent slopes	100	35	50	3.3	6.6
OrC	Ormas loamy sand, 6 to 12 percent slopes	90	32	45	3.0	6.0
OtA	Ormas loamy sand, sandy substratum, 0 to 2 percent slopes	100	35	50	3.3	6.6
OtB	Ormas loamy sand, sandy substratum, 2 to 6 percent slopes	100	35	50	3.3	6.6
OtC	Ormas loamy sand, sandy substratum, 6 to 12 percent slopes	90	32	45	3.0	6.0
Pa	Palms muck, drained	158	42	64	5.3	10.6
Pb	Palms muck, gravelly substratum, drained	160	42	64	5.3	10.6
Pe	Pewamo silty clay loam, 0 to 1 percent slopes	158	45	65	5.3	10.6
Pg	Pits, gravel	0	0	0	0.0	0.0
Re	Rensselaer loam	172	50	70	5.8	11.6
RIA	Riddles fine sandy loam, 0 to 2 percent slopes	140	49	56	4.6	9.2
RIB	Riddles fine sandy loam, 2 to 6 percent slopes	140	49	56	4.6	9.2
RIC	Riddles fine sandy loam, 6 to 12 percent slopes	130	46	52	4.3	8.6
RID	Riddles fine sandy loam, 12 to 18 percent slopes	115	40	46	3.8	7.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Kosciusko County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
RxB	Riddles-Ormas-Kosciusko complex, 2 to 6 percent slopes	113	39	58	4.1	8.2
RxC	Riddles-Ormas-Kosciusko complex, 6 to 12 percent slopes	103	36	53	3.8	7.6
Sa	Saranac clay loam, gravelly substratum, occasionally flooded	130	35	0	0.0	0.0
Se	Sebewa loam, drained, 0 to 1 percent slopes	133	36	64	4.3	8.7
Sf	Sebewa mucky loam	131	35	64	4.3	8.6
ShA	Shipshe sandy loam, 0 to 2 percent slopes	95	33	48	3.1	6.2
ShB	Shipshe sandy loam, 2 to 6 percent slopes	95	33	48	3.1	6.2
Sn	Shoals loam, gravelly substratum, occasionally flooded	135	44	0	0.0	0.0
To	Toledo silty clay	150	42	60	5.0	10.0
Ud	Udorthents, loamy	0	0	0	0.0	0.0
Uf	Udorthents-Urban land complex	0	0	0	0.0	0.0
W	Water	0	0	0	0.0	0.0
Wa	Walkkill silt loam	165	47	66	5.4	10.8
Wc	Washtenaw silt loam	165	47	66	5.4	10.8
We	Washtenaw loam, gravelly substratum	155	44	78	5.1	10.2
WIB	Wawasee fine sandy loam, 2 to 6 percent slopes	140	49	56	4.6	9.2
WIC2	Wawasee fine sandy loam, 6 to 12 percent slopes, eroded	125	44	50	4.1	8.2

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)  
 Kosciusko County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
WID2	Wawasee fine sandy loam, 12 to 18 percent slopes, eroded	110	39	44	3.6	7.2
Wt	Whitaker loam	154	50	64	5.1	10.2