NV602 LOVELOCK AREA, NEVADA PARTS OF PERSHING CHURC

musym	compname	comppct	texture	slopel	slopeh	kfact	tfact	weg	ifact	HELcfact	HEL_LS
BlC	BLUEWING	100	GR-SL	2	8	0.24	5	4	86	47	11.11
BtB	BLUEWING	70	GRV-L	0	4	0.15	5	8	0		17.78
Ha	HUMBOLDT	100	SIL	0	1	0.32	5	4L	86	47	8.33
Hd	HUMBOLDT	100	SIL	0	1	0.32	5	4L	86	47	8.33
Hf	ARMYDRAIN	100	SIL	0	1	0.43	5	4L	86	47	6.20
Hh	ARMYDRAIN	100	SIL	0	1	0.43	5	4L	86	47	6.20
Hi	BIGMEADOW	100	SIL	0	1	0.32	5	4L	86	47	8.33
Hm	BIGMEADOW	100	SIL	0	1	0.32	5	4L	86	47	8.33
Hn	RYEPATCH	100	SIL	0	1	0.32	5	4L	86	47	8.33
Hq	RYEPATCH	100	SIL	0	1	0.32	5	4L	86	47	8.33
Hr	HUMBOLDT	100	SIC	0	1	0.28	5	4	86	47	9.52
Hu	HUMBOLDT	100	SIC	0	1	0.28	5	4	86	47	9.52
Hv	BIGMEADOW	100	SIC	0	1	0.28	5	4	86	47	9.52
Hz	RYEPATCH	100	SIC	0	1	0.28	5	7	38	105	9.52
Ko	KODAK	100	LFS	0	2	0.17	5	2	134	30	15.69
Lb	LAHONTAN	100	SIL	0	1	0.55	5	4L	86	47	4.85
Lc	LAHONTAN	100	SICL	0	1	0.49	5	4L	86	47	5.44
Ld	LOVELOCK	100	SIL	0	1	0.32	5	4L	86	47	8.33
Lg	LOVELOCK	100	SIL	0	1	0.32	5	4L	86	47	8.33
Lh	LOVELOCK	100	SIL	0	2	0.32	5	4L	86	47	8.33
Lk	LOVELOCK	100	SIL	0	1	0.32	5	4L	86	47	8.33
Ln	BRINKER	100	SIL	0	1	0.32	5	4L	86	47	8.33
Lp	BRINKER	100	SIL	0	1	0.32	5	4L	86	47	8.33
Lr	BRINKER	100	SIL	0	1	0.32	5	4L	86	47	8.33
Ls	BRINKER	100	SIL	0	2	0.32	5	4L	86	47	8.33
Ma	MAZUMA	100	FSL	0	2	0.28	5	3	86	47	9.52
McA	MAZUMA VARIANT	100	FSL	0	2	0.43	5	3	86	47	6.20

Rainfall factor (R) for calulation of HEL_LS was 15.
Chart for determining LS for known slope and length is attached.

NV602 LOVELOCK AREA, NEVADA PARTS OF PERSHING CHURC

musym	compname	comppct	texture	slopel	slopeh	kfact	tfact	weg	ifact	HELcfact	HEL_LS
MgC	TROCKEN	100	FSL	4	8	0.24	2	3	86	19	4.44
Om	OCALA	100	L	0	1	0.55	5	4L	86	47	4.85
PL	PLAYAS	100	SIC	0	1	0.37	5	5	56	71	7.21
Pa	PLACERITOS	100	L	0	1	0.37	5	4L	86	47	7.21
Pd	SWINGLER	100	L	0	2	0.55	5	4L	86	47	4.85
Pg	PLACERITOS	100	L	0	1	0.37	5	4	86	47	7.21
Ph	SWINGLER	100	L	0	1	0.55	5	4L	86	47	4.85
Pk	SWINGLER	100	L	0	1	0.55	5	4L	86	47	4.85
Po	NEVADANILE	100	L	0	1	0.37	3	4L	86	28	4.32
Pr	NEVADANILE	100	L	0	1	0.37	3	4L	86	28	4.32
Ps	SWINGLER VARIA	100	L	0	2	0.37	3	4L	86	28	4.32
QfD	ISOLDE	100	FS	0	15	0.28	5	1	250	16	9.52
QtA	ISOLDE VARIANT	100	FS	0	2	0.17	5	1	250	16	15.69
Rd	RYEPATCH	100	SIC	0	1	0.28	5	4	86	47	9.52
Rp	RYEPATCH	100	SICL	0	1	0.32	5	4	86	47	8.33
Ry	RYEPATCH	100	SICL	0	1	0.32	5	4	86	47	8.33
Sa	PELIC	100	S	0	1	0.10	5	8	0		26.67
Sn	SONOMA	100	SIL	0	1	0.43	5	4L	86	47	6.20
So	SONOMA	100	SIL	0	1	0.43	5	4L	86	47	6.20
Sp	SONOMA	100	SIL	0	1	0.43	5	4L	86	47	6.20
Sr	SONDOA	100	SIL	0	1	0.49	5	4L	86	47	5.44
Ss	KNIESLEY	100	SIL	0	1	0.49	5	4L	86	47	5.44
St	KNIESLEY	100	SIL	0	1	0.49	5	4L	86	47	5.44
Sw	SONOMA	100	SICL	0	1	0.37	5	4L	86	47	7.21
Sx	SONOMA	100	SICL	0	1	0.37	5	4L	86	47	7.21
Sy	SONOMA	100	SICL	0	1	0.37	5	4L	86	47	7.21
TgB	TOULON	100	GRX-L	0	2	0.10	1	8	0		5.33

Rainfall factor (R) for calulation of HEL_LS was 15.
Chart for determining LS for known slope and length is attached.

NV602 LOVELOCK AREA, NEVADA PARTS OF PERSHING CHURC

musym	compname	comppct	texture	slopel	slopeh	kfact	tfact	weg	ifact	HELcfact	HEL_LS
Ty	TOY	100	SICL	0	1	0.37	5	4	86	47	7.21
UnC	UNIONVILLE	60	COSL	4	8	0.32	2	3	86	19	3.33
WoC	WOOLSEY	100	GR-FSL	2	8	0.20	5	4	86	47	13.33

Rainfall factor (R) for calulation of HEL_LS was 15.
Chart for determining LS for known slope and length is attached.