NV769 PERSHING COUNTY, NEVADA, EAST PART

musym	compname	comppct	texture	slopel	slopeh	kfact	tfact	weg	ifact	HELcfact	HEL_LS
110	ADELAIDE	100	SIL	2	8	0.55	2	5	56	29	1.94
112	ADELAIDE	100	SIL	4	15	0.55	2	5	56	29	1.94
113	ADELAIDE	100	SIL	0	2	0.55	2	5	56	29	1.94
120	HAWSLEY	100	S	0	2	0.10	5	1	220	18	26.67
121	HAWSLEY	100	FS	2	8	0.15	5	1	250	16	17.78
122	HAWSLEY	50	FS	2	8	0.15	5	1	250	16	17.78
122	RAGTOWN	35	SIL	0	2	0.55	5	4L	86	47	4.85
131	JERVAL	40	ST-L	2	8	0.55	5	5	56	71	4.85
131	CHILPER	35	STV-L	2	8	0.43	2	7	38	42	2.48
131	BLUEWING	15	GRV-L	2	8	0.15	5	7	38	105	17.78
132	JERVAL	45	GR-VFSL	2	8	0.17	5	4	86	47	15.69
132	KNOSS	25	CB-VFSL	2	8	0.28	1	4	86	9	1.90
132	CHILPER	20	CB-VFSL	30	50	0.37	2	4	86	19	2.88
133	JERVAL	45	GR-VFSL	2	8	0.17	5	4	86	47	15.69
133	TROCKEN	25	GR-VFSL	2	8	0.32	5	4	86	47	8.33
133	GOLCONDA	15	GR-VFSL	2	8	0.17	2	4	86	19	6.27
144	BEOSKA	40	STV-L	2	8	0.24	5	7	38	105	11.11
144	TENABO	35	CBV-VFSL	8	15	0.10	1	5	56	14	5.33
144	DUN GLEN	15	VFSL	0	2	0.32	5	3	86	47	8.33
146	BEOSKA	35	GR-VFSL	2	8	0.24	5	4	86	47	11.11
146	OXCOREL	30	GR-VFSL	2	8	0.28	5	4	86	47	9.52
146	WHIRLO	20	STV-VFSL	8	15	0.32	5	5	56	71	8.33
151	BLACKHAWK	100	SIL	0	2	0.55	1	5	56	14	0.97
161	BLISS	45	FSL	8	15	0.37	2	3	86	19	2.88
161	CHIARA	40	FSL	15	30	0.37	1	3	86	9	1.44
162	BLISS	50	FSL	15	30	0.37	2	3	86	19	2.88
162	CHIARA	35	FSL	2	8	0.37	1	3	86	9	1.44
170	SHABLISS	40	VFSL	2	8	0.32	2	3	86	19	3.33
170	ENKO	25	FSL	2	8	0.43	5	3	86	47	6.20
170	VALMY	20	FSL	2	8	0.32	4	3	86	37	6.67
180	CHIARA	90	ST-VFSL	2	4	0.32	1	5	56	14	1.67
190	THEON	35	CBV-L	30	50	0.17	1	7	38	21	3.14
190	SINGATSE	35	CBX-L	30	50	0.15	1	8	0		3.56
191	THEON	45	CBV-L	30	50	0.17	1	7	38	21	3.14
191	SINGATSE	40	CBX-L	30	50	0.15	1	8	0		3.56

Rainfall factor (R) for calulation of HEL_LS was 15.
Chart for determining LS for known slope and length is attached.

NV769 PERSHING COUNTY, NEVADA, EAST PART

musym	compname	comppct	texture	slopel	slopeh	kfact	tfact	weg	ifact	HELcfact	HEL_LS
201	PIROUETTE	45	STV-VFSL	4	15	0.24	1	8	0		2.22
201	REZAVE	20	STX-VFSL	30	50	0.24	1	8	0		2.22
211	PREBLE VARIANT	55	VFSL	2	8	0.55	5	3	86	47	4.85
211	WHIRLO	35	VFSL	2	8	0.43	5	3	86	47	6.20
220	DUFFER	100	SICL	0	2	0.43	5	4L	86	47	6.20
221	DUFFER	100	SICL	0	2	0.43	5	4L	86	47	6.20
231	DUN GLEN	100	VFSL	2	4	0.32	5	3	86	47	8.33
233	DUN GLEN	100	VFSL	0	2	0.32	5	3	86	47	8.33
234	DUN GLEN	100	SIL	0	2	0.55	5	5	56	71	4.85
241	TOULON	35	GRV-L	2	8	0.28	1	7	38	21	1.90
241	MAZUMA	35	SIL	0	2	0.55	5	4L	86	47	4.85
241	BLUEWING	20	GRV-L	0	2	0.15	5	7	38	105	17.78
251	WHIRLO	45	GRV-L	2	8	0.05	5	7	38	105	53.33
251	BEOSKA	25	STV-L	2	8	0.24	5	7	38	105	11.11
251	OXCOREL	15	STV-L	2	8	0.32	5	7	38	105	8.33
260	GOLCONDA	100	SIL	2	8	0.55	2	5	56	29	1.94
261	GOLCONDA	100	SIL	8	15	0.55	2	5	56	29	1.94
270	GOLDRUN	100	FS	4	15	0.17	5	1	250	16	15.69
281	GOLSUM	35	CBV-L	30	50	0.17	2	7	38	42	6.27
281	SPINLIN	25	STV-SIL	30	50	0.17	2	6	48	33	6.27
281	HARCANY	25	ST-SIL	30	50	0.28	5	7	38	105	9.52
321	HUMBOLDT	100	SICL	0	2	0.37	5	4L	86	47	7.21
322	HUMBOLDT	100	SICL	0	2	0.37	5	4L	86	47	7.21
330	MCCONNEL	100	L	0	2	0.37	2	5	56	29	2.88
331	MCCONNEL	100	GR-FSL	4	8	0.32	2	4	86	19	3.33
360	NEEDLE PEAK	100	SIL	0	2	0.55	5	6	48	83	4.85
380	NINCH	100	FS	0	15	0.24	5	1	250	16	11.11
400	OROVADA	100	L	0	2	0.49	5	5	56	71	5.44
406	OROVADA	100	VFSL	2	8	0.49	5	3	86	47	5.44
431	PREBLE	100	SIL	0	2	0.43	4	4L	86	37	4.96
451	PUMPER	100	L	0	2	0.55	2	5	56	29	1.94

Rainfall factor (R) for calulation of HEL_LS was 15.
Chart for determining LS for known slope and length is attached.

NV769 PERSHING COUNTY, NEVADA, EAST PART

musym	compname	comppct	texture	slopel	slopeh	kfact	tfact	weg	ifact	HELcfact	HEL_LS
470	RAGLAN	100	SIL	0	2	0.55	5	4L	86	47	4.85
471	RAGLAN	100	SIL	0	2	0.55	5	4L	86	47	4.85
480	REBEL	100	L	0	2	0.43	5	5	56	71	6.20
481	REBEL	100	L	2	4	0.43	5	5	56	71	6.20
482	REBEL	100	L	0	2	0.43	5	5	56	71	6.20
500	POCKER	100	SICL	0	2	0.43	5	4L	86	47	6.20
561	SONOMA	100	SIL	0	2	0.43	5	4L	86	47	6.20
562	SONOMA	100	SIL	0	2	0.43	5	4L	86	47	6.20
563	SONDOA	45	SIL	0	2	0.49	5	4L	86	47	5.44
563	SWINGLER	20	SIL	0	2	0.55	5	4L	86	47	4.85
563	ISOLDE	20	FS	4	15	0.28	5	1	250	16	9.52
581	SUMINE	40	CB-L	30	50	0.24	2	6	48	33	4.44
581	GOSUMI	25	ST-L	30	50	0.37	3	6	48	50	4.32
581	NOMARA	20	ST-SIL	30	50	0.28	2	7	38	42	3.81
591	TRUNK	50	CBV-L	30	50	0.10	2	8	0		10.67
591	HOOT	35	CBV-L	30	50	0.10	1	8	0		5.33
592	TRUNK	45	ST-L	30	50	0.24	2	6	48	33	4.44
592	POCAN	40	ST-L	30	50	0.43	3	5	56	43	3.72
596	TRUNK	60	CBV-L	30	50	0.10	2	8	0		10.67
596	BURRITA	25	CBV-L	4	15	0.15	1	8	0		3.56
598	TRUNK	45	CBV-L	30	50	0.10	2	8	0		10.67
598	OXCOREL VARIAN	20	CB-L	30	50	0.20	3	6	48	50	8.00
598	BOJO	20	CBV-L	4	15	0.15	1	7	38	21	3.56
599	TRUNK	40	ST-L	30	50	0.24	2	6	48	33	4.44
599	BURRITA	25	STV-L	4	15	0.15	1	8	0		3.56
600	VALMY	100	FSL	0	2	0.32	4	3	86	37	6.67
610	WESO	100	VFSL	0	2	0.49	5	3	86	47	5.44
614	WESO	100	SIL	0	2	0.55	5	5	56	71	4.85
615	WESO	45	VFSL	2	8	0.49	5	3	86	47	5.44
615	MISAD	25	GR-VFSL	2	8	0.24	5	4	86	47	11.11
615	BEOSKA	15	GR-VFSL	4	15	0.24	5	4	86	47	11.11
652	BURRITA	40	CBV-L	30	50	0.15	1	8	0		3.56
652	HOOT	25	CBV-L	30	50	0.10	1	8	0		5.33

Rainfall factor (R) for calulation of HEL_LS was 15.
Chart for determining LS for known slope and length is attached.

NV769 PERSHING COUNTY, NEVADA, EAST PART

musym	compname	comppct	texture	slopel	slopeh	kfact	tfact	weg	ifact	HELcfact	HEL_LS
653	BURRITA	45	CBV-L	50	75	0.15	1	8	0		3.56
653	BURNBOROUGH	40	GRV-L	50	75	0.24	5	7	38	105	11.11
660	OXCOREL	30	GR-VFSL	2	8	0.28	5	4	86	47	9.52
660	BEOSKA	30	GR-VFSL	1	8	0.24	5	4	86	47	11.11
660	WHIRLO	25	GR-VFSL	2	8	0.28	5	4	86	47	9.52
661	OXCOREL	60	GR-VFSL	2	8	0.28	5	4	86	47	9.52
661	OROVADA	25	GR-VFSL	2	8	0.37	5	4	86	47	7.21
662	OXCOREL	40	GR-VFSL	2	8	0.28	5	4	86	47	9.52
662	WHIRLO	30	VFSL	2	8	0.43	5	3	86	47	6.20
662	TROCKEN VARIAN	20	GRV-VFSL	2	8	0.20	5	7	38	105	13.33
663	OXCOREL	45	GR-VFSL	2	8	0.28	5	4	86	47	9.52
663	WESO	25	VFSL	2	8	0.49	5	3	86	47	5.44
663	BEOSKA	15	VFSL	2	8	0.49	5	3	86	47	5.44
664	OXCOREL	50	GR-VFSL	2	8	0.28	5	4	86	47	9.52
664	GOLCONDA	40	SIL	2	8	0.55	2	5	56	29	1.94
666	OXCOREL	40	GR-VFSL	2	8	0.28	5	4	86	47	9.52
666	TROCKEN VARIAN	25	GRV-L	2	8	0.15	5	7	38	105	17.78
666	SNAPP	20	VFSL	2	8	0.37	3	3	86	28	4.32
669	OXCOREL	45	GR-VFSL	2	8	0.28	5	4	86	47	9.52
669	BEOSKA	40	GR-VFSL	2	8	0.24	5	4	86	47	11.11
670	MISAD	35	GR-VFSL	0	2	0.24	5	4	86	47	11.11
670	SNAPP	35	GR-VFSL	2	8	0.15	3	4	86	28	10.67
670	OXCOREL	20	GR-VFSL	2	8	0.28	5	4	86	47	9.52
673	MISAD	35	GR-VFSL	2	8	0.24	3	4	86	28	6.67
673	GOLCONDA	30	VFSL	2	8	0.55	2	3	86	19	1.94
673	TENABO	25	GR-VFSL	2	8	0.24	1	4	86	9	2.22
675	MISAD	40	GR-VFSL	2	8	0.24	5	4	86	47	11.11
675	OROVADA	25	VFSL	2	8	0.49	5	3	86	47	5.44
675	SNAPP	20	GR-VFSL	2	8	0.15	3	4	86	28	10.67
676	MISAD VARIANT	35	GR-VFSL	2	8	0.24	3	4	86	28	6.67
676	DUN GLEN	30	SIL	0	2	0.55	5	5	56	71	4.85
676	MISAD VARIANT	20	GR-VFSL	8	15	0.24	3	4	86	28	6.67
680	BOJO	35	GRV-L	30	50	0.20	1	7	38	21	2.67
680	TRUNK	30	CBV-L	30	50	0.10	2	8	0		10.67
683	BOJO	40	CBV-L	30	50	0.15	1	7	38	21	3.56
683	HOOT	35	CBV-L	30	50	0.10	1	8	0		5.33
683	BOJO	15	CBV-L	4	15	0.15	1	7	38	21	3.56
691	CHILPER	35	CB-VFSL	2	8	0.37	2	4	86	19	2.88
691	TROCKEN	30	GR-VFSL	2	8	0.32	5	4	86	47	8.33
691	JERVAL	25	CB-VFSL	2	8	0.17	5	4	86	47	15.69

Rainfall factor (R) for calulation of HEL_LS was 15.
Chart for determining LS for known slope and length is attached.

NV769 PERSHING COUNTY, NEVADA, EAST PART

musym	compname	comppct	texture	slopel	slopeh	kfact	tfact	weg	ifact	HELcfact	HEL_LS
701	ATLOW	45	GRV-L	30	50	0.17	1	7	38	21	3.14
701	WISKAN	40	GRV-L	30	50	0.17	2	7	38	42	6.27
703	ATLOW	40	GRV-L	30	50	0.17	1	7	38	21	3.14
703	DAICK	30	CB-CL	30	50	0.24	1	7	38	21	2.22
703	ATLOW	15	GRV-L	4	15	0.17	1	7	38	21	3.14
704	ATLOW	45	GRV-L	30	50	0.17	1	7	38	21	3.14
704	HOOT	25	CBV-L	30	50	0.10	1	8	0		5.33
704	ATLOW	15	GRV-L	4	15	0.17	1	7	38	21	3.14
750	SNAPP	50	VFSL	2	8	0.37	3	3	86	28	4.32
750	OXCOREL	40	GR-VFSL	2	8	0.28	5	4	86	47	9.52
751	SNAPP	60	L	2	8	0.37	3	5	56	43	4.32
751	SODHOUSE	30	VFSL	2	8	0.55	1	3	86	9	0.97
752	SNAPP	50	VFSL	2	8	0.37	3	3	86	28	4.32
752	OROVADA	40	VFSL	2	8	0.49	5	3	86	47	5.44
812	BOTON	50	SIL	0	2	0.55	5	4L	86	47	4.85
813	BATAN	40	SIL	0	2	0.55	5	4L	86	47	4.85
813	WENDANE	25	SIL	0	2	0.55	5	4L	86	47	4.85
813	VALMY	20	SIL	0	2	0.55	4	4L	86	37	3.88
814	BATAN	100	SIL	0	2	0.55	5	4L	86	47	4.85
823	TROCKEN	70	GR-VFSL	4	8	0.32	5	4	86	47	8.33
823	BLUEWING	15	GRV-LS	4	8	0.10	5	4	86	47	26.67
825	TROCKEN	100	GRV-VFSL	2	4	0.20	5	5	56	71	13.33
826	TROCKEN	50	VFSL	0	2	0.55	5	3	86	47	4.85
826	RAGTOWN	35	L	0	2	0.37	5	4L	86	47	7.21
827	TROCKEN	100	GRV-VFSL	2	8	0.20	5	5	56	71	13.33
831	BENIN	40	SIL	0	2	0.49	5	4L	86	47	5.44
831	YOBE	30	SIL	0	2	0.43	5	4L	86	47	6.20
831	WENDANE	20	SIL	0	2	0.55	5	4L	86	47	4.85
900	ROCA	40	CBV-L	30	50	0.10	2	8	0		10.67
900	WISKAN	30	GRV-L	50	75	0.17	2	7	38	42	6.27
900	RELUCTAN	15	GR-L	30	50	0.24	2	6	48	33	4.44
901	ROCA	50	CBV-L	30	50	0.10	2	8	0		10.67
901	RELUCTAN	35	GR-L	30	50	0.24	2	6	48	33	4.44
902	ROCA	30	CBV-L	30	50	0.10	2	8	0		10.67
902	RELUCTAN	30	GR-L	30	50	0.24	2	6	48	33	4.44
902	SUMYA	25	CBV-CL	30	50	0.10	1	8	0		5.33

Rainfall factor (R) for calulation of HEL_LS was 15.
Chart for determining LS for known slope and length is attached.

NV769 PERSHING COUNTY, NEVADA, EAST PART

musym	compname	comppct	texture	slopel	slopeh	kfact	tfact	weg	ifact	HELcfact	HEL_LS
903	ROCA	40	CBV-L	50	75	0.10	2	8	0		10.67
903	BURNBOROUGH	25	GRV-L	50	75	0.24	5	7	38	105	11.11
905	ROCA	55	CBV-L	30	50	0.10	2	8	0		10.67
905	RELUCTAN VARIA	30	GR-SIL	30	50	0.32	1	6	48	17	1.67
906	ROCA	60	CBV-L	30	50	0.10	2	8	0		10.67
906	RELUCTAN VARIA	25	GR-SIL	50	75	0.32	1	6	48	17	1.67
911	TENABO	45	CB-VFSL	2	8	0.49	1	4	86	9	1.09
911	DAICK	20	ST-CL	30	50	0.24	1	7	38	21	2.22
911	OXCOREL	20	GR-VFSL	2	8	0.28	5	4	86	47	9.52
930	BUBUS	45	VFSL	0	2	0.49	5	3	86	47	5.44
930	BENIN	25	SIL	0	2	0.49	5	4L	86	47	5.44
930	WENDANE	20	SIL	0	2	0.55	5	4L	86	47	4.85
931	BUBUS	60	VFSL	0	2	0.49	5	3	86	47	5.44
931	VALMY	25	LFS	2	8	0.20	5	2	134	30	13.33
932	BUBUS	100	VFSL	0	2	0.49	5	3	86	47	5.44
950	PUFFER	45	CBV-L	50	75	0.20	1	7	38	21	2.67
950	XINE	25	GR-L	30	50	0.24	2	6	48	33	4.44
950	PUFFER	15	CBV-L	4	15	0.20	1	7	38	21	2.67
953	PUFFER	40	CBV-L	30	50	0.20	1	7	38	21	2.67
953	BOJO	30	CBV-L	30	50	0.15	1	7	38	21	3.56
954	PUFFER	40	CBV-L	50	75	0.20	1	7	38	21	2.67
954	XINE	25	GR-SIL	50	75	0.24	2	6	48	33	4.44
955	PUFFER	45	CBV-L	30	50	0.20	1	7	38	21	2.67
955	MULHOP	20	GRV-L	30	50	0.17	1	7	38	21	3.14
956	PUFFER	45	CBV-L	30	50	0.20	1	7	38	21	2.67
956	LINROSE	20	GRV-L	50	75	0.17	2	7	38	42	6.27
956	IVER	20	GR-SIL	50	75	0.28	5	7	38	105	9.52
957	PUFFER	40	FLV-L	50	75	0.20	1	7	38	21	2.67
957	ATLOW	30	FLV-L	50	75	0.17	1	7	38	21	3.14
957	PUFFER	15	FLV-L	15	30	0.20	1	7	38	21	2.67
960	FINDOUT	45	GRV-L	30	50	0.17	1	7	38	21	3.14
960	PUFFER	35	CBV-L	50	75	0.20	1	7	38	21	2.67
980	MAZUMA	90	VFSL	0	4	0.43	5	3	86	47	6.20
981	MAZUMA	100	FSL	0	2	0.28	5	3	86	47	9.52
983	MAZUMA	50	SIL	0	2	0.55	5	4L	86	47	4.85
983	SWINGLER	20	SIL	0	2	0.55	5	4L	86	47	4.85
983	TROCKEN	20	GR-VFSL	2	8	0.32	5	4	86	47	8.33

Rainfall factor (R) for calulation of HEL_LS was 15.
Chart for determining LS for known slope and length is attached.

NV769 PERSHING COUNTY, NEVADA, EAST PART

musym	compname	comppct	texture	slopel	slopeh	kfact	tfact	weg	ifact	HELcfact	HEL_LS
984	MAZUMA	35	FSL	0	2	0.28	5	3	86	47	9.52
984	BLUEWING	30	GRV-SL	2	8	0.10	5	5	56	71	26.67
984	WOOLSEY	20	GR-FSL	2	8	0.20	5	4	86	47	13.33
985	MAZUMA	40	SIL	0	2	0.55	5	4L	86	47	4.85
985	TOULON	30	GRV-L	2	8	0.28	1	7	38	21	1.90
985	CHUMALL	20	SIL	0	2	0.55	5	4L	86	47	4.85
986	MAZUMA	70	VFSL	2	4	0.43	5	3	86	47	6.20
986	TROCKEN	15	GR-VFSL	2	8	0.32	5	4	86	47	8.33
987	MAZUMA	50	VFSL	0	2	0.43	5	3	86	47	6.20
987	YIPOR	35	SIL	0	2	0.55	5	4L	86	47	4.85
988	MAZUMA	100	VFSL	2	8	0.43	5	3	86	47	6.20
990	ARGENTA	100	VFSL	0	2	0.49	5	3	86	47	5.44
1020	WHOLAN	100	VFSL	0	2	0.55	5	3	86	47	4.85
1030	WENDANE	55	SIL	0	2	0.55	5	4L	86	47	4.85
1030	YOBE	35	SIL	0	2	0.43	5	4L	86	47	6.20
1070	HOOT	40	CBV-L	30	50	0.10	1	8	0		5.33
1070	BURRITA	30	CBV-L	30	50	0.15	1	8	0		3.56
1070	BOJO	15	CBV-L	30	50	0.15	1	7	38	21	3.56
1071	HOOT	35	CBV-L	50	75	0.10	1	8	0		5.33
1071	WISKAN	30	GRV-L	50	75	0.17	2	7	38	42	6.27
1071	ATLOW	20	GRV-L	30	50	0.17	1	7	38	21	3.14
1073	HOOT	50	CBV-L	30	50	0.10	1	8	0		5.33
1073	BOJO	25	CBV-L	30	50	0.15	1	7	38	21	3.56
1073	HOOT	15	CBV-L	4	15	0.10	1	8	0		5.33
1090	BOJO VARIANT	35	CBV-L	15	30	0.15	1	7	38	21	3.56
1090	SCHAMP	25	L	15	30	0.37	5	5	56	71	7.21
1090	TRUNK	25	CBV-L	4	15	0.10	2	8	0		10.67
1111	YIPOR	100	SIL	0	2	0.55	5	4L	86	47	4.85
1112	YIPOR	100	SIL	0	2	0.55	5	4L	86	47	4.85
1113	YIPOR	75	SIL	0	2	0.55	5	4L	86	47	4.85
1114	YIPOR	100	SIL	0	2	0.55	5	4L	86	47	4.85
1121	GENEGRAF	45	GRV-VFSL	2	8	0.17	5	6	48	83	15.69
1121	CHILPER	25	GR-VFSL	2	8	0.37	2	7	38	42	2.88
1121	BLUEWING	20	GRV-SL	0	2	0.10	5	5	56	71	26.67
1122	GENEGRAF	35	GRV-VFSL	2	8	0.17	5	6	48	83	15.69
1122	TROCKEN	30	GRV-VFSL	2	8	0.20	5	5	56	71	13.33
1122	BLUEWING	20	GRV-LS	2	8	0.10	5	4	86	47	26.67

Rainfall factor (R) for calulation of HEL_LS was 15.
Chart for determining LS for known slope and length is attached.

NV769 PERSHING COUNTY, NEVADA, EAST PART

musym	compname	comppct	texture	slopel	slopeh	kfact	tfact	weg	ifact	HELcfact	HEL_LS
1130	CLEAVER	55	GR-L	2	4	0.20	1	6	48	17	2.67
1130	TROCKEN	15	GR-VFSL	4	15	0.32	5	4	86	47	8.33
1130	BLUEWING	15	GRV-LS	2	4	0.10	5	4	86	47	26.67
1140	LAYVIEW	35	GRV-L	50	75	0.10	1	7	38	21	5.33
1140	TUSEL	30	CBV-L	50	75	0.17	3	7	38	63	9.41
1140	LAYVIEW	20	GRV-L	4	15	0.10	1	7	38	21	5.33
1160	SLAW	65	SIL	0	2	0.55	5	4L	86	47	4.85
1160	RAGTOWN	20	FSL	0	2	0.37	5	3	86	47	7.21
1200	BLUEWING	40	GRV-SL	15	30	0.10	5	5	56	71	26.67
1200	BLUEWING	25	GRV-SL	4	15	0.10	5	5	56	71	26.67
1200	DAICK	20	GR-C	30	50	0.17	1	5	56	14	3.14
1201	BLUEWING	100	GR-SL	2	8	0.24	5	4	86	47	11.11
1210	DAICK	35	GR-CL	30	50	0.20	1	7	38	21	2.67
1210	REZAVE	25	STX-VFSL	30	50	0.24	1	8	0		2.22
1230	KNOTT	45	GR-VFSL	8	15	0.24	1	4	86	9	2.22
1230	SODHOUSE	25	GR-VFSL	2	8	0.32	1	4	86	9	1.67
1230	WHOLAN	15	SIL	0	2	0.55	5	5	56	71	4.85
1231	KNOTT	45	GR-VFSL	8	15	0.24	1	4	86	9	2.22
1231	SODHOUSE	20	GR-VFSL	2	8	0.32	1	4	86	9	1.67
1231	CORTEZ	20	GR-VFSL	2	8	0.32	2	4	86	19	3.33
1232	KNOTT	50	CB-VFSL	15	30	0.24	1	4	86	9	2.22
1232	SNAPP	20	CB-VFSL	15	30	0.20	3	4	86	28	8.00
1232	KNOTT	15	CB-VFSL	2	8	0.24	1	4	86	9	2.22
1270	GOL	45	CBV-SL	30	50	0.15	1	5	56	14	3.56
1270	SAY	40	ST-L	30	50	0.24	2	5	56	29	4.44
1271	GOL	30	BYV-SL	30	50	0.10	1	5	56	14	5.33
1271	SAY	30	BYV-L	30	50	0.24	2	6	48	33	4.44
1272	GOL	35	BYV-SL	50	75	0.10	1	5	56	14	5.33
1272	SAY	25	BYV-L	50	75	0.24	2	6	48	33	4.44
1280	GWENA	35	VFSL	4	15	0.49	1	3	86	9	1.09
1280	ENKO	30	FSL	2	8	0.43	5	3	86	47	6.20
1280	FREWA	20	LFS	2	8	0.28	5	2	134	30	9.52
1290	SLAVEN	40	CBV-L	30	50	0.20	2	7	38	42	5.33
1290	LINROSE	25	GRV-L	50	75	0.17	2	7	38	42	6.27
1290	IVER	20	ST-SIL	30	50	0.28	5	7	38	105	9.52
1291	SLAVEN	35	GR-VFSL	30	50	0.32	2	4	86	19	3.33
1291	IVER	30	GR-SIL	30	50	0.28	5	7	38	105	9.52
1291	CLEAVAGE	20	GRV-L	30	50	0.10	1	7	38	21	5.33

Rainfall factor (R) for calulation of HEL_LS was 15.
Chart for determining LS for known slope and length is attached.

NV769 PERSHING COUNTY, NEVADA, EAST PART

musym	compname	comppct	texture	slopel	slopeh	kfact	tfact	weg	ifact	HELcfact	HEL_LS
1292	SLAVEN	35	CBV-L	50	75	0.20	2	7	38	42	5.33
1292	IVER	35	ST-SIL	50	75	0.28	5	7	38	105	9.52
1320	ALYAN	40	STX-L	15	30	0.15	2	8	0		7.11
1320	CHEN	25	STV-L	4	15	0.24	1	7	38	21	2.22
1321	ALYAN	45	STX-L	15	30	0.15	2	8	0		7.11
1321	SLAVEN	40	CBV-L	15	30	0.20	2	7	38	42	5.33
1340	LAPED	55	CBV-L	30	50	0.17	1	7	38	21	3.14
1340	COLBAR	30	CBV-L	30	50	0.10	2	7	38	42	10.67
1350	BURNBOROUGH	40	GRV-L	15	30	0.24	5	7	38	105	11.11
1350	CLEAVAGE	30	GRV-L	4	15	0.10	1	7	38	21	5.33
1350	RELUCTAN	30	GR-L	15	30	0.24	2	6	48	33	4.44
1360	KRAM	35	GRV-VFSL	30	50	0.15	1	5	56	14	3.56
1360	HOPEKA	35	GRV-L	50	75	0.20	1	7	38	21	2.67
1390	MULHOP	40	CB-L	30	50	0.24	1	6	48	17	2.22
1390	XINE	30	GR-SIL	30	50	0.24	2	6	48	33	4.44
1410	YOBE	30	SIL	0	2	0.43	5	4L	86	47	6.20
1410	BEZO	40	SIC	0	2	0.37	5	4	86	47	7.21
1410	YOBE	20	SIL	0	2	0.43	5	4L	86	47	6.20
1411	YOBE	55	SIL	0	2	0.43	5	4L	86	47	6.20
1411	SONOMA	30	SIL	0	2	0.43	5	4L	86	47	6.20
1412	YOBE	100	SIL	0	2	0.43	5	4L	86	47	6.20
1420	GOLDRUN VARIAN	100	SL	4	15	0.24	5	3	86	47	11.11
1430	YOBE VARIANT	100	SIC	0	2	0.32	5	8	0		8.33
1450	ALLEY	40	CBV-VFSL	30	50	0.05	5	5	56	71	53.33
1450	SNOWMORE	30	CBV-L	2	8	0.10	2	8	0		10.67
1480	TUSEL	45	CB-L	30	50	0.20	3	6	48	50	8.00
1480	LAYVIEW	20	GRV-L	50	75	0.10	1	7	38	21	5.33
1490	XINE	40	GRV-L	30	50	0.10	2	7	38	42	10.67
1490	MULHOP	30	GRV-L	30	50	0.17	1	7	38	21	3.14
1490	PUFFER	15	CBV-L	30	50	0.20	1	7	38	21	2.67
1500	CORTEZ	100	VFSL	2	8	0.55	2	3	86	19	1.94
1501	CORTEZ	35	STV-L	2	8	0.28	2	6	48	33	3.81
1501	TENABO	30	CBV-L	2	8	0.10	1	8	0		5.33
1501	BEOSKA	20	STV-L	2	8	0.24	5	7	38	105	11.11
1510	LOCANE	60	CB-L	50	75	0.24	1	6	48	17	2.22

Rainfall factor (R) for calulation of HEL_LS was 15.
Chart for determining LS for known slope and length is attached.

NV769 PERSHING COUNTY, NEVADA, EAST PART

musym	compname	comppct	texture	slopel	slopeh	kfact	tfact	weg	ifact	HELcfact	HEL_LS
1530	POLUM	40	GR-SIL	30	50	0.17	5	5	56	71	15.69
1530	DEKOOM	30	GRV-L	50	75	0.20	5	7	38	105	13.33
1530	POLUM VARIANT	15	GRX-L	4	15	0.05	2	7	38	42	21.33
1540	DEWAR	35	GR-SIL	4	15	0.37	1	7	38	21	1.44
1540	TENABO	25	VFSL	2	8	0.55	1	3	86	9	0.97
1540	BEOSKA	25	VFSL	2	8	0.49	5	3	86	47	5.44
1550	EASTWELL	35	GRV-L	2	8	0.15	2	7	38	42	7.11
1550	SHABLISS	30	GR-L	30	50	0.28	2	6	48	33	3.81
1550	BLACKHAWK	20	GR-L	30	50	0.37	1	6	48	17	1.44
1551	EASTWELL	45	GRV-L	15	30	0.15	2	7	38	42	7.11
1551	SHABLISS	25	GR-L	15	30	0.28	2	6	48	33	3.81
1551	EASTWELL	20	GRV-L	2	8	0.15	2	7	38	42	7.11
1560	DENAY	40	GR-L	30	50	0.24	3	7	38	63	6.67
1560	WERELD	25	GRV-SIL	30	50	0.17	3	7	38	63	9.41
1560	XINE	20	GRV-L	30	50	0.10	2	7	38	42	10.67
1570	POCKER VARIANT	100	L	0	2	0.55	5	4L	86	47	4.85
1640	ISOLDE	45	FS	4	15	0.28	5	1	250	16	9.52
1640	PARRAN	20	SIC	0	2	0.37	5	4	86	47	7.21
1640	APPIAN	20	SL	0	2	0.24	2	3	86	19	4.44
1650	BANGO	50	GRV-LS	2	8	0.10	5	5	56	71	26.67
1650	APPIAN	35	L	0	2	0.37	2	4L	86	19	2.88
1660	BIDDLEMAN	35	GR-SL	2	4	0.32	1	4	86	9	1.67
1660	TROCKEN	35	GR-VFSL	2	8	0.32	5	4	86	47	8.33
1660	BIDDLEMAN	15	STV-SL	2	8	0.32	1	8	0		1.67
3000	JOBPEAK	40	GRV-L	50	75	0.15	1	7	38	21	3.56
3000	TEGURO	30	STV-L	30	50	0.20	1	7	38	21	2.67
3010	BEDWYR	50	ST-L	15	30	0.20	1	6	48	17	2.67
3010	BEDZEE	20	STV-L	15	30	0.43	1	7	38	21	1.24
3010	JOBPEAK	15	GRV-L	50	75	0.15	1	7	38	21	3.56
3020	URIPNES	65	STV-SL	15	30	0.17	1	8	0		3.14
3030	SINGATSE	45	GRV-L	50	75	0.17	1	7	38	21	3.14
3030	SINGATSE	10	GRV-L	30	50	0.17	1	7	38	21	3.14
3031	SINGATSE	45	STV-L	50	75	0.15	1	8	0		3.56
3031	JOBPEAK	25	GRV-L	50	75	0.15	1	7	38	21	3.56
3040	MADELINE	55	STV-L	15	30	0.17	1	8	0		3.14
3040	MILLERLUX	30	STV-L	4	15	0.20	1	8	0		2.67
3050	MILLERLUX	40	STV-L	4	15	0.20	1	8	0		2.67
3050	NINEMILE	35	STV-L	4	15	0.15	1	8	0		3.56
3050	MADELINE	10	STV-L	15	30	0.17	1	8	0		3.14

Rainfall factor (R) for calulation of HEL_LS was 15.
Chart for determining LS for known slope and length is attached.