

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Noble County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AaC2—Aaron silt loam, 6 to 12 percent slopes, eroded			
Aaron	85	A-6	
		A-6	0.06
AID—Allegheny silt loam, 12 to 18 percent slopes			
Allegheny	100	A-1	
		A-1	0.01
BcC—Berks channery silt loam, 8 to 15 percent slopes			
Berks	85	F-1	
		F-1	0.51
BcD—Berks channery silt loam, 15 to 25 percent slopes			
Berks	85	F-1	
		F-1	0.51
BcE—Berks channery silt loam, 25 to 40 percent slopes			
Berks	80	F-2	
		F-2	0.52
BcF—Berks channery silt loam, 40 to 70 percent slopes			
Berks	80	H-1	
		H-1	0.71

Selected Soil Interpretations--Noble County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Bhh7B1—Bethesda channery loam, 0 to 8 percent slopes, unreclaimed, highwall			
Bethesda, unreclaimed, highwall, unstable fill	85	B-1	
		B-1	0.07
		A-1	0.01
Bhh7D1—Bethesda channery loam, 8 to 25 percent slopes, unreclaimed, highwall			
Bethesda, unreclaimed, highwall, unstable fill	85	B-1	
		B-1	0.07
		A-1	0.01
Bhh7F1—Bethesda channery loam, 25 to 70 percent slopes, unreclaimed, highwall			
Bethesda, unreclaimed, highwall, unstable fill	85	H-1	
		H-1	0.71
Bhi2B1—Bethesda loam, 0 to 8 percent slopes, reclaimed, highwall			
Bethesda, reclaimed, highwall, unstable fill	80	B-4	
		B-4	0.10
Bhi2D1—Bethesda loam, 8 to 25 percent slopes, reclaimed, highwall			
Bethesda, reclaimed, highwall, unstable fill	80	B-4	
		B-4	0.10
Bhn7B1—Bethesda channery loam, 0 to 8 percent slopes, unreclaimed			
Bethesda, unreclaimed, unstable fill	85	B-1	
		B-1	0.07
		A-1	0.01
Bhn7D1—Bethesda channery loam, 8 to 25 percent slopes, unreclaimed			
Bethesda, unreclaimed, unstable fill	85	B-1	
		B-1	0.07
		A-1	0.01
Bhn7F1—Bethesda channery loam, 25 to 70 percent slopes, unreclaimed			
Bethesda, unreclaimed, unstable fill	85	H-1	
		H-1	0.71
Bhr2B1—Bethesda loam, 0 to 8 percent slopes, reclaimed			
Bethesda, reclaimed, unstable fill	80	B-4	
		B-4	0.10

Selected Soil Interpretations--Noble County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Bhr2D1—Bethesda loam, 8 to 25 percent slopes, reclaimed			
Bethesda, reclaimed, unstable fill	80	B-4	
		B-4	0.10
Bhr2F1—Bethesda loam, 25 to 70 percent slopes, reclaimed			
Bethesda, reclaimed, unstable fill	80	H-1	
		H-1	0.71
BkC—Berks shaly silt loam, 8 to 15 percent slopes			
Berks	90	F-1	
		F-1	0.51
BkD—Berks shaly silt loam, 15 to 25 percent slopes			
Berks	90	F-1	
		F-1	0.51
BkE—Berks channery silt loam, 25 to 35 percent slopes			
Berks	85	F-2	
		F-2	0.52
BkF—Berks channery silt loam, 35 to 70 percent slopes			
Berks	85	H-1	
		H-1	0.71
BrC—Brookside silt loam, 8 to 15 percent slopes			
Brookside	80	A-1	
		A-1	0.01
BrD—Brookside silt loam, 15 to 25 percent slopes			
Brookside	85	A-2	
		A-2	0.02
BrE—Brookside silt loam, 25 to 40 percent slopes			
Brookside	85	F-6	
		F-6	0.56
BsC2—Brookside silt loam, 8 to 15 percent slopes, eroded			
Brookside	85	F-5	
		F-5	0.55

Selected Soil Interpretations--Noble County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BsD2—Brookside silt loam, 15 to 25 percent slopes, eroded			
Brookside	85	F-5	
		F-5	0.55
BtC—Brookside-Vandalia complex, 8 to 15 percent slopes			
Brookside	45	A-1	
		A-1	0.01
Vandalia	35	A-1	
		A-1	0.01
BtD—Brookside-Vandalia complex, 15 to 25 percent slopes			
Brookside	50	A-2	
		A-2	0.02
Vandalia	30	A-2	
		A-2	0.02
BtD2—Brookside-Vandalia complex, 15 to 25 percent slopes, eroded			
Brookside	45	F-5	
		F-5	0.55
Vandalia	40	A-2	
		A-2	0.02
BtE—Brookside-Vandalia complex, 25 to 40 percent slopes			
Brookside	50	F-6	
		F-6	0.56
Vandalia	30	A-3	
		A-3	0.03
BtE2—Brookside-Vandalia complex, 25 to 35 percent slopes, eroded			
Brookside	45	F-6	
		F-6	0.56
Vandalia	35	A-3	
		A-3	0.03
Ch—Chagrin silt loam, 0 to 3 percent slopes, occasionally flooded			
Chagrin	85	A-5	
		A-5	0.05

Selected Soil Interpretations--Noble County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Chg1AF—Chagrin silt loam, 0 to 3 percent slopes, frequently flooded			
Chagrin	95	A-5	
		A-5	0.05
DhC—Dekalb loam, 8 to 15 percent slopes			
Dekalb	80	F-1	
		F-1	0.51
DkE—Dekalb channery loam, 25 to 40 percent slopes			
Dekalb	85	F-2	
		F-2	0.52
DkF—Dekalb channery loam, 40 to 70 percent slopes			
Dekalb	85	H-1	
		H-1	0.71
EbD—Elba silty clay loam, 15 to 25 percent slopes			
Elba	85	A-2	
		A-2	0.02
EbD2—Elba silty clay loam, 15 to 25 percent slopes, eroded			
Elba	90	F-5	
		F-5	0.55
EbE—Elba silty clay loam, 25 to 40 percent slopes			
Elba	80	B-2	
		B-2	0.08
EbE2—Elba silty clay loam, 25 to 40 percent slopes, eroded			
Elba	90	F-6	
		F-6	0.56
EbF2—Elba silty clay loam, 40 to 70 percent slopes, eroded			
Elba	85	H-1	
		H-1	0.71
EdD2—Elba-Guernsey silty clay loams, 15 to 25 percent slopes, eroded			
Elba	40	F-5	
		F-5	0.55
Guernsey	40	Not assigned	

Selected Soil Interpretations--Noble County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
EdE2—Elba-Guernsey silty clay loams, 25 to 35 percent slopes, eroded			
Elba	50	F-6	
		F-6	0.56
Guernsey	40	F-6	
		F-6	0.56
Fpi1A1—Fairpoint silt loam, 0 to 8 percent slopes, reclaimed, highwall			
Fairpoint, reclaimed, highwall, unstable fill	70	B-4	
		B-4	0.10
Fpi1D1—Fairpoint silt loam, 8 to 25 percent slopes, reclaimed, highwall			
Fairpoint, reclaimed, highwall, unstable fill	70	B-4	
		B-4	0.10
Fpi1F1—Fairpoint silt loam, 25 to 70 percent slopes, reclaimed, highwall			
Fairpoint, reclaimed, highwall, unstable fill	70	H-1	
		H-1	0.71
Fpr1B1—Fairpoint silt loam, 0 to 8 percent slopes, reclaimed			
Fairpoint, reclaimed, unstable fill	70	B-4	
		B-4	0.10
Fpr1D1—Fairpoint silt loam, 8 to 25 percent slopes, reclaimed			
Fairpoint, reclaimed, unstable fill	70	B-4	
		B-4	0.10
Fpr1F1—Fairpoint silt loam, 25 to 70 percent slopes, reclaimed			
Fairpoint, reclaimed, unstable fill	70	H-1	
		H-1	0.71
GdC—Gilpin silt loam, 8 to 15 percent slopes			
Gilpin	80	F-1	
		F-1	0.51
GdD—Gilpin silt loam, 15 to 25 percent slopes			
Gilpin	85	F-1	
		F-1	0.51
GdE—Gilpin silt loam, 25 to 35 percent slopes			
Gilpin	90	F-2	
		F-2	0.52

Selected Soil Interpretations--Noble County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GdF—Gilpin silt loam, 35 to 70 percent slopes			
Gilpin	75	H-1	
		H-1	0.71
GkD2—Gilpin-Upshur complex, 15 to 25 percent slopes			
Gilpin	50	F-1	
		F-1	0.51
Upshur	30	A-2	
		A-2	0.02
GkE2—Gilpin-Upshur complex, 25 to 35 percent slopes			
Gilpin	50	F-2	
		F-2	0.52
Upshur	25	A-3	
		A-3	0.03
GkF—Gilpin-Upshur complex, 35 to 70 percent slopes			
Gilpin	45	H-1	
		H-1	0.71
Upshur	35	H-1	
		H-1	0.71
GkF2—Gilpin-Upshur complex, 35 to 70 percent slopes			
Gilpin	50	H-1	
		H-1	0.71
Upshur	30	H-1	
		H-1	0.71
GmC2—Gilpin-Upshur complex, 6 to 12 percent slopes, moderately eroded			
Gilpin	55	F-1	
		F-1	0.51
Upshur	35	A-1	
		A-1	0.01
GuB—Guernsey silt loam, 3 to 8 percent slopes			
Guernsey	85	A-1	
		A-1	0.01
GuC—Guernsey silt loam, 8 to 15 percent slopes			
Guernsey	85	A-1	
		A-1	0.01

Selected Soil Interpretations--Noble County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GuD—Guernsey silt loam, 15 to 25 percent slopes			
Guernsey	85	Not assigned	
GuD2—Guernsey silt loam, 15 to 25 percent slopes, eroded			
Guernsey	80	A-2	
		A-2	0.02
GvC—Guernsey silt loam, 8 to 15 percent slopes			
Guernsey	80	A-6	
		A-6	0.06
GwD2—Guernsey-Upshur silty clay loams, 15 to 25 percent slopes, eroded			
Guernsey	50	Not assigned	
Upshur	40	A-2	
		A-2	0.02
GxD—Guernsey-Upshur complex, 15 to 25 percent slopes			
Guernsey	50	A-2	
		A-2	0.02
Upshur	35	A-2	
		A-2	0.02
He—Hartshorn silt loam			
Hartshorn	100	B-3	
		B-3	0.09
Hf—Hartshorn silt loam, occasionally flooded			
Hartshorn	85	A-5	
		A-5	0.05
KnL1AF—Kinnick-Lindside silt loams, 0 to 3 percent slopes, frequently flooded			
Kinnick	70	A-5	
		A-5	0.05
Lindside	20	A-5	
		A-5	0.05
Lh—Lindside silt loam			
Lindside	95	A-5	
		A-5	0.05
LoC—Lowell silt loam, 8 to 15 percent slopes			
Lowell	85	A-1	
		A-1	0.01

Selected Soil Interpretations--Noble County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LoD—Lowell silt loam, 15 to 25 percent slopes			
Lowell	85	A-2	
		A-2	0.02
LoE—Lowell silt loam, 25 to 40 percent slopes			
Lowell	85	F-6	
		F-6	0.56
LpE2—Lowell silty clay loam, 25 to 40 percent slopes, eroded			
Lowell	85	A-3	
		A-3	0.03
LrE2—Lowell-Gilpin complex, 25 to 40 percent slopes, eroded			
Lowell	45	A-3	
		A-3	0.03
Gilpin	35	F-2	
		F-2	0.52
LrF—Lowell-Gilpin complex, 40 to 70 percent slopes			
Lowell	45	H-1	
		H-1	0.71
Gilpin	30	H-1	
		H-1	0.71
LtE2—Lowell-Elba silty clay loams, 25 to 40 percent slopes, eroded			
Lowell	50	F-6	
		F-6	0.56
Elba	35	A-3	
		A-3	0.03
LtF2—Lowell-Elba silty clay loams, 40 to 70 percent slopes, eroded			
Lowell	50	H-1	
		H-1	0.71
Elba	35	H-1	
		H-1	0.71

Selected Soil Interpretations--Noble County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LuE—Lowell-Gilpin silt loams, 25 to 35 percent slopes			
Lowell	50	A-3	
		A-3	0.03
Gilpin	35	F-2	
		F-2	0.52
LuF—Lowell-Gilpin silt loams, 35 to 70 percent slopes			
Lowell	50	H-1	
		H-1	0.71
Gilpin	35	H-1	
		H-1	0.71
LvD2—Lowell-Upshur silty clay loams, 15 to 25 percent slopes, eroded			
Lowell	50	A-2	
		A-2	0.02
Upshur	35	A-2	
		A-2	0.02
LvE—Lowell-Upshur complex, 25 to 40 percent slopes			
Lowell	50	A-3	
		A-3	0.03
Upshur	35	A-3	
		A-3	0.03
LvE2—Lowell-Upshur silty clay loams, 25 to 40 percent slopes, eroded			
Lowell	50	A-3	
		A-3	0.03
Upshur	35	A-3	
		A-3	0.03
LvF2—Lowell-Upshur silty clay loams, 40 to 70 percent slopes, eroded			
Lowell	50	H-1	
		H-1	0.71
Upshur	35	H-1	
		H-1	0.71

Selected Soil Interpretations--Noble County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LxE--Lowell-Westmoreland complex, 25 to 40 percent slopes			
Lowell	50	A-3	
		A-3	0.03
Westmoreland	30	A-3	
		A-3	0.03
LxF--Lowell-Westmoreland silt loams, 35 to 70 percent slopes			
Lowell	45	H-1	
		H-1	0.71
Westmoreland	30	H-1	
		H-1	0.71
LyC--Lowell-Westmoreland silt loams, 8 to 15 percent slopes			
Lowell, moderately wet	50	A-1	
		A-1	0.01
Westmoreland	35	A-1	
		A-1	0.01
LyD--Lowell-Westmoreland silt loams, 15 to 25 percent slopes			
Lowell, moderately wet	50	A-2	
		A-2	0.02
Westmoreland	30	A-2	
		A-2	0.02
LyE--Lowell-Westmoreland silt loams, 25 to 35 percent slopes			
Lowell	45	A-3	
		A-3	0.03
Westmoreland	30	A-3	
		A-3	0.03
LyF--Lowell-Westmoreland silt loams, 40 to 70 percent slopes			
Lowell	45	H-1	
		H-1	0.71
Westmoreland	35	H-1	
		H-1	0.71

Selected Soil Interpretations--Noble County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Mwh4B1—Morristown channery silt loam, 0 to 8 percent slopes, unreclaimed, highwall			
Morristown, unreclaimed, highwall, unstable fill	90	B-1	
		B-1	0.07
Mwh4D1—Morristown channery silt loam, 8 to 25 percent slopes, unreclaimed, highwall			
Morristown, unreclaimed, highwall, unstable fill	90	B-1	
		B-1	0.07
Mwh4F1—Morristown channery silt loam, 25 to 70 percent slopes, unreclaimed, highwall			
Morristown, unreclaimed, highwall, unstable fill	90	H-1	
		H-1	0.71
Mwi1B1—Morristown silt loam, 0 to 8 percent slopes, reclaimed, highwall			
Morristown, reclaimed, highwall, unstable fill	90	B-4	
		B-4	0.10
Mwi1D1—Morristown silt loam, 8 to 25 percent slopes, reclaimed, highwall			
Morristown, reclaimed, highwall, unstable fill	90	B-4	
		B-4	0.10
Mwn4B1—Morristown channery silt loam, 0 to 8 percent slopes, unreclaimed			
Morristown, unreclaimed, unstable fill	90	B-1	
		B-1	0.07
Mwn4D1—Morristown channery silt loam, 8 to 25 percent slopes, unreclaimed			
Morristown, unreclaimed, unstable fill	90	B-1	
		B-1	0.07
Mwn4F1—Morristown channery silt loam, 25 to 70 percent slopes, unreclaimed			
Morristown, unreclaimed, unstable fill	90	H-1	
		H-1	0.71
Mwr1B1—Morristown silt loam, 0 to 8 percent slopes, reclaimed			
Morristown, reclaimed, unstable fill	90	B-4	
		B-4	0.10
Mwr1D1—Morristown silt loam, 8 to 25 percent slopes, reclaimed			
Morristown, reclaimed, unstable fill	90	B-4	
		B-4	0.10

Selected Soil Interpretations--Noble County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Mwr1F1--Morristown silt loam, 25 to 70 percent slopes, reclaimed			
Morristown, reclaimed, unstable fill	90	H-1	
		H-1	0.71
Ne--Newark silt loam, 0 to 3 percent slopes, occasionally flooded			
Newark, occasionally flooded	85	C-3	
		C-3	0.13
New1AF--Newark silt loam, 0 to 3 percent slopes, frequently flooded			
Newark	90	C-3	
		C-3	0.13
Ng--Newark silt loam, 0 to 3 percent slopes, frequently flooded			
Newark, frequently flooded	85	C-3	
		C-3	0.13
No--Nolin silt loam, 0 to 3 percent slopes, frequently flooded			
Nolin	90	A-5	
		A-5	0.05
Omu1B1--Omulga silt loam, 2 to 6 percent slopes			
Omulga	85	F-3	
		F-3	0.53
Omu1C1--Omulga silt loam, 6 to 12 percent slopes			
Omulga	85	F-3	
		F-3	0.53
OtC--Otwell silt loam, 6 to 12 percent slopes			
Otwell	100	F-3	
		F-3	0.53
Pm--Pits, mine			
Pits, mine	100	Not rated	
RcD--Richland channery loam, 15 to 25 percent slopes			
Richland	80	A-2	
		A-2	0.02
Sa--Sarahsville silty clay, frequently flooded			
Sarahsville	85	C-3	
		C-3	0.13

Selected Soil Interpretations--Noble County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Sb--Sarahsville silty clay loam, frequently flooded			
Sarahsville	90	C-3	
		C-3	0.13
Ub--Udorthents			
Udorthents	100	Not rated	
Uc--Udorthents-Pits complex			
Udorthents	70	Not rated	
Pits	20	Not rated	
UnC--Upshur silty clay loam, 8 to 15 percent slopes			
Upshur	85	A-1	
		A-1	0.01
UnD--Upshur silty clay loam, 15 to 25 percent slopes			
Upshur	80	A-2	
		A-2	0.02
UnD3--Upshur silty clay loam, 15 to 25 percent slopes, severely eroded			
Upshur	85	B-1	
		B-1	0.07
UpB--Upshur silt loam, 3 to 8 percent slopes			
Upshur	85	A-1	
		A-1	0.01
UpC--Upshur silt loam, 8 to 15 percent slopes			
Upshur	85	B-1	
		B-1	0.07
UrC3--Upshur silty clay, 8 to 15 percent slopes, severely eroded			
Upshur	90	B-1	
		B-1	0.07
UrD3--Upshur silty clay, 15 to 25 percent slopes, severely eroded			
Upshur	85	B-1	
		B-1	0.07
UrE3--Upshur silty clay, 25 to 40 percent slopes, severely eroded			
Upshur	85	B-2	
		B-2	0.08

Selected Soil Interpretations--Noble County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
UsB—Upshur silt loam, 2 to 6 percent slopes			
Upshur	85	A-1	
		A-1	0.01
VaD2—Vandalia silty clay loam, 15 to 25 percent slopes, eroded			
Vandalia	85	A-2	
		A-2	0.02
VaE2—Vandalia silty clay loam, 25 to 35 percent slopes			
Vandalia	85	A-3	
		A-3	0.03
VbC—Vandalia silty clay loam, 6 to 12 percent slopes			
Vandalia	95	A-1	
		A-1	0.01
VcC2—Vandalia-Guernsey silty clay loams, 8 to 15 percent slopes, eroded			
Vandalia	50	A-1	
		A-1	0.01
Guernsey	35	A-6	
		A-6	0.06
VcD2—Vandalia-Guernsey silty clay loams, 15 to 25 percent slopes, eroded			
Vandalia	50	A-2	
		A-2	0.02
Guernsey	35	A-2	
		A-2	0.02
VcE2—Vandalia-Guernsey silty clay loams, 25 to 35 percent slopes, eroded			
Vandalia	50	A-3	
		A-3	0.03
Guernsey	35	F-6	
		F-6	0.56
W—Water			
Water	100	Not rated	
WhD2—Wellston silt loam, 12 to 18 percent slopes			
Wellston	90	A-6	
		A-6	0.06

Selected Soil Interpretations--Noble County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WkB—Westmoreland silt loam, 3 to 8 percent slopes			
Westmoreland	85	A-1	
		A-1	0.01
WkE—Westmoreland silt loam, 25 to 35 percent slopes			
Westmoreland	80	A-3	
		A-3	0.03
WnC—Woodsfield silt loam, 8 to 15 percent slopes			
Woodsfield	85	A-1	
		A-1	0.01
WoB—Woodsfield silt loam, 1 to 6 percent slopes			
Woodsfield	85	A-1	
		A-1	0.01
WoC—Woodsfield silt loam, 8 to 15 percent slopes			
Woodsfield	85	A-1	
		A-1	0.01
WoD—Woodsfield silt loam, 15 to 25 percent slopes			
Woodsfield	85	A-2	
		A-2	0.02
WpB—Woodsfield silt loam, 3 to 8 percent slopes			
Woodsfield	90	A-1	
		A-1	0.01
WpC2—Woodsfield silt loam, 6 to 12 percent slopes			
Woodsfield	90	A-1	
		A-1	0.01
ZaB—Zanesville silt loam, 1 to 6 percent slopes			
Zanesville	85	F-3	
		F-3	0.53
ZaC—Zanesville silt loam, 8 to 15 percent slopes			
Zanesville	85	F-3	
		F-3	0.53

Selected Soil Interpretations--Noble County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
ZaC2--Zanesville silt loam, 6 to 15 percent slopes, eroded			
Zanesville	75	F-3	
		F-3	0.53
ZnB--Zanesville silt loam, 2 to 6 percent slopes			
Zanesville	85	F-3	
		F-3	0.53

Data Source Information

Soil Survey Area: Noble County, Ohio
 Survey Area Data: Version 15, Sep 19, 2016