Scenario: #3 - Shrubs Planting

Scenario Description:

Shrubs are planted to provide a more diverse habitat. Plantings are in either uplands or bottomlands. The site lacks ground level habitat structure and diversity for widlife.

Associated Practices: Mulching (484), Tree & Shrub Site Preparation (490)

Before Situation:

Little or no shrubbery vegetation, is present under the forest overstory. Wildlife species that need shrub cover are not present. An adequate stand of overstory trees is present, but it is a single level, not multi-level. Resource concern is inadequate habitat for fish and wildlife - habitat fragmentation.

After Situation:

A 10 acre area is planted with shrubs. Shrubs are not planted over the entire 10 acres. They are planted in groups or motts. The motts, more or less circular in shape, are 50 feet in diameter, with 50 shrubs planted within each mott. 4 motts are planted per acre for a total of 200 shrubs per acre. Motts are randomly established to take advantage of site conditions and shrub species being planted.

Scenario Feature Measure: Each Planted shrub

Scenario Unit: Each

Scenario Typical Size: 2,000

Scenario Cost: \$2,376.07

Scenario Cost/Unit: \$1.19

Price

Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost
Equipment/Installation						
Hand tools, tree planting		Various hand tools for digging holes and planting trees such as augers, dibble bars, planting shovel, hoe-dad. Equipment only. Labor not included.	Hour	\$11.62	17	\$197.54
Trailer, enclosed, small	1503	Small enclosed trailer (typically less than 30' in length) pulled by a pickup to transport materials and equipment. Truck not included.	Hour	\$3.88	8	\$31.04
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$42.39	8	\$339.12
Labor						
Supervisor or Manager		Labor involving supervision or management activities. Includes crew supervisors, foremen and farm/ranch managers time required for adopting new technology, etc.	Hour	\$41.91	8	\$335.28
General Labor	231	Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$20.77	17	\$353.09
Materials						
Shrub, seedling or transplant, bare root, 6-18"		Bare root hardwood trees 6-18" tall. Includes materials and shipping only.	Each	\$0.47	2000	\$940.00
Wire flags	1586	Small vinyl flags attached to wire stakes, typically, 36" in length, for marking tree rows	Each	\$0.09	2000	\$180.00

Scenario: #4 - Low Density, Hand Plant, Trees, with Tubes

Scenario Description:

This practice involves planting of tree seedlings after the site has been prepared for seedling growth and establishment. The productivity of the site is good and will handle a medium density planting rate. Newly planted hardwood seedlings are protected from browsing by installing open tree tubes. Trees are planted at 15 foot spacing or greater. Terrain is moderatey to steeply sloping, too steep to be planted with a mechanical tree planter so the area is hand planted.

Associated Practices: Mulching (484), Tree & Shrub Site Preparation (490)

Before Situation:

The land has a little/no tree cover, or is stocked with the wrong tree species. Competing vegetation is a before and after planting concern. Soil condition is degraded due to the lose of the native forest ecosystem (organic matter in top soil depleted). The main resource concern is degraded plant condition and inadequate structure and composition

After Situation:

10 acres of land is established with permanent tree cover that will improve degraded plant condition, reduce soil erosion, establish wildlife habitat, sequester carbon and reduce invasive species presence. Establishing forest vegetation also creates corridors for wildlife movement. All planted trees have vexar tubes, or similar, installed to protect from animal damage. A maximum planting density of 200 trees per acre is required for the site.

Scenario Feature Measure: Area of Treatment

Scenario Unit: Acre

Scenario Typical Size: 10

Scenario Cost: \$17,576.65

Scenario Cost/Unit: \$1,757.67

Cost Details (by category) Component Name): ID	Component Description	Unit	Price (\$/unit)	Quantity	Cost
Equipment/Installation		· · ·		(5/ 4111)	· · ·	
Hand tools, tree planting	1590	Various hand tools for digging holes and planting trees such as augers, dibble bars, planting shovel, hoe-dad. Equipment only. Labor not included.	Hour	\$11.62	50	\$581.00
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$42.39	17	\$720.63
Trailer, enclosed, small	1503	Small enclosed trailer (typically less than 30' in length) pulled by a pickup to transport materials and equipment. Truck not included.	Hour	\$3.88	17	\$65.96
Labor						
Supervisor or Manager	234	Labor involving supervision or management activities. Includes crew supervisors, foremen and farm/ranch managers time required for adopting new technology, etc.	Hour	\$41.91	16	\$670.56
General Labor	231	Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$20.77	50	\$1,038.50
Materials						
Tree, hardwood, seedling or transplant, bare root, 16-36"	1510	Bare root hardwood trees 18-36" tall. Includes materials and shipping only.	Each	\$0.62	2000	\$1,240.00
Tree shelter, solid tube type, 4" x 60"	1567	4" x 60" tree tube for protection from animal damage. Materials only.	Each	\$5.07	2000	\$10,140.00
Stakes, wood, 3/4" x 3/4" x 60"	1583	3/4" x 3/4" x 60" wood stakes to fasten items in place. Includes materials only.	Each	\$1.56	2000	\$3,120.00

Scenario: #5 - Low Density, Hand Plant, Trees and Shrubs, with Tubes

Scenario Description:

This practice involves planting of tree and shrub seedlings after the site has been prepared for seedling growth and establishment. The productivity of the site is good and will handle a low density planting rate. Newly planted hardwood seedlings and shrub are protected from browsing by installing open tubes. Trees and shrubs are planted at 15 foot spacing or greater. Terrain is moderatey to steeply sloping, too steep to be planted with a mechanical tree planter so the area is hand planted.

Associated Practices: Mulching (484), Tree & Shrub Site Preparation (490)

Before Situation:

The land has a little/no tree/shrub canopy or is stocked with the wrong species. Competing vegetation is a before and after planting concern. Soil condition is degraded due to the lose of the native forest ecosystem (organic matter in top soil depleted). The main resource concern is degraded plant condition and inadequate structure and composition

After Situation:

10 acres of land is established with permanent tree and shrub cover that will improve degraded plant condition, reduce soil erosion, establish wildlife habitat, sequester carbon and reduce invasive species presence. Establishing forest vegetation also creates corridors for wildlife movement. All plantings shall tubes, or similar, installed to protect from animal damage. A maximum planting density of 100 trees and 50 shrubs per acre is required for the site.

Scenario Feature Measure: Acres of area planted

Scenario Unit: Acre

Scenario Typical Size: 10

Scenario Cost: \$12,894.55

Scenario Cost/Unit: \$1,289.46

Price

Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost
Equipment/Installation		· · ·		(<i>9</i> / <i>u</i> m <i>e</i> /		
Hand tools, tree planting		Various hand tools for digging holes and planting trees such as augers, dibble bars, planting shovel, hoe-dad. Equipment only. Labor not included.	Hour	\$11.62	80	\$929.60
Trailer, enclosed, small		Small enclosed trailer (typically less than 30' in length) pulled by a pickup to transport materials and equipment. Truck not included.	Hour	\$3.88	88	\$341.44
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$42.39	24	\$1,017.36
Labor						
General Labor		Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$20.77	80	\$1,661.60
Supervisor or Manager		Labor involving supervision or management activities. Includes crew supervisors, foremen and farm/ranch managers time required for adopting new technology, etc.	Hour	\$41.91	5	\$209.55
Materials						
Tree shelter, solid tube type, 4" x 60"		4" x 60" tree tube for protection from animal damage. Materials only.	Each	\$5.07	1000	\$5,070.00
Stakes, wood, 3/4" x 3/4" x 24"		3/4" x 3/4" x 24" wood stakes to fasten items in place. Includes materials only.	Each	\$0.33	500	\$165.00
Shrub, seedling or transplant, bare root, 6-18"		Bare root hardwood trees 6-18" tall. Includes materials and shipping only.	Each	\$0.47	500	\$235.00
Tree shelter, solid tube type, 4" x 24"		4" x 24" tree tube for protection from animal damage. Materials only.	Each	\$2.17	500	\$1,085.00
Tree, hardwood, seedling or transplant, bare root, 16-36"		Bare root hardwood trees 18-36" tall. Includes materials and shipping only.	Each	\$0.62	1000	\$620.00
Stakes, wood, 3/4" x 3/4" x 60"		3/4" x 3/4" x 60" wood stakes to fasten items in place. Includes materials only.	Each	\$1.56	1000	\$1,560.00

Scenario: #6 - High Density, Mechanical Plant

Scenario Description:

This practice applies to forestlands that are being actively managed. Seedlings selected are appropriate for the site and site coniditions. Tree seedlings are planted after the site has been prepared for seedling establishment and growth. Forest site productivity is high or very high and dense planting is planned. Larger containerized seedlings are planted. Trees are planted at 10 foot spacing or less. Terrain conditions allow for mechanical tree planting.

Associated Practices: Mulching (484), Tree & Shrub Site Preparation (490)

Before Situation:

The land lacks forest cover or is stocked with the wrong tree species. Competing vegetation is a before and after planting concern. Soil condition is degraded due to the loss organic matter in top soil. Resource concerns are degraded plant condition (including undesirable plant productivity and health, and inadequate structure) and composition and degraded wildlife habitat.

After Situation:

10 acres of land is established with permanent tree cover that will improve degraded plant condition, establish wildlife habitat, sequester atmospheric carbon. Establishing forest vegetation also creates corridors for wildlife movement. Actions should be planned with competing vegetation concerns. A density of 436 trees per acre or greater is required for the site.

Scenario Feature Measure: area of treatment

Scenario Unit: Acre

Scenario Typical Size: 10

Scenario Cost: \$4,289.87

Scenario Cost/Unit: \$428.99

Drice

Component Name	ID	Component Description	Unit	Price (\$/unit)	Quantity	Cost
Equipment/Installation						
Mechanical tree planter		Mechanical tree planter. Requires a pulling unit of either tractor or small dozer depending upon site conditions. Does not include labor.	Hour	\$6.60	9	\$59.40
Tractor, agricultural, 60 HP		Agricultural tractor with horsepower range of 50 to 90. Equipment and power unit costs. Labor not included.	Hour	\$26.74	9	\$240.66
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$42.39	9	\$381.51
Trailer, enclosed, small	1503	Small enclosed trailer (typically less than 30' in length) pulled by a pickup to transport materials and equipment. Truck not included.	Hour	\$3.88	9	\$34.92
Labor						
General Labor		Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$20.77	18	\$373.86
Equipment Operators, Light		Includes: Skid Steer Loaders, Hydraulic Excavators <50 HP, Trenchers <12", Ag Equipment <150 HP, Pickup Trucks, Forklifts, Mulchers	Hour	\$22.97	9	\$206.73
Supervisor or Manager		Labor involving supervision or management activities. Includes crew supervisors, foremen and farm/ranch managers time required for adopting new technology, etc.	Hour	\$41.91	9	\$377.19
Materials						
Tree, conifer, seedling, bare root, 1-1		Bare root conifer trees, 1-1 (2 years old). Includes materials and shipping only.	Each	\$0.42	4360	\$1,831.20
Mobilization						
Mobilization, small equipment		Equipment <70 HP but can't be transported by a pick-up truck or with typical weights between 3,500 to 14,000 pounds.	Each	\$196.10	4	\$784.40

Scenario: #7 - High Density, Mechanical plant, with tubes

Scenario Description:

Improving the hardwood forest setting by hand planting hardwood tree seedlings. Prior to planting any needed vegetation control will be conducted first. Seedlings are protected from deer browsing. Trees are planted at 10 foot spacing or less.

Associated Practices: Mulching (484), Tree & Shrub Site Preparation (490)

Before Situation:

In an existing upland forest the present trees are poor quality, at low stocking levels, or are undesirable species. Existing conditions do not meet landonwer objectives of growing high quality trees. Wildlife habitat is poor due to the above described conditions. Resource concerns are degrade plant condition - undesireable productivity and health, and Inadequate structure and composition; inadequate habitat for fish and wildlife - habitat degradation.

After Situation:

The area of treatment is 10 acres. Bare root hardwood seedlings are planted by hand in the best locations for seedling survival. Solid tree tubes are installed to protect seedlings from animal browsing damage. Post planting vegetation control is planned to ensure seedling survival. A density of 436 trees per acre or greater is required for the site.

Scenario Feature Measure: Area of Treatment

Scenario Unit: Acre

Scenario Typical Size: 10

Scenario Cost: \$36,026.60

Scenario Cost/Unit: \$3,602.66

Price

Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost
Equipment/Installation						
Trailer, enclosed, small	1503	Small enclosed trailer (typically less than 30' in length) pulled by a pickup to transport materials and equipment. Truck not included.	Hour	\$3.88	9	\$34.92
Tractor, agricultural, 60 HP	963	Agricultural tractor with horsepower range of 50 to 90. Equipment and power unit costs. Labor not included.	Hour	\$26.74	9	\$240.66
Mechanical tree planter	1600	Mechanical tree planter. Requires a pulling unit of either tractor or small dozer depending upon site conditions. Does not include labor.	Hour	\$6.60	9	\$59.40
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$42.39	9	\$381.51
Labor						
General Labor	231	Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$20.77	82	\$1,703.14
Equipment Operators, Light	232	Includes: Skid Steer Loaders, Hydraulic Excavators <50 HP, Trenchers <12", Ag Equipment <150 HP, Pickup Trucks, Forklifts, Mulchers	Hour	\$22.97	9	\$206.73
Supervisor or Manager	234	Labor involving supervision or management activities. Includes crew supervisors, foremen and farm/ranch managers time required for adopting new technology, etc.	Hour	\$41.91	24	\$1,005.84
Materials					·	•
Stakes, wood, 3/4" x 3/4" x 60"		3/4" x 3/4" x 60" wood stakes to fasten items in place. Includes materials only.	Each	\$1.56	4360	\$6,801.60
Tree shelter, solid tube type, 4" x 60"	1567	4" x 60" tree tube for protection from animal damage. Materials only.	Each	\$5.07	4360	\$22,105.20
Tree, hardwood, seedling or transplant, bare root, 16-36"	1510	Bare root hardwood trees 18-36" tall. Includes materials and shipping only.	Each	\$0.62	4360	\$2,703.20
Mobilization						
Mobilization, small equipment	1138	Equipment <70 HP but can't be transported by a pick-up truck or with typical weights between 3,500 to 14,000 pounds.	Each	\$196.10	4	\$784.40

Scenario: #8 - High Density, Hand Plant

Scenario Description:

This practice involves planting of tree seedlings after the site has been prepared for seedling growth and establishment. The productivity of the site is good and will handle a high density planting rate. Terrain is moderatey to steeply sloping, too steep to be planted with a mechanical tree planter so the area is hand planted. Trees are planted at 10 foot spacing or less.

Associated Practices: Mulching (484), Tree & Shrub Site Preparation (490)

Before Situation:

The land has a little/no tree cover. Competing vegetation is a before and after planting concern. Soil condition is degraded due to the lose of the native forest ecosystem (organic matter in top soil depleted). The main resource concerns are degraded plant condition and inadequate structure and composition

After Situation:

10 acres of land is established with permanent tree cover that will improve degraded plant condition, reduce soil erosion, establish wildlife habitat, sequester carbon and reduce invasive species presence. A density of 436 trees per acre or greater is required for the site. Establishing forest vegetation also creates corridors for wildlife movement.

Scenario Feature Measure: Area of Treatment

Scenario Unit: Acre

Scenario Typical Size: 10

Scenario Cost: \$3,972.72

Scenario Cost/Unit: \$397.27

Cost Details (by category):

root, 1-1

Cost Details (by category):				Price		
Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost
Equipment/Installation						
Hand tools, tree planting	1590	Various hand tools for digging holes and planting trees such as augers, dibble bars, planting shovel, hoe-dad. Equipment only. Labor not included.	Hour	\$11.62	12	\$139.44
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$42.39	12	\$508.68
Trailer, enclosed, small		Small enclosed trailer (typically less than 30' in length) pulled by a pickup to transport materials and equipment. Truck not included.	Hour	\$3.88	12	\$46.56
Labor						
Supervisor or Manager	234	Labor involving supervision or management activities. Includes crew supervisors, foremen and farm/ranch managers time required for adopting new technology, etc.	Hour	\$41.91	12	\$502.92
General Labor		Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$20.77	36	\$747.72
Materials						
Wire flags	1586	Small vinyl flags attached to wire stakes, typically, 36" in length, for marking tree rows	Each	\$0.09	2180	\$196.20
Tree, conifer, seedling, bare	1513	Bare root conifer trees, 1-1 (2 years old). Includes	Each	\$0.42	4360	\$1,831.20

materials and shipping only.

Scenario: #10 - High Density, Hand Plant, with Tubes

Scenario Description:

This practice involves planting of tree seedlings after the site has been prepared for seedling growth and establishment. Tree tubes are employed to minimize deer browsing. The productivity of the site is good and will handle a high density planting rate. RTerrain is moderatey to steeply sloping, too steep to be planted with a mechanical tree planter so the area is hand planted. Trees are planted at 10 foot spacing or less.

Associated Practices: Mulching (484), Tree & Shrub Site Preparation (490)

Before Situation:

The land has a little/no tree cover. Competing vegetation is a before and after planting concern. Soil condition is degraded due to the loss of the native forest ecosystem (organic matter in top soil depleted). Resource concerns are degraded plant condition -- undesirable plant productivity and health, and inadequate structure and composition and degraded wildlife habitat.

After Situation:

10 acres of land is established with permanent tree cover that will improve degraded plant condition, reduce soil erosion, establish wildlife habitat, sequester carbon and reduce invasive species presence. A density of 436 trees per acre or greater is required for the site. Establishing forest vegetation also creates corridors for wildlife movement.

Scenario Feature Measure: Area of planting

Scenario Unit: Acre

Scenario Typical Size: 10 Scenario Cost: \$37,609.55

Scenario Cost/Unit: \$3,760.96

Cost Details (by category):				Price		
Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost
Equipment/Installation						
Truck, Pickup	939	Equipment and power unit costs. Labor not included.	Hour	\$42.39	28	\$1,186.92
Trailer, enclosed, small		Small enclosed trailer (typically less than 30' in length) pulled by a pickup to transport materials and equipment. Truck not included.	Hour	\$3.88	28	\$108.64
Hand tools, tree planting		Various hand tools for digging holes and planting trees such as augers, dibble bars, planting shovel, hoe-dad. Equipment only. Labor not included.	Hour	\$11.62	109	\$1,266.58
Labor						
General Labor		Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$20.77	109	\$2,263.93
Supervisor or Manager		Labor involving supervision or management activities. Includes crew supervisors, foremen and farm/ranch managers time required for adopting new technology, etc.	Hour	\$41.91	28	\$1,173.48
Materials						
Tree, hardwood, seedling or transplant, bare root, 16-36"		Bare root hardwood trees 18-36" tall. Includes materials and shipping only.	Each	\$0.62	4360	\$2,703.20
Tree shelter, solid tube type, 4" x 60"		4" x 60" tree tube for protection from animal damage. Materials only.	Each	\$5.07	4360	\$22,105.20
Stakes, wood, 3/4" x 3/4" x 60"		3/4" x 3/4" x 60" wood stakes to fasten items in place. Includes materials only.	Each	\$1.56	4360	\$6,801.60