

# Appendix B

## GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY

Pastureland and Hayland Interpretations

Page 1 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	35	MATHIS-GLENBERG FINE SANDY LOAMS, 0 TO 3 PERCENT SLOPES	Mathis	Loamy, Dry	H	67
WY615	35	MATHIS-GLENBERG FINE SANDY LOAMS, 0 TO 3 PERCENT SLOPES	Glenberg	Loamy, Dry	H	67
WY615	40	DOBENT-GERING COMPLEX, 0 TO 3 PERCENT SLOPES	Dobent	Sub-Irrigated, Mod. Saline	K	67
WY615	40	DOBENT-GERING COMPLEX, 0 TO 3 PERCENT SLOPES	Gering	Sub-Irrigated, Saline	L	67
WY615	45	OTERO-GLENBERG COMPLEX, 0 TO 3 PERCENT SLOPES	Glenberg	Loamy, Dry	H	67
WY615	45	OTERO-GLENBERG COMPLEX, 0 TO 3 PERCENT SLOPES	Otero	Loamy, Dry	H	67

# Appendix B

## GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY

Pastureland and Hayland Interpretations

Page 2 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	50	KIRKHAM-BIGWIN COMPLEX, 0 TO 3 PERCENT SLOPES	Kirkham	Sub-Irrigated, Mod. Saline	L	67
WY615	50	KIRKHAM-BIGWIN COMPLEX, 0 TO 3 PERCENT SLOPES	Bigwin	Sub-Irrigated, Mod. Saline	L	67
WY615	60	KIRKHAM LOAM, 0 TO 3 PERCENT SLOPES	Kirkham	Sub-Irrigated, Mod. Saline	L	67
WY615	70	KEYNER LOAM, 0 TO 3 PERCENT SLOPES	Keyner	Needs Field Review	H	67
WY615	Ak	ALKALI AND SALINE LAND	Alkali and saline land	Needs Field Review	H	67
WY615	AIB	ANSELMO FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES	Anselmo	Loamy, Dry	H	67

# Appendix B

## GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY

Pastureland and Hayland Interpretations

Page 3 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	AmA	ANSELMO AND DWYER SOILS, 0 TO 3 PERCENT SLOPES	Anselmo	Loamy, Dry	H	67
WY615	AmA	ANSELMO AND DWYER SOILS, 0 TO 3 PERCENT SLOPES	Dwyer	Sandy, Dry	L	67
WY615	AmB	ANSELMO AND DWYER SOILS, 3 TO 6 PERCENT SLOPES	Dwyer	Sandy, Dry	L	67
WY615	AmB	ANSELMO AND DWYER SOILS, 3 TO 6 PERCENT SLOPES	Anselmo	Loamy, Dry	H	67
WY615	AmC	ANSELMO AND DWYER SOILS, 6 TO 10 PERCENT SLOPES	Dwyer	Sandy, Dry	L	67
WY615	AmC	ANSELMO AND DWYER SOILS, 6 TO 10 PERCENT SLOPES	Anselmo	Loamy, Dry	H	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 4 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	AmD	ANSELMO AND DWYER SOILS, 10 TO 15 PERCENT SLOPES	Anselmo	Loamy, Dry	H	67
WY615	AmD	ANSELMO AND DWYER SOILS, 10 TO 15 PERCENT SLOPES	Dwyer	Sandy, Dry	L	67
WY615	AsA	ANSELMO AND SHINGLE SOILS, 0 TO 3 PERCENT SLOPES	Anselmo	Loamy, Dry	H	67
WY615	AsA	ANSELMO AND SHINGLE SOILS, 0 TO 3 PERCENT SLOPES	Shingle	Not Suited	H	67
WY615	AsC	ANSELMO AND SHINGLE SOILS, 3 TO 10 PERCENT SLOPES	Shingle	Not Suited	H	67
WY615	AsC	ANSELMO AND SHINGLE SOILS, 3 TO 10 PERCENT SLOPES	Anselmo	Loamy, Dry	H	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 5 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	AsD	ANSELMO AND SHINGLE SOILS, 10 TO 15 PERCENT SLOPES	Anselmo	Loamy, Dry	H	67
WY615	AsD	ANSELMO AND SHINGLE SOILS, 10 TO 15 PERCENT SLOPES	Shingle	Not Suited	H	67
WY615	AtA	ANSELMO-TRELONA LOAMY FINE SANDS, 0 TO 3 PERCENT SLOPES	Anselmo	Loamy, Dry	H	67
WY615	AtA	ANSELMO-TRELONA LOAMY FINE SANDS, 0 TO 3 PERCENT SLOPES	Trelona	Not Suited	H	67
WY615	AuB	ASCALON FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES	Ascalon	Loamy	L	67
WY615	AuC	ASCALON FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES	Ascalon	Loamy	L	67

# Appendix B

## GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY

Pastureland and Hayland Interpretations

Page 6 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	Bd	BADLANDS	Badlands	Not Suited	N/A	67
WY615	BfA	BANKARD LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	Bankard	Sandy, Dry	L	67
WY615	BfB	BANKARD LOAMY FINE SAND, 3 TO 6 PERCENT SLOPES	Bankard	Sandy, Dry	L	67
WY615	BgB	BAYARD FINE SANDY LOAM, 0 TO 7 PERCENT SLOPES	Bayard	Loamy, Dry	L	67
WY615	BoA	BAYARD AND OTERO FINE SANDY LOAMS, 0 TO 3 PERCENT SLOPES	Otero	Loamy, Dry	H	67
WY615	BoA	BAYARD AND OTERO FINE SANDY LOAMS, 0 TO 3 PERCENT SLOPES	Bayard	Loamy, Dry	L	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 7 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	BoB	BAYARD AND OTERO FINE SANDY LOAMS, 3 TO 6 PERCENT SLOPES	Otero	Loamy, Dry	H	67
WY615	BoB	BAYARD AND OTERO FINE SANDY LOAMS, 3 TO 6 PERCENT SLOPES	Bayard	Loamy, Dry	L	67
WY615	BrA	BORDEAUX FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	Bordeaux	Loamy	L	67
WY615	BrB	BORDEAUX FINE SANDY LOAM, 3 TO 6 PERCENT SLOPES	Bordeaux	Loamy	L	67
WY615	BrC	BORDEAUX FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES	Bordeaux	Loamy	L	67
WY615	ChB	CHAPPELL AND HAWKSPRINGS FINE SANDY LOAMS, 0 TO 6 PERCENT SLOPES	Hawksprings	Loamy, Dry	L	67

# Appendix B

## GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY

Pastureland and Hayland Interpretations

Page 8 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	ChB	CHAPPELL AND HAWKSPRINGS FINE SANDY LOAMS, 0 TO 6 PERCENT SLOPES	Chappell	Loamy, Dry	L	67
WY615	ChC	CHAPPELL AND HAWKSPRINGS FINE SANDY LOAMS, 6 TO 10 PERCENT SLOPES	Chappell	Loamy, Dry	L	67
WY615	ChC	CHAPPELL AND HAWKSPRINGS FINE SANDY LOAMS, 6 TO 10 PERCENT SLOPES	Hawksprings	Loamy, Dry	L	67
WY615	CID	CHAPPELL COMPLEX, 10 TO 15 PERCENT SLOPES	Chappell	Loamy, Dry	L	67
WY615	CID	CHAPPELL COMPLEX, 10 TO 15 PERCENT SLOPES	Dix	Not Suited	L	67
WY615	CoC	COLBY LOAM, 3 TO 10 PERCENT SLOPES	Colby	Loamy	H	67

# Appendix B

## GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY

Pastureland and Hayland Interpretations

Page 9 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	CoD	COLBY LOAM, 10 TO 20 PERCENT SLOPES	Colby	Loamy	H	67
WY615	CtC	COLBY-TASSEL COMPLEX, 2 TO 8 PERCENT SLOPES	Colby	Loamy	H	67
WY615	CtC	COLBY-TASSEL COMPLEX, 2 TO 8 PERCENT SLOPES	Tassel	Not Suited	H	67
WY615	CvB	CREIGHTON VERY FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES	Creighton	Loamy	L	67
WY615	CvC	CREIGHTON VERY FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES	Creighton	Loamy	L	67
WY615	CvD	CREIGHTON VERY FINE SANDY LOAM, 10 TO 20 PERCENT SLOPES	Creighton	Loamy	L	67

# Appendix B

## GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY

Pastureland and Hayland Interpretations

Page 10 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	DcD	DIX COMPLEX, 0 TO 10 PERCENT SLOPES	Dix	Not Suited	L	67
WY615	DcD	DIX COMPLEX, 0 TO 10 PERCENT SLOPES	Dwyer	Sandy, Dry	L	67
WY615	DcD	DIX COMPLEX, 0 TO 10 PERCENT SLOPES	Chappell	Loamy, Dry	L	67
WY615	DcE	DIX COMPLEX, 10 TO 40 PERCENT SLOPES	Dwyer	Not Suited	N/A	67
WY615	DcE	DIX COMPLEX, 10 TO 40 PERCENT SLOPES	Dix	Not Suited	N/A	67
WY615	DdA	DUNDAY AND DWYER LOAMY FINE SANDS, 0 TO 3 PERCENT SLOPES	Dunday	Sandy, Dry	L	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 11 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	DdA	DUNDAY AND DWYER LOAMY FINE SANDS, 0 TO 3 PERCENT SLOPES	Dwyer	Sandy, Dry	L	67
WY615	DdC	DUNDAY AND DWYER LOAMY FINE SANDS, 3 TO 10 PERCENT SLOPES	Dunday	Sandy, Dry	L	67
WY615	DdC	DUNDAY AND DWYER LOAMY FINE SANDS, 3 TO 10 PERCENT SLOPES	Dwyer	Sandy, Dry	L	67
WY615	DeE	DUNDAY-TRELONA COMPLEX, 3 TO 35 PERCENT SLOPES	Trelona	Not Suited	N/A	67
WY615	DeE	DUNDAY-TRELONA COMPLEX, 3 TO 35 PERCENT SLOPES	Dunday	Not Suited	N/A	67
WY615	DfA	DUNDAY AND VETAL LOAMY FINE SANDS, 0 TO 3 PERCENT SLOPES	Dunday	Sandy, Dry	L	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 12 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	DfA	DUNDAY AND VETAL LOAMY FINE SANDS, 0 TO 3 PERCENT SLOPES	Vetal	Loamy, Dry	L	67
WY615	DfC	DUNDAY AND VETAL LOAMY FINE SANDS, 3 TO 10 PERCENT SLOPES	Vetal	Loamy, Dry	L	67
WY615	DfC	DUNDAY AND VETAL LOAMY FINE SANDS, 3 TO 10 PERCENT SLOPES	Dunday	Sandy, Dry	L	67
WY615	Dn	DUNELAND	Duneland	Not Suited	N/A	67
WY615	DuA	DUROC LOAM, 0 TO 1 PERCENT SLOPES	Duroc	Loamy	L	67
WY615	DuB	DUROC LOAM, 1 TO 3 PERCENT SLOPES	Duroc	Loamy	L	67

# Appendix B

## GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY

Pastureland and Hayland Interpretations

Page 13 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	DwA	DWYER LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	Dwyer	Sandy, Dry	L	67
WY615	DwC	DWYER LOAMY FINE SAND, 3 TO 10 PERCENT SLOPES	Dwyer	Sandy, Dry	L	67
WY615	DyD	DWYER AND MITCHELL SOILS, 10 TO 15 PERCENT SLOPES	Dwyer	Sandy, Dry	L	67
WY615	DyD	DWYER AND MITCHELL SOILS, 10 TO 15 PERCENT SLOPES	Mitchell	Loamy	G	67
WY615	EpB	EPPING SILT LOAM, 0 TO 6 PERCENT SLOPES	Epping	Not Suited	N/A	67
WY615	EpC	EPPING SILT LOAM, 6 TO 10 PERCENT SLOPES	Epping	Not Suited	N/A	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY

Pastureland and Hayland Interpretations

Page 14 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	EpD	EPPING SILT LOAM, 10 TO 15 PERCENT SLOPES	Epping	Not Suited	N/A	67
WY615	GbA	GLENBERG FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	Glenberg	Loamy, Dry	H	67
WY615	GkA	GOSHEN-KUMA LOAMS, 0 TO 2 PERCENT SLOPES	Kuma	Loamy	G	67
WY615	GkA	GOSHEN-KUMA LOAMS, 0 TO 2 PERCENT SLOPES	Goshen	Loamy	L	67
WY615	Gu	GULLIED LAND	Gullied land	Not Suited	N/A	67
WY615	HaA	HAVERSON FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	Haverson	Loamy	G	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 15 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	HgA	HAVERSON LOAM, GRAVEL SUBSTRATUM VARIANT, 0-3 PERCENT SLOPES	Haverson variant	Loamy, Dry	H	67
WY615	HnA	HAVERSON AND MCCOOK LOAMS, 0 TO 3 PERCENT SLOPES	Haverson	Loamy	G	67
WY615	HnA	HAVERSON AND MCCOOK LOAMS, 0 TO 3 PERCENT SLOPES	Mccook	Loamy	G	67
WY615	HtA	HELDT SILTY CLAY, 0 TO 3 PERCENT SLOPES	Heldt	Clayey, Mod. Saline	H	67
WY615	KeA	KEITH LOAM, 0 TO 1 PERCENT SLOPES	Keith	Loamy	L	67
WY615	KeB	KEITH LOAM, 1 TO 3 PERCENT SLOPES	Keith	Loamy	L	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY

Pastureland and Hayland Interpretations

Page 16 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	KeC	KEITH LOAM, 3 TO 6 PERCENT SLOPES	Keith	Loamy	L	67
WY615	KoA	KEOTA SILT LOAM, 0 TO 3 PERCENT SLOPES	Keota	Loamy, Dry	L	67
WY615	KoB	KEOTA SILT LOAM, 3 TO 6 PERCENT SLOPES	Keota	Loamy, Dry	L	67
WY615	KpD	KEOTA-EPPING SILT LOAMS, 6 TO 15 PERCENT SLOPES	Keota	Loamy, Dry	L	67
WY615	KpD	KEOTA-EPPING SILT LOAMS, 6 TO 15 PERCENT SLOPES	Epping	Not Suited	N/A	67
WY615	KyA	KIM CLAY LOAM, ALKALI, 0 TO 1 PERCENT SLOPES	Kim	Needs Field Review	H	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 17 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	KyB	KIM CLAY LOAM, ALKALI, 1 TO 3 PERCENT SLOPES	Kim	Needs Field Review	H	67
WY615	KyC	KIM CLAY LOAM, ALKALI, 3 TO 10 PERCENT SLOPES	Kim	Needs Field Review	H	67
WY615	MaB	MARSH AND WETLAND, 0 TO 5 PERCENT SLOPES	Marsh and wetland	Needs Field Review	H	67
WY615	MeA	MANTER AND ANSELMO FINE SAND LOAMS, 0 TO 3 PERCENT SLOPES	Anselmo	Loamy, Dry	H	67
WY615	MeA	MANTER AND ANSELMO FINE SAND LOAMS, 0 TO 3 PERCENT SLOPES	Manter	Loamy, Dry	L	67
WY615	MeB	MANTER AND ANSELMO FINE SANDY LOAMS, 3 TO 6 PERCENT SLOPES	Anselmo	Loamy, Dry	H	67

# Appendix B

## GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY

Pastureland and Hayland Interpretations

Page 18 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	MeB	MANTER AND ANSELMO FINE SANDY LOAMS, 3 TO 6 PERCENT SLOPES	Manter	Loamy, Dry	L	67
WY615	MeC	MANTER AND ANSELMO FINE SANDY LOAMS, 6 TO 10 PERCENT SLOPES	Anselmo	Loamy, Dry	H	67
WY615	MeC	MANTER AND ANSELMO FINE SANDY LOAMS, 6 TO 10 PERCENT SLOPES	Manter	Loamy, Dry	L	67
WY615	MsA	MITCHELL-SHINGLE LOAMS, 0 TO 3 PERCENT SLOPES	Mitchell	Loamy	G	67
WY615	MsA	MITCHELL-SHINGLE LOAMS, 0 TO 3 PERCENT SLOPES	Shingle	Not Suited	H	67
WY615	MsC	MITCHELL-SHINGLE LOAMS, 3 TO 10 PERCENT SLOPES	Shingle	Not Suited	H	67

# Appendix B

## GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY

Pastureland and Hayland Interpretations

Page 19 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	MsC	MITCHELL-SHINGLE LOAMS, 3 TO 10 PERCENT SLOPES	Mitchell	Loamy	G	67
WY615	MtA	MITCHELL SILT LOAM, 0 TO 3 PERCENT SLOPES	Mitchell	Loamy	G	67
WY615	MtB	MITCHELL SILT LOAM, 3 TO 6 PERCENT SLOPES	Mitchell	Loamy	G	67
WY615	MtC	MITCHELL SILT LOAM, 6 TO 10 PERCENT SLOPES	Mitchell	Loamy	G	67
WY615	MtD	MITCHELL SILT LOAM, 10 TO 15 PERCENT SLOPES	Mitchell	Loamy	G	67
WY615	Mu	MIXED ALLUVIAL LAND	Mixed alluvial land	Needs Field Review	H	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 20 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	NoA	NORKA LOAM, 0 TO 1 PERCENT SLOPES	Norka	Loamy	G	67
WY615	NoB	NORKA LOAM, 1 TO 6 PERCENT SLOPES	Norka	Loamy	G	67
WY615	NrB	NORKA AND COLBY LOAMS, 0 TO 6 PERCENT SLOPES	Norka	Loamy	G	67
WY615	NrB	NORKA AND COLBY LOAMS, 0 TO 6 PERCENT SLOPES	Colby	Loamy	H	67
WY615	NwB	NORKA-WELD LOAMS, 0 TO 6 PERCENT SLOPES	Norka	Loamy	G	67
WY615	NwB	NORKA-WELD LOAMS, 0 TO 6 PERCENT SLOPES	Weld	Clayey	L	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 21 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	NwC	NORKA-WELD LOAMS, 6 TO 10 PERCENT SLOPES	Weld	Clayey	L	67
WY615	NwC	NORKA-WELD LOAMS, 6 TO 10 PERCENT SLOPES	Norka	Loamy	G	67
WY615	OcA	ORELLA CLAY, 0 TO 3 PERCENT SLOPE	Orella	Not Suited	N/A	67
WY615	OeD	ORELLA AND EPPING SOILS, 3 TO 15 PERCENT SLOPES	Epping	Not Suited	N/A	67
WY615	OeD	ORELLA AND EPPING SOILS, 3 TO 15 PERCENT SLOPES	Orella	Not Suited	N/A	67
WY615	OtA	OTERO FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	Otero	Loamy, Dry	H	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 22 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	OtB	OTERO FINE SANDY LOAM, 3 TO 6 PERCENT SLOPES	Otero	Loamy, Dry	H	67
WY615	OtC	OTERO FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES	Otero	Loamy, Dry	H	67
WY615	Rc	ROCK LAND	Rock land	Not Suited	N/A	67
WY615	Rd	ROCK OUTCROP-TASSEL COMPLEX	Rock outcrop	Not Suited	N/A	67
WY615	Rd	ROCK OUTCROP-TASSEL COMPLEX	Tassel	Not Suited	N/A	67
WY615	ReA	ROSEBUD-DUNDAY-TRELONA LOAMY FINE SANDS, 0 TO 3 PERCENT SLOPES	Trelona	Not Suited	H	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 23 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	ReA	ROSEBUD-DUNDAY-TRELONA LOAMY FINE SANDS, 0 TO 3 PERCENT SL OPES	Dunday	Sandy, Dry	H	67
WY615	ReA	ROSEBUD-DUNDAY-TRELONA LOAMY FINE SANDS, 0 TO 3 PERCENT SL OPES	Rosebud	Loamy, Dry	H	67
WY615	ReC	ROSEBUD-DUNDAY-TRELONA LOAMY FINE SANDS, 3 TO 10 PERCENT S LOPES	Rosebud	Loamy, Dry	H	67
WY615	ReC	ROSEBUD-DUNDAY-TRELONA LOAMY FINE SANDS, 3 TO 10 PERCENT S LOPES	Trelona	Not Suited	H	67
WY615	ReC	ROSEBUD-DUNDAY-TRELONA LOAMY FINE SANDS, 3 TO 10 PERCENT S LOPES	Dunday	Sandy, Dry	H	67
WY615	RhB	ROSEBUD AND HARGREAVE FINE SANDY LOAMS, 0 TO 6 PERCENT SL OPES	Hargreave	Loamy, Dry	G	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 24 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	RhB	ROSEBUD AND HARGREAVE FINE SANDY LOAMS, 0 TO 6 PERCENT SL OPES	Rosebud	Loamy, Dry	H	67
WY615	RhC	ROSEBUD AND HARGREAVE FINE SANDY LOAMS, 6 TO 10 PERCENT SL OPES	Hargreave	Loamy, Dry	G	67
WY615	RhC	ROSEBUD AND HARGREAVE FINE SANDY LOAMS, 6 TO 10 PERCENT SL OPES	Rosebud	Loamy, Dry	H	67
WY615	RnA	ROSEBUD AND NORKA LOAMS, 0 TO 1 PERCENT SLOPES	Norka	Loamy	G	67
WY615	RnA	ROSEBUD AND NORKA LOAMS, 0 TO 1 PERCENT SLOPES	Rosebud	Loamy, Dry	H	67
WY615	RnB	ROSEBUD AND NORKA LOAMS, 1 TO 6 PERCENT SLOPES	Rosebud	Loamy, Dry	H	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 25 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	RnB	ROSEBUD AND NORKA LOAMS, 1 TO 6 PERCENT SLOPES	Norka	Loamy	G	67
WY615	RnC	ROSEBUD AND NORKA LOAMS, 6 TO 10 PERCENT SLOPES	Norka	Loamy	G	67
WY615	RnC	ROSEBUD AND NORKA LOAMS, 6 TO 10 PERCENT SLOPES	Rosebud	Loamy, Dry	H	67
WY615	RsA	ROSEBUD AND SATANTA LOAMS, 0 TO 3 PERCENT SLOPES	Satanta	Loamy	H	67
WY615	RsA	ROSEBUD AND SATANTA LOAMS, 0 TO 3 PERCENT SLOPES	Rosebud	Loamy, Dry	H	67
WY615	RtB	ROSEBUD-TRELONA COMPLEX, 0 TO 6 PERCENT SLOPES	Rosebud	Loamy, Dry	H	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 26 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	RtB	ROSEBUD-TRELONA COMPLEX, 0 TO 6 PERCENT SLOPES	Trelona	Not Suited	H	67
WY615	RuB	ROSEBUD-TRELONA FINE SANDY LOAMS, 0 TO 6 PERCENT SLOPES	Rosebud	Loamy, Dry	H	67
WY615	RuB	ROSEBUD-TRELONA FINE SANDY LOAMS, 0 TO 6 PERCENT SLOPES	Trelona	Not Suited	H	67
WY615	RuC	ROSEBUD-TRELONA FINE SANDY LOAMS, 6 TO 10 PERCENT SLOPES	Rosebud	Loamy, Dry	H	67
WY615	RuC	ROSEBUD-TRELONA FINE SANDY LOAMS, 6 TO 10 PERCENT SLOPES	Trelona	Not Suited	H	67
WY615	RuD	ROSEBUD-TRELONA FINE SANDY LOAMS, 10 TO 20 PERCENT SLOPES	Rosebud	Loamy, Dry	H	67

# Appendix B

## GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY

Pastureland and Hayland Interpretations

Page 27 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	RuD	ROSEBUD-TRELONA FINE SANDY LOAMS, 10 TO 20 PERCENT SLOPES	Trelona	Not Suited	H	67
WY615	SaA	SATANTA FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	Satanta	Loamy	H	67
WY615	StA	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	Satanta	Loamy	H	67
WY615	StB	SATANTA LOAM, 1 TO 3 PERCENT SLOPES	Satanta	Loamy	H	67
WY615	StC	SATANTA LOAM, 3 TO 6 PERCENT SLOPES	Satanta	Loamy	H	67
WY615	StD	SATANTA LOAM, 6 TO 10 PERCENT SLOPES	Satanta	Loamy	H	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY

Pastureland and Hayland Interpretations

Page 28 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	UIA	ULYSSES LOAM, 0 TO 1 PERCENT SLOPES	Ulysses	Loamy	G	67
WY615	UIB	ULYSSES LOAM, 1 TO 3 PERCENT SLOPES	Ulysses	Loamy	G	67
WY615	UIC	ULYSSES LOAM, 3 TO 6 PERCENT SLOPES	Ulysses	Loamy	G	67
WY615	Vh	VALENTINE AND DWYER FINE SANDS, HILLY	Valentine	Not Suited	N/A	67
WY615	Vh	VALENTINE AND DWYER FINE SANDS, HILLY	Dwyer	Not Suited	N/A	67
WY615	Vr	VALENTINE AND DWYER FINE SANDS, ROLLING	Dwyer	Sandy, Dry	L	67

# Appendix B

## GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 29 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY615	Vr	VALENTINE AND DWYER FINE SANDS, ROLLING	Valentine	Sandy, Dry	L	67
WY615	VtB	VETAL FINE SANDY LOAM, 0 TO 4 PERCENT SLOPES	Vetal	Loamy, Dry	L	67
WY615	W	WATER	Water	Not Suited	N/A	67
WY715	10C	EPPING LOAM, 0 TO 10 PERCENT SLOPES	Epping	Not Suited	L	67
WY715	11B	FEATHERLEGS-WOLF LOAMS, 0 TO 6 PERCENT SLOPES	Wolf	Loamy	K	67
WY715	11B	FEATHERLEGS-WOLF LOAMS, 0 TO 6 PERCENT SLOPES	Featherlegs	Loamy, Dry	L	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 30 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY715	11C	FEATHERLEGS-WOLF LOAMS, 6 TO 10 PERCENT SLOPES	Featherlegs	Loamy, Dry	L	67
WY715	11C	FEATHERLEGS-WOLF LOAMS, 6 TO 10 PERCENT SLOPES	Wolf	Loamy	K	67
WY715	12C	FEATHERLEGS-WOLF-BROWNRIGG COMPLEX, 3 TO 10 PERCENT SLOPES	Brownrigg	Not Suited	L	67
WY715	12C	FEATHERLEGS-WOLF-BROWNRIGG COMPLEX, 3 TO 10 PERCENT SLOPES	Featherlegs	Loamy, Dry	L	67
WY715	12C	FEATHERLEGS-WOLF-BROWNRIGG COMPLEX, 3 TO 10 PERCENT SLOPES	Wolf	Loamy	K	67
WY715	13B	HARGREAVE-NODEN SANDY LOAMS, 0 TO 6 PERCENT SLOPES	Noden	Loamy, Dry	K	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 31 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY715	13B	HARGREAVE-NODEN SANDY LOAMS, 0 TO 6 PERCENT SLOPES	Hargreave	Loamy, Dry	G	67
WY715	13C	HARGREAVE-NODEN SANDY LOAMS, 6 TO 10 PERCENT SLOPES	Noden	Loamy, Dry	K	67
WY715	13C	HARGREAVE-NODEN SANDY LOAMS, 6 TO 10 PERCENT SLOPES	Hargreave	Loamy, Dry	G	67
WY715	14A	JAYEM FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	Jayem	Loamy, Dry	L	67
WY715	14C	JAYEM FINE SANDY LOAM, 3 TO 10 PERCENT SLOPES	Jayem	Loamy, Dry	L	67
WY715	15C	JAYEM-ASCALON-MANTER COMPLEX, 3 TO 10 PERCENT SLOPES	Manter	Loamy, Dry	L	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 32 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY715	15C	JAYEM-ASCALON-MANTER COMPLEX, 3 TO 10 PERCENT SLOPES	Ascalon	Loamy, Dry	L	67
WY715	15C	JAYEM-ASCALON-MANTER COMPLEX, 3 TO 10 PERCENT SLOPES	Jayem	Loamy, Dry	L	67
WY715	16D	JAYEM-TRELONA-MANTER COMPLEX, 3 TO 20 PERCENT SLOPES	Manter	Loamy, Dry	L	67
WY715	16D	JAYEM-TRELONA-MANTER COMPLEX, 3 TO 20 PERCENT SLOPES	Jayem	Loamy, Dry	L	67
WY715	16D	JAYEM-TRELONA-MANTER COMPLEX, 3 TO 20 PERCENT SLOPES	Trelona	Not Suited	H	67
WY715	17B	KEOTA LOAM, 0 TO 6 PERCENT SLOPES	Keota	Loamy	L	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 33 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY715	18C	KEOTA-EPPING LOAMS, 6 TO 10 PERCENT SLOPES	Epping	Not Suited	L	67
WY715	18C	KEOTA-EPPING LOAMS, 6 TO 10 PERCENT SLOPES	Keota	Loamy	L	67
WY715	19B	MITCHELL LOAM, 0 TO 6 PERCENT SLOPES	Mitchell	Loamy	G	67
WY715	19C	MITCHELL LOAM, 6 TO 10 PERCENT SLOPES	Mitchell	Loamy	G	67
WY715	19D	MITCHELL LOAM, 10 TO 20 PERCENT SLOPES	Mitchell	Loamy	G	67
WY715	1B	ALBINAS LOAM, 0 TO 6 PERCENT SLOPES	Albinas	Loamy	L	67

# Appendix B

## GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY

Pastureland and Hayland Interpretations

Page 34 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY715	20F	MOTOQUA-ROCK OUTCROP COMPLEX, 20 TO 60 PERCENT SLOPES	Rock outcrop	Not Suited	N/A	67
WY715	20F	MOTOQUA-ROCK OUTCROP COMPLEX, 20 TO 60 PERCENT SLOPES	Motoqua	Not Suited	N/A	67
WY715	21B	OTERO FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES	Otero	Loamy, Dry	H	67
WY715	21C	OTERO FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES	Otero	Loamy, Dry	H	67
WY715	22	ROCK OUTCROP-TASSEL COMPLEX	Tassel	Not Suited	N/A	67
WY715	22	ROCK OUTCROP-TASSEL COMPLEX	Rock outcrop	Not Suited	N/A	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 35 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY715	23B	ROSEBUD-HARGREAVE FINE SANDY LOAMS, 0 TO 6 PERCENT SLOPES	Hargreave	Loamy, Dry	G	67
WY715	23B	ROSEBUD-HARGREAVE FINE SANDY LOAMS, 0 TO 6 PERCENT SLOPES	Rosebud	Loamy, Dry	H	67
WY715	23C	ROSEBUD-HARGREAVE FINE SANDY LOAMS, 6 TO 10 PERCENT SLOPES	Hargreave	Loamy, Dry	G	67
WY715	23C	ROSEBUD-HARGREAVE FINE SANDY LOAMS, 6 TO 10 PERCENT SLOPES	Rosebud	Loamy, Dry	H	67
WY715	24B	ROSEBUD-TRELONA FINE SANDY LOAMS, 0 TO 6 PERCENT SLOPES	Trelona	Not Suited	H	67
WY715	24B	ROSEBUD-TRELONA FINE SANDY LOAMS, 0 TO 6 PERCENT SLOPES	Rosebud	Loamy, Dry	H	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 36 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY715	24C	ROSEBUD-TRELONA FINE SANDY LOAMS, 6 TO 10 PERCENT SLOPES	Trelona	Not Suited	H	67
WY715	24C	ROSEBUD-TRELONA FINE SANDY LOAMS, 6 TO 10 PERCENT SLOPES	Rosebud	Loamy, Dry	H	67
WY715	24D	ROSEBUD-TRELONA FINE SANDY LOAMS, 10 TO 20 PERCENT SLOPES	Trelona	Not Suited	H	67
WY715	24D	ROSEBUD-TRELONA FINE SANDY LOAMS, 10 TO 20 PERCENT SLOPES	Rosebud	Loamy, Dry	H	67
WY715	25	SANDSTONE OUTCROP	Sandstone outcrop	Not Suited	N/A	67
WY715	26B	SATANTA-NODEN COMPLEX, 0 TO 6 PERCENT SLOPES	Noden	Loamy, Dry	K	67

# Appendix B

## GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 37 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY715	26B	SATANTA-NODEN COMPLEX, 0 TO 6 PERCENT SLOPES	Satanta	Loamy	H	67
WY715	26C	SATANTA-NODEN COMPLEX, 6 TO 10 PERCENT SLOPES	Satanta	Loamy	H	67
WY715	26C	SATANTA-NODEN COMPLEX, 6 TO 10 PERCENT SLOPES	Noden	Loamy, Dry	K	67
WY715	27D	SATANTA-WILLOWMAN- LAMBMAN COMPLEX, 3 TO 20 PERCENT SLOPES	Satanta	Loamy	H	67
WY715	27D	SATANTA-WILLOWMAN- LAMBMAN COMPLEX, 3 TO 20 PERCENT SLOPES	Lambman	Loamy, Dry	L	67
WY715	27D	SATANTA-WILLOWMAN- LAMBMAN COMPLEX, 3 TO 20 PERCENT SLOPES	Willowman	Loamy, Dry	L	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 38 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY715	28	TORRIFLUVENTS-FLUVAQUENTS COMPLEX	Fluvaquents	Wet	K	67
WY715	28	TORRIFLUVENTS-FLUVAQUENTS COMPLEX	Torrifluvents	Needs Field Review	H	67
WY715	29	TORRIFLUVENTS-FLUVAQUENTS COMPLEX, SALINE	Fluvaquents	Wet	K	67
WY715	29	TORRIFLUVENTS-FLUVAQUENTS COMPLEX, SALINE	Torrifluvents	Needs Field Review	H	67
WY715	2B	ALICE FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES	Alice	Loamy, Dry	G	67
WY715	2C	ALICE FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES	Alice	Loamy, Dry	G	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY

Pastureland and Hayland Interpretations

Page 39 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY715	30	TORRIORTHENTS, GULLIED	Torriorthents, gullied	Not Suited	N/A	67
WY715	30	TORRIORTHENTS, GULLIED	Gullied land	Not Suited	N/A	67
WY715	31	USTIC TORRIFLUVENTS, UNDULATING	Ustic torrifuvents	Needs Field Review	H	67
WY715	32D	VALENT-DWYER FINE SANDS, ROLLING	Dwyer	Sandy, Dry	L	67
WY715	32D	VALENT-DWYER FINE SANDS, ROLLING	Valent	Sandy, Dry	L	67
WY715	32E	VALENT-DWYER FINE SANDS, HILLY	Dwyer	Not Suited	N/A	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 40 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY715	32E	VALENT-DWYER FINE SANDS, HILLY	Valent	Not Suited	N/A	67
WY715	33A	VALENT-DWYER LOAMY FINE SANDS, 0 TO 3 PERCENT SLOPES	Dwyer	Sandy, Dry	L	67
WY715	33A	VALENT-DWYER LOAMY FINE SANDS, 0 TO 3 PERCENT SLOPES	Valent	Sandy, Dry	L	67
WY715	33C	VALENT-DWYER LOAMY FINE SANDS, 3 TO 10 PERCENT SLOPES	Dwyer	Sandy, Dry	L	67
WY715	33C	VALENT-DWYER LOAMY FINE SANDS, 3 TO 10 PERCENT SLOPES	Valent	Sandy, Dry	L	67
WY715	34B	VETAL FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES	Vetal	Loamy, Dry	L	67

# Appendix B

## GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY

Pastureland and Hayland Interpretations

Page 41 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY715	34C	VETAL FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES	Vetal	Loamy, Dry	L	67
WY715	35F	WENDOVER-ROCK OUTCROP COMPLEX, 10 TO 60 PERCENT SLOPES	Wendover	Not Suited	N/A	67
WY715	35F	WENDOVER-ROCK OUTCROP COMPLEX, 10 TO 60 PERCENT SLOPES	Rock outcrop	Not Suited	N/A	67
WY715	3A	BORDEAUX FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	Bordeaux	Loamy	G	67
WY715	3C	BORDEAUX FINE SANDY LOAM, 3 TO 10 PERCENT SLOPES	Bordeaux	Loamy	G	67
WY715	4E	BROWNRIGG-FEATHERLEGS-WOLF COMPLEX, 10 TO 40 PERCENT SLOPES	Wolf	Loamy	K	67

# Appendix B

## GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY

Pastureland and Hayland Interpretations

Page 42 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY715	4E	BROWNRIGG-FEATHERLEGS-WOLF COMPLEX, 10 TO 40 PERCENT SLOPES	Featherlegs	Loamy, Dry	L	67
WY715	4E	BROWNRIGG-FEATHERLEGS-WOLF COMPLEX, 10 TO 40 PERCENT SLOPES	Brownrigg	Not Suited	N/A	67
WY715	5A	DAILEY-VALENT LOAMY FINE SANDS, 0 TO 3 PERCENT SLOPES	Dailey	Sandy, Dry	L	67
WY715	5A	DAILEY-VALENT LOAMY FINE SANDS, 0 TO 3 PERCENT SLOPES	Valent	Sandy, Dry	L	67
WY715	5C	DAILEY-VALENT LOAMY FINE SANDS, 3 TO 10 PERCENT SLOPES	Valent	Sandy, Dry	L	67
WY715	5C	DAILEY-VALENT LOAMY FINE SANDS, 3 TO 10 PERCENT SLOPES	Dailey	Sandy, Dry	L	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 43 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY715	6C	DIX-ALICE COMPLEX, 0 TO 10 PERCENT SLOPES	Alice	Loamy, Dry	G	67
WY715	6C	DIX-ALICE COMPLEX, 0 TO 10 PERCENT SLOPES	Dix	Not Suited	L	67
WY715	6E	DIX-ALICE COMPLEX, 10 TO 40 PERCENT SLOPES	Alice	Loamy, Dry	G	67
WY715	6E	DIX-ALICE COMPLEX, 10 TO 40 PERCENT SLOPES	Dix	Not Suited	N/A	67
WY715	7	DUNE LAND	Dune land	Not Suited	N/A	67
WY715	8D	DWYER-VALENT-TASSEL COMPLEX, 3 TO 20 PERCENT SLOPES	Tassel	Not Suited	N/A	67

## Appendix B

### GOSHEN COUNTY, WYOMING Forage Suitability Groupings

Section II – Goshen County, WY  
Pastureland and Hayland Interpretations  
Page 44 of 44

SOIL SURVEY AREA	MAP SYMBOL	MAP UNIT NAME	COMPONENT NAME	FORAGE SUITABILITY GROUP	LAND RESOURCE UNIT SYMBOL	MLRA to USE
WY715	8D	DWYER-VALENT-TASSEL COMPLEX, 3 TO 20 PERCENT SLOPES	Dwyer	Sandy, Dry	L	67
WY715	8D	DWYER-VALENT-TASSEL COMPLEX, 3 TO 20 PERCENT SLOPES	Valent	Sandy, Dry	L	67
WY715	9A	EMBRY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	Embry	Loamy, Dry	L	67
WY715	9C	EMBRY FINE SANDY LOAM, 3 TO 10 PERCENT SLOPES	Embry	Loamy, Dry	L	67