



Natural Resources Conservation Service  
800 W. Evergreen Ave., Suite 100  
Palmer, Alaska 99645-6539  
(907) 761-7760  
FAX (907) 761-7790

---

## Alaska Technical Guide

October 16, 2008

450-VI - FOTG  
Notice AK 26

**Subject:** TCH–FOTG Sections I, III and IV

**Purpose:** To transmit information regarding updating the e-FOTG

**Effective Date:** Upon receipt.

**General:** New material was posted as follows:

### **Section I**

Posted in Section I Part D revised Field Office Service Area map (2008)

### **Section III**

Posted in Section III Part B, AK-CPA-13-Resource Concern Checklist

### **Section IV**

Removed the conservation practices and related documents and placed into archived standards and related documents:

- 431, Above Ground Multi Outlet Pipeline
- 591, Amendments for Treatment of Agricultural Waste
- 316, Animal Mortality Facility
- 310, Bedding
- 320, Irrigation Canal or Lateral
- 388, Irrigation Field Ditch
- 464, Irrigation Land Leveling
- 428C, Irrigation Water Conveyance, Ditch and Canal Lining, Galvanized Steel
- 428A, Irrigation Water Conveyance, Ditch and Canal Lining, Plain Concrete
- 566, Recreation Land Grading and Shaping
- 632, Solid-Liquid Waste Separation Facility
- 607, Surface Drainage, Field Ditch
- 608, Surface Drainage, Main or Lateral
- 600, Terrace
- 629, Waste Treatment
- 359, Waste Treatment Lagoon
- 430HH, Irrigation Water Conveyance - Rigid Gated Pipeline

Posted the following Diversion (362) documents:

- Revised Conservation Practice Standard
- Archived existing standard

Posted the following Drainage Water Management (554) documents:

- Revised Conservation Practice Standard
- Archived existing standard

Posted the following Underground Outlet (620) documents:

- Revised Conservation Practice Standard
- Archived existing standard

Posted the following Water and Sediment Control Basin (638) documents:

- Revised Conservation Practice Standard
- Archived existing standard

Posted the following Constructed Wetland (656) documents:

- Revised Conservation Practice Standard
- Archived existing standard

Posted the following Vegetated Treatment Area (635) document:

- Conservation Practice Standard

**Action Required:** Remove any outdated/obsolete material from the FOTG maintained in the field office.

**Optional Actions:** Print the new material and insert into the FOTG maintained in the field office.

**This notice will be posted to e-FOTG, Section I, Information, FOTG Transmittals.**

/s/ Eugene Schock  
State Resource Conservationist