HEL List for AK643; Kantishna Area, Alaska

R value = 20; C value = 9

| Mapunit | | | |
|---------|--|-----------|----------|
| Symbol | Mapunit Name | HEL Water | HEL Wind |
| 1 | Beales very fine sandy loam, 1 to 35 percent slopes | HEL | HEL |
| 2 | Beales very fine sandy loam, 35 to 70 percent slopes | HEL | HEL |
| 3 | Beales-Zitziana complex, 1 to 35 percent slopes | HEL | HEL |
| 4 | Typic Histoturbels, Terric Hemistels, and Bradway soils, 0 to 2 percent slopes | NHEL | NHEL |
| 5 | Iksgiza peat, 0 to 3 percent slopes | NHEL | NHEL |
| 6 | Iksgiza peat, 3 to 6 percent slopes | NHEL | NHEL |
| 7 | Iksgiza peat, 6 to 12 percent slopes | HEL | NHEL |
| 8 | Iksgiza-Beales-Zitziana complex, pitted, 1 to 50 percent slopes | HEL | HEL |
| 9 | Iksgiza-Nenana complex, 1 to 35 percent slopes | HEL | NHEL |
| 10 | Iksgiza-Terric Hemistels complex, 0 to 3 percent slopes | NHEL | NHEL |
| 11 | Iksgiza-Zitziana-Nenana complex, 1 to 35 percent slopes | PHEL | NHEL |
| 12 | Kindanina mucky silt loam, 0 to 6 percent slopes | NHEL | NHEL |
| 13 | Kindanina mucky silt loam, 6 to 12 percent slopes | HEL | NHEL |
| 14 | Kindanina mucky silt loam, 12 to 20 percent slopes | HEL | NHEL |
| 15 | Kindanina-Beales-Zitziana complex, dunes, 1 to 50 percent slopes | HEL | HEL |
| 16 | Koyukuk silt loam, 1 to 35 percent slopes | PHEL | NHEL |
| 17 | Koyukuk-Typic Aquiturbels complex, dunes, 1 to 35 percent slopes | PHEL | NHEL |
| 18 | Koyukuk-Typic Aquiturbels complex, pitted, 1 to 35 percent slopes | PHEL | NHEL |
| 19 | Nenana silt loam, 3 to 6 percent slopes | NHEL | NHEL |
| 20 | Nenana silt loam, 6 to 12 percent slopes | PHEL | NHEL |
| 21 | Nenana silt loam, 12 to 20 percent slopes | HEL | NHEL |
| 22 | Nenana-Zitziana complex, 1 to 35 percent slopes | HEL | NHEL |
| 23 | Terric Hemistels, 0 to 2 percent slopes | NHEL | NHEL |
| 24 | Riverwash | N/A | N/A |
| 25 | Salchaket-Bradway complex, 0 to 3 percent slopes | NHEL | NHEL |
| 26 | Saulich peat, 0 to 6 percent slopes | NHEL | NHEL |
| 27 | Saulich peat, 6 to 30 percent slopes | HEL | NHEL |

| 28 | Typic Cryaquepts, 0 to 2 percent slopes | NHEL | HEL |
|----|--|------|------|
| 29 | Typic Dystrocryepts-Lithic Dystrocryepts association, 15 to 70 percent slopes | HEL | NHEL |
| 30 | Typic Dystrocryepts-Saulich complex, 3 to 15 percent slopes | NHEL | NHEL |
| 31 | Typic Dystrocryepts-Tetlin-Saulich association, 15 to 70 percent slopes | HEL | NHEL |
| 32 | Typic Cryopsamments, Typic Cryaquepts, flooded, and Bradway soils, 0 to 5 percent slopes | NHEL | NHEL |
| 33 | Zitziana silt loam, 1 to 35 percent slopes | HEL | HEL |
| 34 | Zitziana-Kindanina complex, 1 to 35 percent slopes | HEL | HEL |
| 35 | Water | N/A | N/A |