

HIGHLY ERODIBLE LANDS REPORT

Baldwin County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
Bb	BIBB AND MANTACHIE SOILS, LOCAL ALLUVIUM	not highly erodible	not highly erodible	not highly erodible
BoB	BOWIE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
BoB2	BOWIE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
BoC	BOWIE FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
BoD	BOWIE FINE SANDY LOAM, 8 TO 12 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
BtB	BOWIE FINE SANDY LOAM, THIN SOLUM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
BtC	BOWIE FINE SANDY LOAM, THIN SOLUM, 5 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
BwC	BOWIE, LAKELAND, AND CUTHBERT SOILS, 5 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
BwD	BOWIE, LAKELAND, AND CUTHBERT SOILS, 8 TO 12 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
BwD2	BOWIE, LAKELAND, AND CUTHBERT SOILS, 8 TO 12 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
BwF2	BOWIE, LAKELAND, AND CUTHBERT SOILS, 12 TO 25 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
CaB	CAHABA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
CgA	CARNEGIE VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
CgB	CARNEGIE VERY FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
CgB2	CARNEGIE VERY FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
CgC	CARNEGIE VERY FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
CgC2	CARNEGIE VERY FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible

HIGHLY ERODIBLE LANDS REPORT (cont.)

Baldwin County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
CgD	CARNEGIE VERY FINE SANDY LOAM, 8 TO 12 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
CgD2	CARNEGIE VERY FINE SANDY LOAM, 8 TO 12 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Co	COASTAL BEACHES	not highly erodible	not highly erodible	not highly erodible
CtB	CUTHBERT FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
CtC	CUTHBERT FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
CtD	CUTHBERT FINE SANDY LOAM, 8 TO 12 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
CtE	CUTHBERT FINE SANDY LOAM, 12 TO 17 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
CuC	CUTHBERT, BOWIE, AND SUNSWEET SOILS, 5 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
CuD	CUTHBERT, BOWIE, AND SUNSWEET SOILS, 8 TO 12 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
CuE2	CUTHBERT, BOWIE, AND SUNSWEET SOILS, 12 TO 17 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
EuB	EUSTIS LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
EuC	EUSTIS LOAMY FINE SAND, 5 TO 8 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
EuD	EUSTIS LOAMY FINE SAND, 8 TO 12 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
FaA	FACEVILLE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
FaB	FACEVILLE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
FaB2	FACEVILLE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
FaC	FACEVILLE FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
FaC2	FACEVILLE FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
FsB	FLINT SILT LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	not highly erodible	potentially highly erodible
FwB	FLINT, WAHEE, AND LEAF SILT LOAMS, 0 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
GoA	GOLDSBORO FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
GoB	GOLDSBORO FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
GoC	GOLDSBORO FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
Gr	GRADY SOILS	not highly erodible	not highly erodible	not highly erodible
GvA	GREENVILLE LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
GvB	GREENVILLE LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible

HIGHLY ERODIBLE LANDS REPORT (cont.)

Baldwin County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
GvB2	GREENVILLE LOAM, 2 TO 5 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
GvC2	GREENVILLE LOAM, 5 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Gw	GULLIED LAND	not highly erodible	highly erodible	highly erodible
Hb	HYDE, BAYBORO, AND MUCK SOILS	not highly erodible	not highly erodible	not highly erodible
IrA	IRVINGTON LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
IrB	IRVINGTON LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
Iu	IUKA SILT LOAM	not highly erodible	not highly erodible	not highly erodible
IzA	IZAGORA VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
IzB	IZAGORA VERY FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
KaA	KALMIA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
KaB	KALMIA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
KlB	KLEJ LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
KlC	KLEJ LOAMY FINE SAND, 5 TO 8 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
LaB	LAKELAND LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
LaC	LAKELAND LOAMY FINE SAND, 5 TO 8 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
LaD	LAKELAND LOAMY FINE SAND, 8 TO 12 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LaE	LAKELAND LOAMY FINE SAND, 12 TO 17 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LkB	LAKESWOOD SAND, 0 TO 5 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
Lm	LEAF SILT LOAM	not highly erodible	not highly erodible	not highly erodible
Ls	LEON SAND	not highly erodible	not highly erodible	not highly erodible
Lv	LOCAL ALLUVIAL LAND	not highly erodible	not highly erodible	not highly erodible
LyA	LYNCHBURG FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
LyB	LYNCHBURG FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
LyC	LYNCHBURG FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
Ma	MADE LAND	not highly erodible	not highly erodible	not highly erodible
MgA	MAGNOLIA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
MgB	MAGNOLIA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
MgB2	MAGNOLIA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
MgC2	MAGNOLIA FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Mn	MANTACHIE SILT LOAM	not highly erodible	not highly erodible	not highly erodible

HIGHLY ERODIBLE LANDS REPORT (cont.)

Baldwin County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
MrA	MARLBORO VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
MrB	MARLBORO VERY FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
MrB2	MARLBORO VERY FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
My	MYATT VERY FINE SANDY LOAM	not highly erodible	not highly erodible	not highly erodible
NoA	NORFOLK FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
NoB	NORFOLK FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
NoB2	NORFOLK FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
NoC	NORFOLK FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
Ok	OKENEE SOILS	not highly erodible	not highly erodible	not highly erodible
OrA	ORANGEBURG FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
OrB	ORANGEBURG FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
OrB2	ORANGEBURG FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
OrC	ORANGEBURG FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
OrD2	ORANGEBURG FINE SANDY LOAM, 8 TO 12 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
PmB	PLUMMER LOAMY SAND, 0 TO 5 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
PmC	PLUMMER LOAMY SAND, 5 TO 12 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
RaA	RAINS FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
RaB	RAINS FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
RaC	RAINS FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
RbA	RED BAY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
RbB	RED BAY FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
Re	RIVERWASH	not highly erodible	not highly erodible	not highly erodible
Rr	ROBERTSDALE LOAM	not highly erodible	not highly erodible	not highly erodible
RuA	RUSTON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
RuB	RUSTON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
RuB2	RUSTON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible

HIGHLY ERODIBLE LANDS REPORT (cont.)

Baldwin County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
RuC	RUSTON FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
RuC2	RUSTON FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
RuD	RUSTON FINE SANDY LOAM, 8 TO 12 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
Sa	SANDY ALLUVIAL LAND	not highly erodible	not highly erodible	not highly erodible
SbA	SAVANNAH VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
ScA	SCRANTON LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
ScB	SCRANTON LOAMY FINE SAND, 2 TO 5 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
SsB	ST LUCIE SAND, 0 TO 5 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
St	ST LUCIE-LEON-MUCK COMPLEX	not highly erodible	not highly erodible	not highly erodible
Sub2	SUNSWEET FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
SuC2	SUNSWEET FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
SuD2	SUNSWEET FINE SANDY LOAM, 8 TO 17 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Sw	SWAMP	not highly erodible	not highly erodible	not highly erodible
Td	TIDAL MARSH	not highly erodible	not highly erodible	not highly erodible
TfA	TIFTON VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
TfB	TIFTON VERY FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
TfB2	TIFTON VERY FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
TfC	TIFTON VERY FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
TfC2	TIFTON VERY FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
WaA	WAHEE SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
WaB	WAHEE SILT LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
Wc	WET CLAYEY ALLUVIAL LAND	not highly erodible	not highly erodible	not highly erodible
Wm	WET LOAMY ALLUVIAL LAND	not highly erodible	not highly erodible	not highly erodible