

Highly Erodible Lands Report

Randolph County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
AaA	ALTAVISTA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
AaB	ALTAVISTA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
AgB	ALTAVISTA GRAVELLY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
AgC2	ALTAVISTA GRAVELLY FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
AlB2	APPLING GRAVELLY SANDY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
AlC2	APPLING GRAVELLY SANDY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
ApB2	APPLING SANDY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
ApC2	APPLING SANDY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
AuA	AUGUSTA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
AuB	AUGUSTA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
Bu	BUNCOMBE LOAMY SAND	not highly erodible	not highly erodible	not highly erodible
CeB3	CECIL GRAVELLY CLAY LOAM, 2 TO 6 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
CeC3	CECIL GRAVELLY CLAY LOAM, 6 TO 10 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
CeD3	CECIL GRAVELLY CLAY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
CeE3	CECIL GRAVELLY CLAY LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
CgB2	CECIL GRAVELLY SANDY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
CgC2	CECIL GRAVELLY SANDY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
CgD2	CECIL GRAVELLY SANDY LOAM, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Cm	CECIL-MADISON-URBAN LAND COMPLEX	not highly erodible	not highly erodible	not highly erodible
Cn	CHEWACLA SILT LOAM	not highly erodible	not highly erodible	not highly erodible
Co	CONGAREE SILT LOAM	not highly erodible	not highly erodible	not highly erodible
DaB3	DAVIDSON GRAVELLY CLAY LOAM, 2 TO 6 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
DaC3	DAVIDSON GRAVELLY CLAY LOAM, 6 TO 10 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible

Highly Erodible Lands Report, cont.

Randolph County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
DaD3	DAVIDSON GRAVELLY CLAY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
DgB2	DAVIDSON GRAVELLY SANDY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
DgC2	DAVIDSON GRAVELLY SANDY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
DgD2	DAVIDSON GRAVELLY SANDY LOAM, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
DgE2	DAVIDSON GRAVELLY SANDY LOAM, 15 TO 25 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Gu	GULLIED LAND	not highly erodible	not highly erodible	not highly erodible
HuB2	HULETT GRAVELLY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
HuC	HULETT GRAVELLY FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
HuC2	HULETT GRAVELLY FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
LgC	LOUISA GRAVELLY SANDY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LgD	LOUISA GRAVELLY SANDY LOAM, 10 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LgE	LOUISA GRAVELLY SANDY LOAM, 15 TO 40 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LoD	LOUISA SLATY LOAM, 10 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LoE	LOUISA SLATY LOAM, 15 TO 40 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LsC2	LOUISA STONY SANDY CLAY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
LsD2	LOUISA STONY SANDY CLAY LOAM, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
LsE2	LOUISA STONY SANDY CLAY LOAM, 15 TO 40 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
LtD	LOUISA STONY SANDY LOAM, 10 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LtE	LOUISA STONY SANDY LOAM, 15 TO 40 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LuC2	LOUISBURG STONY SANDY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
LuD2	LOUISBURG STONY SANDY LOAM, 10 TO 25 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
MaB3	MADISON GRAVELLY CLAY LOAM, 2 TO 6 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
MaC3	MADISON GRAVELLY CLAY LOAM, 6 TO 10 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
MaD3	MADISON GRAVELLY CLAY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
MaE3	MADISON GRAVELLY CLAY LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
MdB2	MADISON GRAVELLY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
MdC2	MADISON GRAVELLY FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible

Highly Erodible Lands Report, cont.

Randolph County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
MdD2	MADISON GRAVELLY FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
MdE2	MADISON GRAVELLY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Mt	MANTACHIE FINE SANDY LOAM	not highly erodible	not highly erodible	not highly erodible
Oc	OCHLOCKONEE FINE SANDY LOAM (TOCCOA)	not highly erodible	not highly erodible	not highly erodible
Ok	OCHLOCKONEE FINE SANDY LOAM, LOCAL ALLUVIUM (TOCCOA)	not highly erodible	not highly erodible	not highly erodible
PcC3	PACOLET CLAY LOAM, 6 TO 15 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
PsC2	PACOLET SANDY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
PsD2	PACOLET SANDY LOAM, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
PsE2	PACOLET SANDY LOAM, 15 TO 25 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Ra	ROANOKE SILT LOAM	not highly erodible	not highly erodible	not highly erodible
Ro	ROCK LAND	not highly erodible	not highly erodible	not highly erodible
Sr	STONY ROUGH LAND	not highly erodible	highly erodible	highly erodible
Te	TERRACE ESCARPMENT	not highly erodible	highly erodible	highly erodible
WdC3	WEDOWEE GRAVELLY SANDY CLAY LOAM, 6 TO 10 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
WdD3	WEDOWEE GRAVELLY SANDY CLAY LOAM, 10 TO 15 PERCENT SLOPES SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
WdE3	WEDOWEE GRAVELLY SANDY CLAY LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
WgC2	WEDOWEE GRAVELLY SANDY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
WgD2	WEDOWEE GRAVELLY SANDY LOAM, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
WgE2	WEDOWEE GRAVELLY SANDY LOAM, 15 TO 25 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Wh	WEHADKEE FINE SANDY LOAM	not highly erodible	not highly erodible	not highly erodible
Wk	WEHADKEE AND MANTACHIE SOILS	not highly erodible	not highly erodible	not highly erodible
WmB2	WICKHAM FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
WmC2	WICKHAM FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
WmD2	WICKHAM FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
WnC2	WICKHAM GRAVELLY FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
WnD2	WICKHAM GRAVELLY FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
WsC2	WILKES SANDY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
WtD2	WILKES STONY SANDY LOAM, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible