

HIGHLY ERODIBLE LANDS REPORT

Talladega County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
AcC	ALLEN COBBLY FINE SANDY LOAM, 2 TO 10 PERCENT SLOPES (NELLA)	not highly erodible	potentially highly erodible	potentially highly erodible
AgB	ALLEN GRAVELLY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
AgC	ALLEN GRAVELLY FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
AgD	ALLEN GRAVELLY FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
AlB2	ALLEN GRAVELLY SANDY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
AlD2	ALLEN GRAVELLY SANDY CLAY LOAM, 6 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
AnE	ALLEN ASSOCIATION, STEEP	not highly erodible	highly erodible	highly erodible
AsB	ANNISTON LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
AsD	ANNISTON LOAM, 6 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
Be	BEASON SILT LOAM	not highly erodible	not highly erodible	not highly erodible
BhB	BODINE CHERTY SILT LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
BhD	BODINE CHERTY SILT LOAM, 6 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
BmE	BODINE STONY LOAM, 15 TO 45 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
BrC	BREMO SLATY SILT LOAM, 0 TO 12 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
CbB	CANE FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
Cc	CHEWACLA AND CHENNEBY SOILS	not highly erodible	not highly erodible	not highly erodible
Ch	CHOCOLOCCO SILT LOAM	not highly erodible	not highly erodible	not highly erodible
Cm	CLYMER STONY LOAM	not highly erodible	highly erodible	highly erodible
DcA	DECATUR LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
DdB	DECATUR SILT LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
DeC2	DECATUR SILTY CLAY LOAM, 4 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
DeE3	DECATUR SILTY CLAY LOAM, 10 TO 25 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible

HIGHLY ERODIBLE LANDS REPORT (cont.)

Talladega County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
D1B	DEWEY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
DmB2	DEWEY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
DmC2	DEWEY CLAY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
DmE3	DEWEY CLAY LOAM, 10 TO 25 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
Do	DOWELLTON SILT LOAM	not highly erodible	not highly erodible	not highly erodible
EmE	ENDERS-MONTEVALLO ASSOCIATION, STEEP	not highly erodible	highly erodible	highly erodible
EtD	ENDERS-TOWNLEY-MONTEVALLO COMPLEX, 6 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
FcB	FULLERTON CHERTY SILT LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
FcC	FULLERTON CHERTY SILT LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
F1D2	FULLERTON CHERTY SILTY CLAY LOAM, 6 TO 15 PERCENT SLOPE S, ERODED	not highly erodible	highly erodible	highly erodible
GP	PITS, MINES, AND DUMPS	not highly erodible	not highly erodible	not highly erodible
Gr	GRASMERE SILTY CLAY	not highly erodible	not highly erodible	not highly erodible
Gu	GUTHRIE SILT LOAM	not highly erodible	not highly erodible	not highly erodible
HoB	HOLSTON FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
HsD	HOLSTON GRAVELLY FINE SANDY LOAM, 6 TO 15 PERCENT SLOPE S (LEESBURG)	not highly erodible	highly erodible	highly erodible
Ld	LEADVALE SILT LOAM	not highly erodible	not highly erodible	not highly erodible
Le	LEE SILT LOAM	not highly erodible	not highly erodible	not highly erodible
Lm	LOBELVILLE LOAM	not highly erodible	not highly erodible	not highly erodible
LoA	LOCUST SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
LoB	LOCUST SILT LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LtB	LOCUST CHERTY SILT LOAM, 2 TO 6 PERCENT SLOPES (STEMLEY)	not highly erodible	highly erodible	highly erodible
MaB	MASADA SLATY LOAM, 2 TO 8 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
McA	MCQUEEN SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
McB	MCQUEEN SILT LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
Me	MELVIN SILT LOAM (KINSTON)	not highly erodible	not highly erodible	not highly erodible
MnB	MINVALE CHERTY SILT LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
MnC	MINVALE CHERTY SILT LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
MOE	MINVALE-BODINE ASSOCIATION, HILLY	not highly erodible	highly erodible	highly erodible
RHE	ROCK LAND-HECTOR-TOWNLEY ASSOCIATION, STEEP (ROCKLAND G ORGAS TOWNLEY)	not highly erodible	highly erodible	highly erodible

HIGHLY ERODIBLE LANDS REPORT (cont.)

Talladega County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=__		
		Wind	Water	MU
Sk	SLICKENS	not highly erodible	not highly erodible	not highly erodible
Sy	SYLACAUGA SILT LOAM	not highly erodible	not highly erodible	not highly erodible
TaF	TALLADEGA ASSOCIATION, VERY STEEP	not highly erodible	highly erodible	highly erodible
TcD	TALLAPOOSA-TATUM COMPLEX, 6 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
ThE	TALLAPOOSA-TATUM ASSOCIATION, HILLY	not highly erodible	highly erodible	highly erodible
TmB	TATUM SLATY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
TmC	TATUM SLATY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
To	TOCCOA LOAMS	not highly erodible	not highly erodible	not highly erodible
TrB	TOWNLEY GRAVELLY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
TrC	TOWNLEY GRAVELLY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
TsE	TOWNLEY ASSOCIATION, STEEP	not highly erodible	highly erodible	highly erodible
TtC2	TOWNLEY-TATUM COMPLEX, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Ud	URBAN LAND-DECATUR COMPLEX	not highly erodible	potentially highly erodible	potentially highly erodible
WcA	WICKHAM FINE SANDY LOAM, TERRACE, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
WcB	WICKHAM FINE SANDY LOAM, TERRACE, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
WkB	WICKHAM SLATY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
WkC	WICKHAM SLATY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible