

HIGHLY ERODIBLE LANDS REPORT

Wilcox County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
AnA	ANNEMAIN FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	not highly erodible	not highly erodible	not highly erodible
AnB	ANNEMAIN FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, OCCASIONALLY FLOODED	not highly erodible	potentially highly erodible	potentially highly erodible
ArC	ARUNDEL-CANTUCHE COMPLEX, 2 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
ArF	ARUNDEL-CANTUCHE COMPLEX, 8 TO 35 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
BaA	BAMA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
BaB	BAMA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
BeB	BEATRICE SILT LOAM, 1 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
BeC2	BEATRICE SILT LOAM, 5 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
BgB	BIGBEE SAND, 0 TO 5 PERCENT SLOPES, OCCASIONALLY FLOODED	not highly erodible	not highly erodible	not highly erodible
BrB	BRANTLEY FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
BtF2	BRANTLEY SANDY CLAY LOAM, 15 TO 35 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
CaA	CAHABA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	not highly erodible	not highly erodible	not highly erodible
CbA	CANTON BEND LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	not highly erodible	not highly erodible	not highly erodible
ChA	CHRYSLER LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	not highly erodible	not highly erodible	not highly erodible
CoA	CONGAREE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, FREQUENTLY FLOODED	not highly erodible	not highly erodible	not highly erodible
DwC	DEMOPOLIS-WATSONIA COMPLEX, 2 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
EsA	ESCAMBIA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
FrA	FREEST FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
FrB	FREEST FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
HaB	HALSO SILT LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible

HIGHLY ERODIBLE LANDS REPORT (cont.)

Wilcox County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
HbD2	HALSO LOAM, 5 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
HoA	HOULKA SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES, FREQUENTLY FLOODED	not highly erodible	not highly erodible	not highly erodible
IaA	IZAGORA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	not highly erodible	not highly erodible	not highly erodible
IjB	IZAGORA-JEDBURG COMPLEX, GENTLY UNDULATING, OCCASIONALLY FLOODED	not highly erodible	not highly erodible	not highly erodible
KpD2	KIPLING SILTY CLAY LOAM, 5 TO 12 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
LbA	LENOIR SILT LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	not highly erodible	not highly erodible	not highly erodible
LdA	LUCEDALE LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
LvB	LUVERNE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
LvD2	LUVERNE FINE SANDY LOAM, 5 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
LvF	LUVERNE FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
MaA	MALBIS SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
MbB	MALBIS FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
MbC	MALBIS FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
MKA	MOOREVILLE, MANTACHIE, AND KINSTON SOILS, 0 TO 1 PERCENT SLOPES, FREQUENTLY FLOODED	not highly erodible	not highly erodible	not highly erodible
OkB	OKTIBBEHA CLAY LOAM, 1 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
OtE2	OKTIBBEHA-BRANTLEY COMPLEX, 5 TO 25 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Pt	PITS	not highly erodible	not highly erodible	not highly erodible
PvA	POARCH FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
RvA	RIVERVIEW FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	not highly erodible	not highly erodible	not highly erodible
SaF	SAFFELL-SMITHDALE-LUVERNE COMPLEX, 8 TO 35 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
SeB2	SEARCY SANDY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
SmB	SMITHDALE-BOYKIN COMPLEX, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
SnA	SUCARNOOCHEE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES, FREQUENTLY FLOODED	not highly erodible	not highly erodible	not highly erodible
SpE2	SUMTER-DEMOPOLIS COMPLEX, 8 TO 25 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
SuE3	SUMTER-GULLIED LAND COMPLEX, 8 TO 25 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible

HIGHLY ERODIBLE LANDS REPORT (cont.)

Wilcox County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
UbC	UDORTHENTS-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
UnA	UNA SILTY CLAY, PONDED	not highly erodible	not highly erodible	not highly erodible
UuB	URBO-MOOREVILLE-UNA COMPLEX, GENTLY UNDULATING, FREQUENTLY FLOODED	not highly erodible	not highly erodible	not highly erodible
VaA	VAIDEN SILTY CLAY, 0 TO 1 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
VaB	VAIDEN SILTY CLAY, 1 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
WcB	WILCOX CLAY, 1 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
Wcd2	WILCOX CLAY, 5 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible