

Highly Erodible Lands Report

Chilton County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
AaA	ALTAVISTA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
AwA	ANGIE-WICKHAM COMPLEX, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
AwB	ANGIE-WICKHAM COMPLEX, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
Bb	BIBB SOILS	not highly erodible	not highly erodible	not highly erodible
BdC	BODINE CHERTY SILT LOAM, 2 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
BoC	BODINE COMPLEX, 2 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
BoE	BODINE COMPLEX, 10 TO 25 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
BwA	BOWIE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES (DOTHAN)	not highly erodible	not highly erodible	not highly erodible
BwB	BOWIE FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES (DOTHAN)	not highly erodible	potentially highly erodible	potentially highly erodible
BwC	BOWIE FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES (DOTHAN)	not highly erodible	highly erodible	highly erodible
Co	CONGAREE SILT LOAM	not highly erodible	not highly erodible	not highly erodible
EuB	EUSTIS LOAMY SAND, 2 TO 6 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
EuD	EUSTIS LOAMY SAND, 6 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
GbC	GUIN AND BOWIE SOILS, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
GbE	GUIN AND BOWIE SOILS, 10 TO 25 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
Gu	GULLIED LAND	not highly erodible	not highly erodible	not highly erodible
HaA	HARLESTON SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
HaB	HARLESTON SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
HeB	HARTSELLS SANDY LOAM, 2 TO 6 PERCENT SLOPES (NAUVOO)	not highly erodible	highly erodible	highly erodible
HeC	HARTSELLS SANDY LOAM, 6 TO 10 PERCENT SLOPES (NAUVOO)	not highly erodible	highly erodible	highly erodible
HsB2	HIWASSEE CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
HsC2	HIWASSEE CLAY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
HsD2	HIWASSEE CLAY LOAM, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
IwA	IREDELL-WILKES COMPLEX, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
IwC	IREDELL-WILKES COMPLEX, 2 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LeB	LINKER SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LgC	LINKER GRAVELLY SANDY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LkD	LINKER COBBLY SANDY LOAM, 6 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LuA	LUCEDALE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible

# Highly Erodible Lands Report, cont.

Chilton County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
LuB	LUCEDALE FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
LuC	LUCEDALE FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LvB	LUVERNE FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
LvB2	LUVERNE FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
LvC	LUVERNE FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
LvC2	LUVERNE FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
LvD2	LUVERNE FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
LwC2	LUVERNE-BOSWELL COMPLEX, 2 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
LwD2	LUVERNE-BOSWELL COMPLEX, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
LwF	LUVERNE-BOSWELL COMPLEX, 15 TO 45 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
McB	MCLAURIN SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
McC	MCLAURIN SANDY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
McD	MCLAURIN SANDY LOAM, 10 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
MdB2	MADISON GRAVELLY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
MdC2	MADISON GRAVELLY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
MdD2	MADISON GRAVELLY LOAM, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
MsA	MASADA SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
Mt	MYATT LOAM	not highly erodible	not highly erodible	not highly erodible
MYA	MYATT-BIBB ASSOCIATION, LEVEL	not highly erodible	not highly erodible	not highly erodible
OrA	ORA SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
OrB	ORA SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
OrB2	ORA SANDY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
OrC	ORA SANDY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
OrC2	ORA SANDY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Ro	ROCK LAND	not highly erodible	not highly erodible	not highly erodible
RsA	RUSTON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES (BAMA)	not highly erodible	not highly erodible	not highly erodible
RsB	RUSTON FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
RsC	RUSTON FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
RSC2	RUSTON FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
RsD2	RUSTON FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
RTE	RUSTON-SHUBUTA-TROUP ASSOCIATION, HILLY	not highly erodible	highly erodible	highly erodible
RTF	RUSTON-SHUBUTA-TROUP ASSOCIATION, STEEP	not highly erodible	highly erodible	highly erodible
SaB	SAFFELL GRAVELLY SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible

# Highly Erodible Lands Report, cont.

## Chilton County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
			erodible	erodible
SaC	SAFFELL GRAVELLY SANDY LOAM, 6 TO 10 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
SaD	SAFFELL GRAVELLY SANDY LOAM, 10 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
ShD2	SHUBUTA SANDY LOAM, 2 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
TaD	TALLADEGA CHANNERY SILT LOAM, 6 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
TaF	TALLADEGA CHANNERY SILT LOAM, 15 TO 45 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
TmF	TALLAPOOSA-MADISON ASSOCIATION, STEEP	not highly erodible	highly erodible	highly erodible
TnB	TATUM GRAVELLY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
TnD	TATUM GRAVELLY LOAM, 6 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
To	TOCCOA FINE SANDY LOAM	not highly erodible	not highly erodible	not highly erodible
Tr	TOCCOA SOILS, LOCAL ALLUVIUM	not highly erodible	not highly erodible	not highly erodible
TuB	TROUP LOAMY FINE SAND, 0 TO 6 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
TuC	TROUP LOAMY FINE SAND, 6 TO 10 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
TuD	TROUP LOAMY FINE SAND, 10 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
We	WEHADKEE LOAM	not highly erodible	not highly erodible	not highly erodible