

Highly Erodible Lands Report
Greene County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
AfB	ANGIE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
AfC2	ANGIE FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
AgA	ANGIE FINE SANDY LOAM, TERRACE, 0 TO 2 PERCENT SLOPES (ANNEMAINE)	not highly erodible	not highly erodible	not highly erodible
AgB	ANGIE FINE SANDY LOAM, TERRACE, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
AnD3	ANGIE SANDY CLAY LOAM, 5 TO 12 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
AS	ANGIE-LEAF ASSOCIATION	not highly erodible	not highly erodible	not highly erodible
Bb	BIBB SILT LOAM	not highly erodible	not highly erodible	not highly erodible
BcC	BINNSVILLE CLAY, 3 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
BeC3	BOSWELL CLAY LOAM, 2 TO 8 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
BoB2	BOSWELL FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
BoC2	BOSWELL FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
CaB	CAHABA FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
Cc	CATALPA CLAY	not highly erodible	not highly erodible	not highly erodible
Ch	CHASTAIN CLAY	not highly erodible	not highly erodible	not highly erodible
DuA	DULAC SILT LOAM, 0 TO 2 PERCENT SLOPES (ANNEMAINE)	not highly erodible	not highly erodible	not highly erodible
Eu	EUTAW CLAY	not highly erodible	not highly erodible	not highly erodible
Fa	FALAYA FINE SANDY LOAM	not highly erodible	not highly erodible	not highly erodible
Fo	FORESTDALE FINE SANDY LOAM	not highly erodible	not highly erodible	not highly erodible
Ga	GARNER CLAY	not highly erodible	not highly erodible	not highly erodible
Gu	GULLIED LAND	not highly erodible	not highly erodible	not highly erodible
K1A	KIPLING LOAM, 0 TO 1 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
K1B2	KIPLING LOAM, 1 TO 3 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
K1C2	KIPLING LOAM, 3 TO 5 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
K1D2	KIPLING LOAM, 5 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
LaB	LAKELAND FINE SAND, 0 TO 5 PERCENT SLOPES (BIGBEE)	not highly erodible	not highly erodible	not highly erodible
Le	LEAF SILT LOAM	not highly erodible	not highly erodible	not highly erodible
LF	LEAF-ANGIE ASSOCIATION	not highly erodible	not highly erodible	not highly erodible
Lp	LEEPER CLAY	not highly erodible	not highly erodible	not highly erodible
MaD3	MACON CLAY LOAM, 5 TO 12 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible

Highly Erodible Lands Report, cont.

Greene County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
McA	MACON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
McB2	MACON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
McC2	MACON FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
MgA	MAGNOLIA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES (FACEVILLE)	not highly erodible	not highly erodible	not highly erodible
MgB2	MAGNOLIA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, ERODED (FACEVILLE)	not highly erodible	potentially highly erodible	potentially highly erodible
MgC2	MAGNOLIA FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES, ERODED (FACEVILLE)	not highly erodible	highly erodible	highly erodible
MgD2	MAGNOLIA FINE SANDY LOAM, 8 TO 12 PERCENT SLOPES, ERODED (FACEVILLE)	not highly erodible	highly erodible	highly erodible
MnC3	MAGNOLIA SANDY CLAY LOAM, 2 TO 8 PERCENT SLOPES, SEVERELY ERODED (FACEVILLE)	not highly erodible	highly erodible	highly erodible
Mr	MARIETTA AND LEEPER SOILS	not highly erodible	not highly erodible	not highly erodible
Ms	MASHULAVILLE FINE SANDY LOAM	not highly erodible	not highly erodible	not highly erodible
My	MYATT FINE SANDY LOAM	not highly erodible	not highly erodible	not highly erodible
Oc	OCHLOCKONEE FINE SANDY LOAM	not highly erodible	not highly erodible	not highly erodible
Oe	OCHLOCKONEE FINE SANDY LOAM, LOCAL ALLUVIUM	not highly erodible	not highly erodible	not highly erodible
OhB2	OKTIBBEHA CLAY, 1 TO 3 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
OkB2	OKTIBBEHA LOAM, 1 TO 3 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
OoC2	OKTIBBEHA SOILS, 3 TO 5 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
OoD2	OKTIBBEHA SOILS, 5 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
OrA	ORA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
OrB2	ORA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
OrC2	ORA FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
RfB	RUMFORD SANDY LOAM, 0 TO 5 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
RoE	RUSTON COMPLEX, 12 TO 25 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
RsA	RUSTON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES (BAMA)	not highly erodible	not highly erodible	not highly erodible
RsB	RUSTON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES (BAMA)	not highly erodible	potentially highly erodible	potentially highly erodible
RsC2	RUSTON FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
RsD2	RUSTON FINE SANDY LOAM, 8 TO 12 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
RuB	RUSTON FINE SANDY LOAM, TERRACE, 0 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
SaA	SAVANNAH FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
SaB	SAVANNAH FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
SaC2	SAVANNAH FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
SeA	SAWYER FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
SfA	SEQUATCHIE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
SgC3	SHUBUTA CLAY LOAM, 2 TO 8 PERCENT SLOPES, SEVERELY EROD ED	not highly erodible	highly erodible	highly erodible

Highly Erodible Lands Report, cont.

Greene County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
ShA	SHUBUTA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
ShB2	SHUBUTA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
ShC2	SHUBUTA FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
SmD2	SHUBUTA-BOSWELL COMPLEX, 8 TO 12 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
SmD3	SHUBUTA-BOSWELL COMPLEX, 8 TO 12 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
SNE	SHUBUTA-MAGNOLIA-FALAYA ASSOCIATION, HILLY	not highly erodible	highly erodible	highly erodible
St	STOUGH FINE SANDY LOAM	not highly erodible	not highly erodible	not highly erodible
SuB2	SUMTER SILTY CLAY, 1 TO 3 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
SuC2	SUMTER SILTY CLAY, 3 TO 5 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
SuD2	SUMTER SILTY CLAY, 5 TO 12 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
SwB2	SUMTER-WATSONIA COMPLEX, 1 TO 5 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
SwE2	SUMTER-WATSONIA COMPLEX, 5 TO 17 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Tr	TRINITY CLAY	not highly erodible	not highly erodible	not highly erodible
TuE	TROUP-LUCY COMPLEX, 8 TO 25 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
VaA	VAIDEN SILTY CLAY, 0 TO 1 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
VaB2	VAIDEN SILTY CLAY, 1 TO 3 PERCENT SLOPES, ERODED	not highly erodible	potentially highly erodible	potentially highly erodible
VaC2	VAIDEN SILTY CLAY, 3 TO 5 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
WaB	WAGRAM LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES (BONNEAU)	not highly erodible	not highly erodible	not highly erodible
WaC	WAGRAM LOAMY FINE SAND, 5 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible