



United States Department of Agriculture
Natural Resources Conservation Service

ARKANSAS STANDARD AR-ENG-420 (Lean-To Composter- 10' Wide Bins)



Know what's below.
Call before you dig.

NOTE:

1. This Drawing is to be used only with a stacking shed built according to the Arkansas Standard Drawing AR-ENG-409.

The following Construction Specifications are incorporated by reference:

- AR-21 Excavation
- AR-23C Earthfill Class C
- AR-31 Concrete for Major Structures
- AR-32 Structure Concrete
- AR-34 Steel Reinforcement
- AR-81 Metal Fabrication
- AR-83 Timber Fabrication

*The full text of the Construction Specifications can be found on the web at http://www.ar.nrcs.usda.gov/technical/engineering_construction_specs.html

I certify that the composter was built according to this set of drawings:

This composter meets NRCS Standards and Specifications

Contractor/Landowner

NRCS Representative

TABLE 1			
No. of Primary Bins	Total Length Ft.-In.	Composting and Storage Area - Sq. Ft.	Area of Concrete Ramps - Sq.Ft.
2	21'-4"	331	358
3	31'-4"	486	488
4	41'-4"	461	618
5	51'-4"	796	748
6	60'-4"	951	878
7	70'-4"	1106	1008
8	80'-4"	1261	1138

Standard Drawing
AR-ENG-420

Date _____
Designed _____
Drawn _____
Checked _____
Approved _____


ARKANSAS COMPOST FACILITY
(Lean-To Composter 10' WIDE BINS)
Customer: _____



File No. _____

Drawing No.
AR-ENG-420
Rev. 11-2010

Sheet 1 of 5



NOTES:

1. Treated lumber (0.4 lbs. per cu. ft.) is to be used for all lumber except rafters, purlins, knee braces, and cross braces. All lumber is to be #2 Southern Yellow Pine.
2. Planks are to be 2" x 8" treated lumber of variable lengths to result in staggered joint locations.
3. Attach each purlin to each rafter with a manufactured framing anchor. Where Purlin joints are needed, they are to overlap 18" above a rafter.
4. Roofing material is to be attached to each purlin using fasteners and fastener spacing recommended by the roofing manufacturer. The contractor shall provide a copy of the manufacturers fastening recommendations prior to final inspection.
5. Double wall between secondary bin and primary bins will have a 2" x 8" cap.
6. Frost-proof hydrant is required UNLESS there is an alternative water source (such as a hydrant) available within 150'.


Date
Designed
Drawn
Checked
Approved

ARKANSAS COMPOST FACILITY
 (Lean-To Composter 10' WIDE BINS)
 Customer: _____



NOTES:

1. Concrete is to have a 28 day strength of 3,000 psi.
2. Fiber reinforced concrete can be used in lieu of conventional concrete and reinforcing wire.
3. Thickened concrete edge is to be placed on all edges of concrete slab that will be receiving oncoming vehicular traffic.
4. Construction and/or contraction joints are to have a maximum spacing of 13'.






ELEVATION VIEW

Date	Designed	Drawn	Checked	Approved
---	---	---	---	---
---	---	---	---	---
---	---	---	---	---

ARKANSAS COMPOST FACILITY
 (Lean-To Composter 10' WIDE BINS)
 Customer: -----





GIRDER AND RAFTER TO POST CONNECTIONS

NOTE:

1. USE MANUFACTURED HURRICANE CLIP FOR RAFTER TO GIRDER CONNECTIONS (WITHOUT POSTS). AN EXAMPLE IS SHOWN ABOVE.
2. ALL STRAPS AND CLIPS SHALL BE INSTALLED ACCORDING TO MANUFACTURER'S SPECIFICATIONS.
3. ONLY ONE GIRDER AND ONE CLIP ARE NECESSARY FOR OUTSIDE POSTS.
4. WHERE GIRDERS MEET IN A BUTT JOINT AT THE POST, 2-5/8" HEX BOLTS WITH WASHER & AND NUT, ONE THROUGH EACH GIRDER, WILL BE USED TO FASTEN GIRDER TO THE POST.

NOTE:

1. EXAMPLE HANGER IS SHOWN AT RIGHT.
2. INSTALL ACCORDING TO MANUFACTURER'S SPECIFICATIONS. PUT A NAIL IN EACH HOLE THAT IS PROVIDED.




RAFTER HANGER
(Shown for illustrative purposes only)


Date	_____
Designed	_____
Drawn	_____
Checked	_____
Approved	_____

ARKANSAS COMPOST FACILITY
 (Lean-To Composter 10' WIDE BINS)
 Customer: _____





GATE DETAIL



NOTE: Attach Metal Bracket with 2 - 1/2" x 4" Bolts with nut and flat washers.

BRACKET DETAIL

Date
Designed
Drawn
Checked
Approved

ARKANSAS COMPOST FACILITY
 (Lean-To Composter 10' WIDE BINS)
 Customer: _____



File No.

Drawing No.
 AR-ENG-420
 Rev. 11-2010