

HIGHLY ERODIBLE LANDS REPORT
Grant County, Arkansas

| Map Symbol | Soil Mapunit Name | HEL Classification | | |
|------------|---|----------------------------------|-----------------------------|-----|
| | | Rating Frozen as of Jan. 1, 1990 | | |
| | | Wind | Water | MU |
| 1B | Adaton silt loam, 0 to 2 percent slopes | --- | not highly erodible | --- |
| 2B | Amy silt loam, 0 to 2 percent slopes | --- | not highly erodible | --- |
| 3A | Bibb fine sandy loam, 0 to 1 percent slopes, frequently flooded | --- | not highly erodible | --- |
| 4 | Dam | --- | --- | --- |
| 4B | Gurdon silt loam, 1 to 3 percent slopes | --- | not highly erodible | --- |
| 5A | Guyton silt loam, 0 to 1 percent slopes, frequently flooded | --- | not highly erodible | --- |
| 6B | Ouachita silt loam, 0 to 2 percent slopes, frequently flooded | --- | not highly erodible | --- |
| 7C | Pikeville fine sandy loam, 1 to 8 percent slopes | --- | potentially highly erodible | --- |
| 8 | Pits, gravel | --- | highly erodible | --- |
| 9C | Rosalie loamy fine sand, 1 to 8 percent slopes | --- | potentially highly erodible | --- |
| 10C | Sacul fine sandy loam, 1 to 8 percent slopes | --- | potentially highly erodible | --- |
| 10D | Sacul fine sandy loam, 8 to 15 percent slopes | --- | highly erodible | --- |
| 10E | Sacul fine sandy loam, 15 to 35 percent slopes | --- | highly erodible | --- |
| 11C | Sacul gravelly fine sandy loam, 1 to 8 percent slopes | --- | potentially highly erodible | --- |
| 11D | Sacul gravelly fine sandy loam, 8 to 15 percent slopes | --- | potentially highly erodible | --- |
| 11E | Sacul gravelly fine sandy loam, 15 to 35 percent slopes | --- | potentially highly erodible | --- |
| 12C | Saffell gravelly fine sandy loam, 1 to 8 percent slopes | --- | potentially highly erodible | --- |
| 12D | Saffell gravelly fine sandy loam, 8 to 15 percent slopes | --- | potentially highly erodible | --- |
| 12E | Saffell gravelly fine sandy loam, 15 to 35 percent slopes | --- | highly erodible | --- |
| 13A | Sardis silt loam, 0 to 1 percent slopes, frequently flooded | --- | not highly erodible | --- |
| 14C | Sawyer very fine sandy loam, 1 to 8 percent slopes | --- | potentially highly erodible | --- |
| 15B | Smithton fine sandy loam, 0 to 2 percent slopes | --- | not highly erodible | --- |
| 16B | Stough fine sandy loam, 1 to 3 percent slopes | --- | potentially highly erodible | --- |
| 17A | Una silty clay loam, 0 to 1 percent slopes, frequently flooded | --- | not highly erodible | --- |
| 18B | Urbo silty clay loam, 0 to 2 percent slopes, frequently flooded | --- | not highly erodible | --- |
| 19C | Warnock fine sandy loam, 1 to 7 percent slopes | --- | potentially highly erodible | --- |
| 20 | Water | --- | --- | --- |
| 21C | Wilcox silty clay loam, 1 to 8 percent slopes | --- | potentially highly erodible | --- |
| 21D | Wilcox silty clay loam, 8 to 15 percent slopes | --- | highly erodible | --- |