

NATURAL RESOURCES CONSERVATION SERVICE
CONSERVATION PRACTICE STANDARD
MULCHING

(Ac.)

CODE 484

DEFINITION

Applying plant residues or other suitable materials produced off site, to the land surface.

Prior to mulching, the soil surface shall be prepared in order to achieve the desired purpose.

PURPOSE

- Conserve soil moisture
- Moderate soil temperature
- Provide erosion control
- Suppress weed growth
- Facilitate the establishment of vegetative cover
- Improve soil condition
- Reduce airborne particulates

The mulch material shall be evenly applied and, if necessary, anchored to the soil. Tackifiers, emulsions, pinning, netting, crimping or other acceptable methods of anchoring will be used if needed to hold the mulch in place for specified periods.

As a minimum, manufactured mulches shall be applied according to the manufacturer's specifications. Remove plastic mulch from the site after it no longer meets the intended use. Do not incorporate plastic mulch into the soil. Recycle used plastic mulch when possible.

CONDITIONS WHERE PRACTICE APPLIES

This practice applies to all lands where mulches are needed. This practice may be used alone or in combination with other practices.

Mulching operations shall comply with federal, state and/or local laws and regulations during the installation, operation and maintenance of this practice.

CRITERIA

General Criteria Applicable to All Purposes

The selection of mulching materials will depend primarily on site conditions and the material's availability. Mulch materials shall consist of natural and/or artificial materials that are environmentally safe such as plant residue, wood bark or chips, gravel, plastic, fabric, rice hulls, or other equivalent materials of sufficient dimension (depth or thickness) and durability to achieve the intended purpose for the required time period. Mulch derived from urban yard waste should be inspected for trash and other undesirable content.

Mulch material shall be relatively free of disease, pesticides, chemicals, noxious weed seeds, and other pests and pathogens.

When mulching orchards or vineyards, mulch should be placed a minimum of 6" from trunks.

Additional Criteria to Conserve Soil Moisture

Mulch materials applied to the soil surface shall provide at least 60 percent surface cover to reduce potential evaporation.

Apply mulch to soil wetted by irrigation. See Considerations for selecting mulch material.

To avoid plant disease when using plastic mulch, adjust irrigation to account for reduced water use and maintain desired soil moisture levels.

Additional Criteria to Moderate Soil Temperature

Mulch materials shall be selected and applied to obtain 100 percent coverage over the area treated. The material shall be of a significant thickness to persist for the period required for the temperature modification.

Additional Criteria to Provide Sheet and Rill Erosion Control

When mulching with cereal grain straw or grass hay, apply at a rate to achieve a minimum 70 percent ground cover. When mulching with wood products such as wood chips, bark, or shavings or other wood materials, apply a minimum 2-inch thickness. Mulch rate shall be determined using current erosion prediction technology to reach the soil erosion objective.

When mulching with gravel or other inorganic material apply a minimum 2 inch thickness and shall consist of pieces 0.75 to 2 inches in diameter.

Additional Criteria to Suppress Weed Growth

The thickness of mulch will be determined by the size of the plant being mulched. Mulches shall be kept clear of the stems of plants where disease is likely to occur. Mulches applied around growing plants or prior to weed seedling development shall have 100 percent ground cover, less unmulched area near plant stems. Thickness of the mulch shall be adequate to prevent emergence of targeted weeds. Plastic or other manufactured mulches may be used.

Additional Criteria to Establish Vegetative Cover

Mulch shall be applied at a rate that achieves a minimum of 70 percent ground cover to provide protection from erosion and runoff and yet allow adequate light and air penetration to the seedbed to ensure proper germination and emergence.

Additional Criteria to Improve Soil Condition

Apply mulch materials with a carbon to nitrogen ratio (C:N) less than 30 to 1 so that soil nitrogen is not immobilized by soil biota. Do not apply mulch with C:N less than 20:1 to an area of designed flow in watercourses.

Materials used for mulching to build soil fertility in organic production will be certified for nutrient

content and as an organic soil amendment. When tillage is used for incorporation, predicted soil loss must be less than T and all operations will result in a positive Soil Conditioning Index value.

Use the Soil Conditioning Index to assess soil quality impacts and to determine the type and rate of the mulching material.

Additional Criteria to Reduce Airborne Particulate Matter from Wind Erosion

Mulch rate shall be determined using current wind erosion prediction technology to reach the soil erosion (movement of particulates offsite) objective.

CONSIDERATIONS

Evaluate the effects of mulching on evaporation, infiltration and runoff. Mulch material may affect microbial activity in the soil surface, increase infiltration, and decrease runoff, erosion and evaporation. The temperature of the surface runoff may also be lowered.

Uncomposted mulch from municipal sources may contain weed seeds and will require additional effort to monitor weed introductions.

Mulch material used to conserve soil moisture should be applied prior to moisture loss. Prior to mulching, ensure soil under shallow rooted crops is moist, as these crops require a constant supply of moisture.

Mulch may cause water retention near the soil surface, increasing risk of phytophthora root rot in shallow rooted crops such as avocado,

Mulch materials with a high water holding capacity and/or high impermeability to water droplets may adversely affect the water needs of plants.

Fine textured mulches (e.g. rice hulls) which allow less oxygen penetration than coarser materials should be no thicker than 1 or 2 inches.

Mulching may inhibit soil warming and increase risk of frost damage to sensitive crops.

Organic materials with C:N ratios of less than 20:1 will release nitrate-nitrogen which could cause water quality impairments.

Mulching may also provide habitat for beneficial insect and provide pest suppression.

UCCE has found 3" to 6" thick mulch effectively controls weeds in south coast orchards.

Coastal climates may be impractical for soil solarization with plastic mulch.

Clear and infra-red transmissible (IRT) plastics have the greatest warming potential. They are transparent to incoming radiation and trap the longer wavelengths radiating from the soil. Black mulches are limited to warming soils by conduction only and are less effective.

Clear mulches allow profuse weed growth and may negate the benefits of soil warming. Black mulches provide effective weed control. Wavelength selective (IRT) plastic provides the soil warming characteristics of clear mulch with the weed control ability of black mulch.

Low permeability mulches (e.g. Plastic) may increase concentrated flow and erosion on un-mulched areas.

Consider potential toxic allelopathic effects that mulch material may have on other organisms. Animal and plant pest species may be incompatible with the site.

Consider the potential for increased pathogenic activity within the applied mulch material.

In extensive mulched areas that are habitat for ground nesting bees, provide appropriate access to the soil surface to allow for nesting.

Deep mulch provides nesting habitat for ground-burrowing rodents that can chew extensively on tree trunks and/or tree roots. Light mulch applied after the first cold weather may prevent rodents from nesting.

Some mulch material may adversely affect aquatic environments through changes in water chemistry or as waterborne debris. Consider placing mulch in locations that minimizes these risks.

Cultural Resources

NRCS policy is to avoid any effect to cultural resources and protect them in their original location. Determine if installation of this practice or associated practices in the plan could have an effect on cultural resources. The National Historic Preservation Act may require consultation with the California State Historic Preservation Officer.

<http://www.nrcs.usda.gov/technical/cultural.html> is the primary website for cultural resources information. The California Environmental Handbook and the California Environmental Assessment Worksheet also provide guidance on how the NRCS must account for cultural resources. The e-Field Office Technical Guide, Section II contains general information, with Web sites for additional information.

Document any specific considerations for cultural resources in the design docket and the Practice Requirements worksheet.

Endangered Species

If during the Environmental Assessment NRCS determines that installation of this practice, along with any others proposed, will have an effect on any federal or state listed Rare, Threatened or Endangered species or their habitat, NRCS will advise the client of the requirements of the Endangered Species Act and recommend alternative conservation treatments that avoid the adverse effects. Further assistance will be provided only if the client selects one of the alternative conservation treatments for installation; or with concurrence of the client, NRCS initiates consultations concerning the listed species with the U.S. Fish and Wildlife Service, National Marine Fisheries Service and/or California Department of Fish and Game.

PLANS AND SPECIFICATIONS

Specifications shall be prepared for each site and purpose and recorded using approved specification sheets, job sheets, technical notes, narrative statements in the conservation plan, or other acceptable documentation.

Documentation shall include:

- Purpose of the Mulch
- Type of mulch material used
- The percent cover and/or thickness of mulch material
- Timing of application
- Site preparation
- Listing of netting, tackifiers, or method of anchoring, and
- Operation and maintenance.

OPERATION AND MAINTENANCE

Mulched areas will be periodically inspected, and mulch shall be reinstalled or repaired as needed to accomplish the intended purpose.

Removal or incorporation of mulch materials shall be consistent with the intended purpose and site conditions. Remove plastic mulch from the field after use. When possible recycle used plastic mulch.

Operation of equipment near and on the site shall not compromise the intended purpose of the mulch.

Prevent or repair any fire damage to the mulch material.

Properly collect and dispose of artificial mulch material after intended use.

Monitor and control undesirable weeds in mulched areas.

REFERENCES

Agriculture and Agri-Food Canada. 2000. Plastic mulches for commercial vegetable production. Canada-Saskatchewan Irrigation Diversification Centre. Outlook, Saskatchewan.

Renard, K.G., G.R. Foster, G.A. Weesies, D.K. McCool, and D.C. Yoder, Coordinators. 1997. Predicting soil erosion by water: A guide to conservation planning with the Revised Universal Soil Loss Equation (RUSLE). U.S. Department of Agriculture, Agriculture Handbook No. 703.

Shaffer, M.J., and W.E. Larson (ed.). 1987. NTRM, a soil-crop simulation model for nitrogen, tillage and crop residue management. USDA Conserv. Res. Rep. 34-1. USDA-ARS.

Elmore, Clyde L., 1997, Soil Solarization: A Nonpesticidal Method for Controlling Diseases, Nematodes, and Weeds, UC pub #21377

Toy, T.J., and G.R. Foster. (Ed.) 1998. Guidelines for the use of the Revised Universal Soil Loss Equation (RUSLE) Version 1.06 on mined lands, construction sites, and reclaimed lands. USDI, OSMR.

USDA, NRCS. 2002. National Agronomy Manual. 190-V. Washington, D.C.