HIGHLY ERODIBLE LAND CLASS
1=HIGHLY ERODIBLE LAND
2=POTENTIALLY HIGHLY ERODIBLE
3=NOT HIGHLY ERODIBLE

Hel class?

muid	musys	compname	seqnum	compct	cfact	ifact	undhel	rfact	kfact	tfact	slopel	slopeh	slopeleal	slopelenh	isvalue1	isvalueh	rk_8t	wathel
021AAA	AAA	ALTAMONT	1	100	0	0	3	35	.24	3	0	3	200	600	0.080	0.5360	2.857	3
021AAC	AAC	ALTAMONT	1	100	0	0	3	35	.24	3	3	15	50	600	0.233	5.7870	2.857	2
021AAD	AAD	ALTAMONT	1	100	0	0	3	35	.24	3	15	30	50	400	1.671	11.7340	2.857	2
021AAE	AAE	ALTAMONT	1	100	0	0	3	35	.24	3	30	50	50	300	4.149	18.2420	2.857	1
021ABC	ABC	ALTAMONT	1	100	0	0	3	35	.2	3	3	15	50	600	0.233	5.7870	3.429	2
021ACD	ACD	ALTAMONT	1	100	0	0	3	35	.24	2	15	30	50	400	1.671	11.7340	1.905	2
021ACE	ACE	ALTAMONT	1	100	0	0	3	35	.24	2	30	50	50	300	4.149	18.2420	1.905	1
021ADC	ADC	ALTAMONT	1	100	0	0	3	35	.24	2	3	15	50	600	0.233	5.7870	1.905	2
021ADD	ADD	ALTAMONT	1	100	0	0	3	35	.24	2	15	30	50	400	1.671	11.7340	1.905	2
021ADE	ADE	ALTAMONT	1	100	0	0	3	35	.2	2	30	65	50	300	4.149	23.2950	1.905	1
021AFD	AFD	ALTAMONT	2	50	0	0	3	35	.24	3	10	30	50	500	0.958	13.1190	2.857	2
021AFE	AFE	ALTAMONT	2	50	0	0	3	35	.24	3	30	50	50	300	4.149	18.2420	2.857	1
021AFSD	AFSD	ALTAMONT	2	50	0	0	3	35	.24	2	10	30	50	500	0.958	13.1190	1.905	2
021AFSE	AFSE	ALTAMONT	2	50	0	0	3	35	.24	2	30	65	50	300	4.149	23.2950	1.905	1
021AGE	AGE	ALTAMONT	2	50	0	0	3	35	.24	2	15	45	50	400	1.671	18.8570	1.905	2
021AHC	AHC	ALTAMONT	1	50	0	0	3	45	.24	2	8	15	50	500	0.700	5.2830	1.481	2
021AHC	AHC	CONTRA COSTA	2	40	0	0	3	45	.24	2	8	15	50	500	0.700	5.2830	1.481	2
021AHD	AHD	ALTAMONT	1	50	0	0	3	45	.24	2	15	30	50	400	1.671	11.7340	1.481	1
021AHD	AHD	CONTRA COSTA	2	40	0	0	3	45	.24	2	15	30	50	400	1.671	11.7340	1.481	1
021AHE	AHE	CONTRA COSTA	2	40	0	0	3	45	.24	2	30	50	50	300	4.149	18.2420	1.481	1
021AHE	AHE	ALTAMONT	1	50	0	0	3	45	.24	2	30	50	50	300	4.149	18.2420	1.481	1
021AKE3	AKE3	ALTAMONT	1	50	0	0	3	35	.24	1	30	65	50	300	4.149	23.2950	.952	1
021AKE3	AKE3	HILLSHOLM	2	50	0	0	3	35	.37	1	30	65	50	300	4.149	23.2950	.618	1
021AMC	AMC	ALTAMONT	1	50	0	0	3	35	.24	3	3	15	50	600	0.233	5.7870	2.857	2
021AMC	AMC	MACINIENTO	2	40	0	0	3	35	.28	3	3	15	50	600	0.233	5.7870	2.449	2
021ANC	ANC	ALTAMONT	1	50	0	0	3	35	.24	3	3	15	50	600	0.233	5.7870	2.857	2
021ANC	ANC	SHEDD	2	50	0	0	3	35	.37	2	3	15	50	600	0.233	5.7870	1.236	2
021AOA	AOA	ARBUCKLE	1	100	0	0	3	35	.2	5	0	2	200	800	0.080	0.3750	5.714	3 HC
021AOB	AOB	ARBUCKLE	1	100	0	0	3	35	.2	5	2	8	100	600	0.201	2.4240	5.714	3
021AOXA	AOXA	ARBUCKLE	1	100	0	0	3	35	.2	5	0	3	200	800	0.080	0.5360	5.714	3
021AP	AP	ARBUCKLE	1	100	0	0	3	35	.2	5	0	2	200	800	0.080	0.3750	5.714	3 HC
021AR	AR	ARBUCKLE	1	100	0	0	3	35	.2	5	0	2	200	800	0.080	0.3750	5.714	3 HC
021AS	AS	ARBUCKLE	1	100	0	0	3	35	.2	5	0	2	200	800	0.080	0.3750	5.714	3 HC
021AT	AT	ARTOIS	1	100	0	0	3	35	.37	5	0	2	200	800	0.080	0.3750	8.089	3 HC
021AU	AU	ARTOIS	1	100	0	0	3	35	.37	5	0	2	200	800	0.080	0.3750	3.989	3
021AV	AV	ARTOIS	1	100	0	0	3	35	.2	5	0	2	200	800	0.080	0.3750	5.714	3
021AW	AW	ARTOIS	1	100	0	0	3	35	.24	5	0	2	200	800	0.080	0.3750	4.761	3
021AXC	AXC	AYAR	1	100	0	0	3	35	.28	3	3	15	50	600	0.233	5.7870	2.449	2
021AYD	AYD	AYAR	1	50	0	0	3	35	.28	3	10	30	50	500	0.958	13.1190	2.449	2

RECEIVED SCP 10 1992

HIGHLY ERODIBLE LAND CLASS
1=HIGHLY ERODIBLE LAND
2=POTENTIALLY HIGLY ERODIBLE
3=NOT HIGHLY ERODIBLE

muid	musys	compname	sequm	compct	cfact	ifact	wndhel	rfact	kfact.	tfact	slopel	slopeh	slopelnl	slopelnh	lsvalul	lsvaluh	rk_8t	wthel	
021AYD	AYD	MACDIXIENTO	2	40	0	0	3	35	.24	3	10	30	50	500	0.958	13.1190	2.857	2	
021BCB	BCB	BURRIS	1	100	0	0	3	35	.24	5	1	8	100	800	0.129	2.7990	4.762	3	
021BUD	BUD	BURRIS	1	100	0	0	3	35	.2	5	10	30	50	500	0.958	13.1190	5.714	2	
021BYC	BYC	BURRIS	1	100	0	0	3	35	.2	5	3	15	50	600	0.233	5.7870	5.714	2	
021CAA	CAA	CAPAY	1	100	0	0	3	25	.24	5	0	2	200	800	0.080	3.7500	6.667	3	HC
021CAB	CAB	CAPAY	1	100	0	0	3	25	.24	5	2	8	100	600	0.201	2.4240	6.667	3	HC
021CB	CB	CASTRO	1	100	0	0	3	35	.24	2	0	1	200	800	0.080	0.2410	1.905	3	HC
021CBA	CBA	CASTRO	1	100	0	0	3	35	.24	2	0	1	200	800	0.080	0.2410	1.905	3	HC
021CBB	CBB	CASTRO	1	100	0	0	3	35	.24	2	0	1	200	800	0.080	0.2410	1,905	3	HC
021CC	CC	CLEAR LAKE	1	100	0	0	3	35	.24	5	0	3	200	800	0.080	0.5360	4.762	3	HC
021CDSF	CDSF	COLLUVIAL	1	100	0	0		90			50	70	50	250	7.447	22.5730			
021CDUF	CDUF	COLLUVIAL	1	100	0	0		90			30	70	50	300	4.149	24.7220			
021CDWF	CDWF	COLLUVIAL	1	100	0	0		90			50	70	50	250	7.447	22.5730			
021CEA	CEA	COLUMBIA	1	100	0	0	3	35	.32	5	0	2	200	800	0.080	0.3750	3.571	3	HC
021CEB	CEB	COLUMBIA	1	100	0	0	3	35	.32	5	2	8	100	600	0.201	2.4240	3.571	3	HC
021CF	CF	COLUMBIA	1	100	0	0	3	35	.32	4	0	2	200	800	0.080	0.3750	2.857	3	HC
021CGA	CGA	COLUMBIA	1	100	0	0	3	35	.2	5	0	2	200	800	0.080	0.3750	5.714	3	HC
021CGB	CGB	COLUMBIA	1	100	0	0	3	35	.2	5	2	8	100	600	0.201	2.4240	5.714	3	HC
021CHA	CHA	COLUMBIA	1	100	0	0	3	35	.32	5	0	2	200	800	0.080	0.3750	3.571	3	HC
021CHB	CHB	COLUMBIA	1	100	0	0	3	35	.32	5	2	8	100	600	0.201	2.4240	3.571	3	HC
021CI	CI	COLUMBIA	1	100	0	0	3	35	.32	3	0	1	200	800	0.080	0.2410	2.143	3	?
021CK	CK	COLUMBIA	1	100	0	0	3	35	.32	5	0	1	200	800	0.080	0.2410	3.571	3	HC
021CN	CN	COLUMBIA	1	100	0	0	3	35	.32	3	0	2	200	800	0.080	0.3750	2.143	3	HC
021CN	CN	COLUMBIA	1	100	0	0	3	35	.32	5	0	1	200	800	0.080	0.2410	3.571	3	HC
021CO	CO	COLUMBIA	1	100	0	0	3	35	.32	5	0	3	200	800	0.080	0.5360	3.571	3	HC
021CPB	CPB	COLUMBIA	1	100	0	0	3	35	.32	5	1	8	100	800	1.290	2.7990	3.571	3	HC
021CRB	CRB	COLUMBIA	1	100	0	0	3	35	.32	5	0	10	100	800	0.069	3.8320	3.571	2	HC
021CSA	CSA	CORNING	1	100	0	0	3	35	.2	2	0	2	200	800	0.080	0.3750	2.286	3	
021CSB	CSB	CONTRA COSTA	1	100	0	0	3	35	.24	1	3	8	100	600	0.287	2.4240	.952	2	
021CTE	CTE	CONTRA COSTA	1	100	0	0	3	35	.32	2	30	65	50	300	4.149	23.2950	1.429	1	
021CUE2	CUE2	CONTRA COSTA	1	100	0	0	3	35	.37	1	30	50	50	300	4.149	18.2420	1.143	1	
021CVE	CVE	CONTRA COSTA	1	50	0	0	3	45	.32	2	30	65	50	300	4.149	23.2950	1.111	1	
021CVE CWA	CVE	NILLSHOLM	2	40	0	0	3	45	.37	1	30	65	50	300	4.149	23.2950	.480	1	3-HC
021CWB	CWB	CORNING	1	100	0	0	3	35	.2	2	2	6	100	600	0.201	2.4240	2.286	2	HC
021CWCB	CWCB	CORNING	1	50	0	0	3	35	.2	2	2	10	100	600	0.201	3.3190	2.286	2	
021CWDB	CWDB	GALLIED	1	40	0	0	3	35	.2	2	2	10	100	600	0.201	3.3190	2.286	2	
021CXC	CXC	CORNING	1	50	0	0	3	45	.2	2	3	15	50	600	0.233	5.7870	1.778	2	
021CXC	CXC	HERVILLE	1	40	0	0	3	45	.24	5	3	15	50	600	0.233	5.7870	3.703	2	
021CYC	CYC	CORNING	1	30	0	0	3	45	.2	2	3	15	50	600	0.233	5.7870	1.778	2	
021CYC	CYC	GALLIED	1	20	0	0		45			3	15	50	600	0.233	5.7870			

HIGHLY ERODIBLE LAND CLASS
1=HIGHLY ERODIBLE LAND
2=POTENTIALLY HIGLY ERODIBLE
3=NOT HIGHLY ERODIBLE

muid	musys	compname	seqnum	compct	cfact	ifact	undhel	rfact	kfact	tfact	slopel	slopeh	slopelenl	slopelenh	lsvalual	lsvalueh	rk_8t	vathel	
021CYC	CYC	NEWVILLE	1	30	0	0	3	45	.24	5	3	15	50	600	0.233	5.7870	3.704	2	
021CZB	CZB	CORNING	1	50	0	0	3	35	.2	2	1	5	100	800	0.129	1.5120	2.286	3	
021CZB	CZB	REDDING	1	40	0	0	3	35	.21	2	1	5	100	800	0.129	1.5120	1.905	3	
021CZG	CZG	CORTINA	1	100	0	0	3	35	.2	5	0	2	200	800	0.080	0.3750	5.714	3	HC
021CZH	CZH	CORTINA	1	100	0	0	3	35	.2	5	0	3	200	800	0.080	0.0535	5.714	3	HC
021CZK	CZK	CORTINA	1	100	0	0	3	35	.2	5	0	3	200	800	0.080	0.5350	5.714	3	HC
021CZR	CZR	CORTINA	1	100	0	0	3	35	.15	5	0	3	200	800	0.080	0.5350	7.619	3	HC
021CZS	CZS	CORTINA	1	100	0	0	3	35	.15	5	0	3	200	800	0.080	0.5350	7.619	3	HC
021CZT	CZT	CORTINA	1	100	0	0	3	35	.15	5	0	3	200	800	0.080	0.5350	7.619	3	HC
021DUE	DUE	DUBAKELLA	1	100	0	0	3	90	.2	2	30	50	50	300	4.149	18.2420	.889	1	
021EAD	EAD	EAST PARK	1	100	0	0	3	45	.28	5	10	30	50	500	0.958	13.1190	3.175	2	
021ECD	ECD	EAST PARK	1	100	0	0	3	45	.17	5	2	10	100	600	0.201	3.3190	5.229	3	
021ER	ER	ERODED	1	100	0	0		35			0	3	200	800	0.080	0.5350			
021ESE	ESE	ERODED	1	100	0	0		45			30	70	50	300	4.149	24.7280			
021GOE	GOE	GOULDING	1	100	0	0	3	90	.32	1	30	50	50	300	4.149	18.2420	.278	1	
021GOF	GOF	GOULDING	1	100	0	0	3	90	.32	1	50	65	50	250	7.447	21.2650	.278	1	
021GP	GP	GRAVEL PITS	1	100	0	0		35											
021GR	GR	GRAVELLY	1	100	0	0		35			0	8	100	800	0.069	2.7990			H
021HCD	HCD	HENNEKE	1	100	0	0	3	90	.1	1	10	30	50	500	0.958	13.1190	.889	1	
021HCE	HCE	HENNEKE	1	100	0	0	3	90	.1	1	30	65	50	300	4.149	23.2950	.889	1	
021HGA	HGA	HILLGATE	1	100	0	0	3	35	.43	2	0	2	200	800	0.080	0.3750	1.063	3	HC
021HGB	HGB	HILLGATE	1	100	0	0	3	35	.43	2	2	8	100	600	0.201	2.4240	1.063	2	
021HGBB	HGBB	HILLGATE	1	50	0	0	3	45	.43	2	2	10	100	600	0.201	3.3190	.827	2	
021HHB	HHB	HILLGATE	1	100	0	0	3	35	.43	2	0	10	100	800	0.069	3.8320	1.063	2	
021HHBB	HHBB	HILLGATE	1	50	0	0	3	45	.43	2	2	10	100	600	0.201	3.3190	.827	2	
021HI	HI	HILLGATE	1	100	0	0	3	35	.37	2	0	3	200	800	0.080	0.5350	1.236	3	HC
021HWA	HWA	HILLGATE	1	100	0	0	3	35	.28	2	0	2	200	800	0.080	0.3750	1.905	3	HC
021HWB	HWB	HILLGATE	1	100	0	0	3	45	.28	2	2	8	200	800	0.247	2.7990	1.270	2	
021HWBB	HWBB	HILLGATE	1	50	0	0	3	45	.28	2	2	10	100	600	0.201	3.3190	1.270	2	
021HW	HW	HILLGATE	1	100	0	0	3	35	.28	2	0	2	200	800	0.080	0.3750	1.633	3	
021HOE	HOE	HOHMANN	1	100	0	0	3	90	.2	2	30	65	50	300	4.149	23.2950	.839	1	
021HPD	HPD	HOHMANN	1	100	0	0	3	90	.2	2	10	30	50	500	0.958	13.1190	.889	1	
021HRE	HRE	HUGO	1	100	0	0	3	90	.37	3	20	50	50	400	2.459	21.0640	.121	1	
021HTD	HTD	HUGO	1	100	0	0	3	90	.24	2	10	30	50	500	0.958	13.1190	.741	1	
021HTE	HTE	HUGO	1	100	0	0	3	90	.24	2	30	50	50	300	4.149	18.2420	.741	1	
021HTF	HTF	HUGO	1	100	0	0	3	90	.24	2	50	65	50	250	7.447	21.2650	.741	1	
021HUD	HUD	HULLS	1	100	0	0	3	90	.24	2	10	30	50	500	0.958	13.1190	.741	1	
021HUE	HUE	HULLS	1	100	0	0	3	90	.24	2	30	30	50	300	4.149	10.1620	.741	1	
021HUF	HUF	HULLS	1	100	0	0	3	90	.24	2	50	65	50	250	7.447	21.2650	.741	1	
021JAA	JAA	JACINTO	1	100	0	0	3	35	.2	5	0	2	200	800	0.080	0.3750	3.571	3	

HIGHLY ERODIBLE LAND CLASS
1=HIGHLY ERODIBLE LAND
2=POTENTIALLY HIGHLY ERODIBLE
3=NOT HIGHLY ERODIBLE

muid	musys	compname	seqnum	compct	cfact	ifact	wathel	rfact	kfact	tfact	slopel	slopeh	slopelenl	slopelenh	isvalul	isvaluh	rk_8t	wathel	
021JAB	JAB	JACINTO	1	100	0	0	3	35	.32	5	2	8	100	600	0.201	2.4240	3.571	3	
021JGB2	JGB2	JOSEPHINE	1	100	0	0	3	90	.2	3	10	30	50	500	0.958	13.1190	1.333	2	
021JGE	JGE	JOSEPHINE	1	100	0	0	3	90	.2	3	30	50	50	300	4.149	18.2420	1.333	1	
021JGE2	JGE2	JOSEPHINE	1	100	0	0	3	90	.2	3	30	50	50	300	4.149	18.2420	1.333	1	
021JME	JME	JOSEPHINE	1	50	0	0	3	90	.2	3	30	50	50	300	4.149	18.2420	1.333	1	
021JME	JME	MAYMEN	2	40	0	0	3	90	.2	1	30	50	50	300	4.149	18.2420	.444	1	
021JSE	JSE	JOSEPHINE	1	50	0	0	3	90	.2	3	30	50	50	300	4.149	18.2420	1.333	1	
021JSE	JSE	SHEETIRON	2	40	0	0	3	90	.2	2	30	50	50	300	4.149	18.2420	.889	1	
021KB	KB	KIMBALL	1	100	0	0	3	35	.37	2	0	2	200	800	0.080	0.3750	1.236	3	
021KBB	KBB	KIMBALL	1	100	0	0	3	35	.37	2	2	10	100	600	0.201	3.3190	1.236	2	
021KNA	KNA	KIMBALL	1	100	0	0	3	35	.2	2	0	2	200	800	0.080	0.3750	2.286	3	
021KNB	KNB	KIMBALL	1	100	0	0	3	35	.2	2	2	10	100	600	0.201	3.3190	2.286	2	
021KNB	KNB	KIMBALL	1	50	0	0	3	35	.37	2	2	10	100	600	0.201	3.3190	1.236	2	
021LA	LA	LANDLOW	1	100	0	0	3	35	.24	2	0	1	200	000	0.080	0.2410	1.985	3	HC
021LC	LC	LANDLOW	1	100	0	0	3	35	.28	3	0	1	200	800	0.080	0.2410	2.449	3	HC
021LMD	LMD	LODO	1	50	0	0	3	45	.2	1	10	30	50	500	0.958	13.1190	.889	1	
021LME	LME	LODO	1	50	0	0	3	45	.2	1	30	50	50	300	4.149	18.2420	.889	1	
021LOD	LOD	LODO	1	30	0	0	3	45	.2	1	1	30	50	000	0.105	16.5950	.889	2	
021LOD	LOD	MILLSAP	2	30	0	0	3	45	.37	1	1	30	50	000	0.105	16.5950	.480	2	
021LOD	LOD	GULLIED	3	20	0	0		45			1	30	50	000	0.105	16.5950			
021LOE	LOE	LODO	1	30	0	0	3	45	.2	1	30	65	50	300	4.149	23.2950	.889	1	
021LOE	LOE	MILLSAP	2	30	0	0	3	45	.37	1	30	65	50	300	4.149	23.2950	.480	1	
021LOE	LOE	GULLIED	3	20	0	0		45			30	65	50	300	4.149	23.2950			
021LSD	LSD	LODO	1	50	0	0	3	45	.2	1	10	30	50	500	0.958	13.1190	.889	1	
021LSD	LSD	TEHAMA	2	40	0	0	3	45	.37	5	10	30	50	500	0.958	13.1190	2.402	2	
021LSE	LSE	LODO	1	50	0	0	3	45	.2	1	30	50	50	300	4.149	18.2420	.889	1	
021LSE	LSE	TEHAMA	2	40	0	0	3	45	.37	5	45	50	50	300	6.667	18.2420	2.402	1	
021LTD	LTD	LODO	1	50	0	0	3	45	.2	1	10	30	50	500	0.958	13.1190	.889	1	
021LTD	LTD	TEHAMA	2	40	0	0	3	45	.37	5	10	30	50	500	0.958	13.1190	2.402	2	
021LTE	LTE	LODO	1	50	0	0	3	45	.2	1	30	50	50	300	4.149	18.2420	.889	1	
021LTE	LTE	TEHAMA	2	40	0	0	3	45	.37	5	30	50	50	300	4.149	18.2420	2.402	1	
021LUE	LUE	LOS GATOS	1	100	0	0	3	90	.2	2	30	50	50	300	4.149	18.2420	.889	1	
021LUF	LUF	LOS GATOS	1	100	0	0	3	90	.2	2	50	65	50	250	7.447	21.2650	.889	1	
021LVD	LVD	LOS GATOS	1	100	0	0	3	90	.2	2	10	30	50	500	0.958	13.1190	.889	1	
021LVE	LVE	LOS GATOS	1	100	0	0	3	90	.2	2	30	50	50	300	4.149	18.2420	.889	1	
021LVF	LVF	LOS GATOS	1	100	0	0	3	90	.2	2	50	65	50	250	7.447	21.2650	.889	1	
021LXE	LXE	LOS GATOS	1	50	0	0	3	90	.2	2	30	50	50	300	4.149	18.2420	.889	1	
021LXE	LXE	JOSEPHINE	2	40	0	0	3	90	.2	3	30	50	50	300	4.149	18.2420	1.333	1	
021LYE	LYE	LOS GATOS	1	50	0	0	3	90	.2	2	30	50	50	300	4.149	18.2420	.889	1	
021LYE	LYE	PARRISH	2	40	0	0	3	90	.24	2	30	50	50	300	4.149	18.2420	.741	1	

HIGHLY ERODIBLE LAND CLASS
1=HIGHLY ERODIBLE LAND
2=POTENTIALLY HIGLY ERODIBLE
3=NOT HIGHLY ERODIBLE

muid	musys	compname	sequm	compct	cfact	ifact	undhel	rfact	kfact	tfact	slopel	slopeh	slopelenl	slopelenh	lsvalue1	lsvalueh	rk_8t	wathel	
021MA	MA	MARVIN	1	100	0	0	3	35	.28	5	0	1	200	800	0.080	0.2410	4.082	3	HC
021MAA	MAA	MARVIN	1	100	0	0	3	35	.32	5	0	1	200	800	0.080	0.2410	3.571	3	
021MAB	MAB	MARVIN	1	100	0	0	3	35	.28	5	0	1	200	800	0.080	0.2410	4.082	3	HC
021MAOB	MAOB	MARVIN	1	100	0	0	3	35	.32	5	0	5	100	800	0.069	1.5120	3.571	3	HC
021MBA	MBA	MARVIN	1	100	0	0	3	35	.37	5	0	1	200	800	0.080	0.2410	3.089	3	HC
021MBA	MBA	MARVIN	1	100	0	0	3	35	.37	5	0	2	200	800	0.080	0.3750	3.089	3	HC
021MEB	MEB	MARVIN	1	100	0	0	3	35	.37	5	0	1	200	800	0.080	0.2410	3.089	3	HC
021MBB	MBB	MARVIN	1	100	0	0	3	35	.37	5	2	10	100	600	0.201	3.3190	3.089	2	HC
021MCB	MCB	MASTERSON	1	100	0	0	3	90	.2	2	10	30	50	500	0.953	13.1190	.889	1	
021MCE	MCE	MASTERSON	1	100	0	0	3	90	.2	2	30	50	50	300	4.149	18.2420	.889	1	
021MDB	MDB	MASTERSON	1	100	0	0	3	90	.2	2	10	30	50	500	0.958	13.1190	.889	1	
021MDE	MDE	MASTERSON	1	100	0	0	3	90	.2	2	30	50	50	300	4.149	18.2420	.889	1	
021MDGB	MDGB	MAYHEN	1	100	0	0	3	90	.2	1	19	30	50	500	0.958	13.1190	.444	1	
021MDGE	MDGE	MAYHEN	1	100	0	0	3	90	.2	1	30	65	50	300	4.149	13.2950	.444	1	
021MDKE	MDKE	MAYHEN	1	100	0	0	3	90	.2	1	30	65	50	300	4.149	23.2950	.444	1	
021MDME	MDME	MAYHEN	1	100	0	0	3	90	.2	1	30	65	50	300	4.149	23.2950	.444	1	
021MDOD	MDOD	MAYHEN	1	50	0	0	3	90	.2	1	10	30	50	500	0.958	13.1190	.444	1	
021MDOB	MDOB	LOS GATOS	2	40	0	0	3	90	.2	2	10	30	50	500	0.958	13.1190	.889	1	
021MDOE	MDOE	MAYHEN	1	40	0	0	3	90	.2	2	30	65	50	300	4.149	23.2950	.889	1	
021MDOE	MDOE	LOS GATOS	2	50	0	0	3	90	.2	1	30	65	50	300	4.149	23.2950	.444	1	
021MDPD	MDPD	MAYHEN	1	50	0	0	3	90	.2	1	10	30	50	500	0.958	13.1190	.444	1	
021MDPD	MDPD	PARRISH	2	40	0	0	3	90	.24	2	10	30	50	500	0.958	13.1190	.741	1	
021MDPE	MDPE	MAYHEN	1	50	0	0	3	90	.2	1	30	65	50	300	4.149	23.2950	.444	1	
021MDPE	MDPE	PARRISH	2	40	0	0	3	90	.24	2	30	65	50	300	4.149	23.2950	.741	1	
021ME	ME	MAYNOOD	1	100	0	0	3	35	.43	3	0	2	200	800	0.080	0.3750	1.595	3	HC
021MFE	MFE	MILLSAP	1	100	0	0	3	45	.37	1	30	50	50	300	4.149	18.2420	.480	1	
021MFF	MFF	MILLSAP	1	100	0	0	3	45	.37	1	50	65	50	250	7.447	21.2650	.480	1	
021MGF	MGF	MILLSHOLM	1	100	0	0	3	45	.24	1	50	65	50	250	7.447	21.2650	.741	1	
021MHE	MHE	MILLSHOLM	1	100	0	0	3	45	.24	1	30	50	50	300	4.149	18.2420	.741	1	
021MHF	MHF	MILLSHOLM	1	100	0	0	3	45	.24	1	50	65	50	300	7.447	23.2950	.741	1	
021MID	MID	MILLSHOLM	1	100	0	0	3	45	.43	1	10	30	50	500	0.958	13.1190	.413	1	
021MIE	MIE	MILLSHOLM	1	100	0	0	3	45	.43	1	30	50	50	300	4.149	18.2420	.413	1	
021MKE	MKE	MILLSHOLM	1	100	0	0	3	45	.24	1	30	50	50	300	4.149	18.2420	.741	1	
021MKF	MKF	MILLSHOLM	1	100	0	0	3	45	.24	1	50	65	50	250	7.447	21.2650	.741	1	
021MMD	MMD	MILLSHOLM	1	50	0	0	3	45	.37	1	15	30	50	400	1.671	11.7340	.480	1	
021MME	MME	MILLSHOLM	1	50	0	0	3	45	.37	1	30	65	50	300	4.149	23.2950	.480	1	
021MMD	MMD	MILLSHOLM	1	100	0	0	3	45	.37	1	10	30	50	500	0.958	13.1190	.480	1	
021MME	MME	MILLSHOLM	1	100	0	0	3	45	.37	1	30	50	50	300	4.149	18.2420	.480	1	
021MME2	MME2	MILLSHOLM	1	100	0	0	3	45	.37	1	30	65	50	300	4.149	23.2950	.430	1	
021MNGD	MNGD	MILLSHOLM	1	50	0	0	3	45	.37	1	10	30	50	500	0.958	13.1190	.480	1	

HIGHLY ERODIBLE LAND CLASS
1=HIGHLY ERODIBLE LAND
2=POTENTIALLY HIGHLY ERODIBLE
3=NOT HIGHLY ERODIBLE

muid	musys	compname	sequm	compct	cfact	ifact	wndhel	rfact	kfact	tfact	slopel	slopeh	slopelenl	slopelenh	lsvalwl	lsvalwh	rk_8t	wthel	
021NOD	NOD	NILLSHOLM	1	100	0	0	3	45	.37	1	10	30	50	500	0.958	13.1190	.480	1	
021NOE	NOE	NILLSHOLM	1	100	0	0	3	45	.37	1	30	65	50	300	4.149	23.2950	.480	1	
021NPE	NPE	NILLSHOLM	1	50	0	0	3	45	.37	1	15	50	50	400	1.671	21.0640	.480	1	
021NRD	NRD	NILLSHOLM	1	100	0	0	3	45	.37	1	10	30	50	500	0.958	13.1190	.480	1	
021NRE	NRE	NILLSHOLM	1	100	0	0	3	45	.37	1	30	50	50	300	4.149	18.2420	.480	1	
021NREZ	NREZ	NILLSHOLM	1	100	0	0	3	45	.37	1	30	50	50	300	4.149	18.2420	.480	1	
021NSE	NSE	NILLSHOLM	1	50	0	0	3	45	.37	1	30	50	50	300	4.149	18.2420	.480	1	
021NTD	NTD	NILLSHOLM	1	100	0	0	3	45	.24	1	15	45	50	400	1.671	18.8570	.741	1	
021NUE	NUE	NILLSHOLM	1	100	0	0	3	45	.1	1	30	65	50	300	4.149	23.2950	1.777	1	
021NWE	NWE	NILLSHOLM	1	100	0	0	3	45	.37	1	30	50	50	300	4.149	18.2420	.480	1	
021NWEZ	NWEZ	NILLSHOLM	1	50	0	0	3	45	.37	1	30	50	50	300	4.149	18.2420	.480	1	
021NWEZ	NWEZ	CONTRA COSTA	2	40	0	0	3	45	.32	2	30	50	50	300	4.149	18.2420	1.111	1	
021NXE	NXE	CONTRA COSTA	1	40	0	0	3	45	.32	2	30	50	50	300	4.149	18.2420	1.111	1	
021NXE	NXE	NILLSHOLM	2	50	0	0	3	45	.37	1	30	50	550	300	13.760	18.2420	.480	1	
021NXRA	~~NXRA~~ MzA	NYERS	1	100	0	0	3	35	.28	5	0	3	200	800	0.080	0.5350	4.082	3	HC
021NZ	NZ	NODA	1	100	0	0	3	35	.37	2	0	3	200	800	0.080	0.5350	1.286	3	
021NZNE	NZNE	NONTARA	1	100	0	0	3	90	.24	1	20	50	50	400	2.459	21.0640	.370	1	
021NZRB	NZRB	NYERS	1	100	0	0	3	35	.28	5	3	10	100	600	0.287	3.3190	4.082	3	
021NZXB	NZXB	NEYERS	1	50	0	0	3	35	.28	5	3	10	100	600	0.287	3.3190	4.082	3	HC
021NZYA	NZYA	NYSERS	1	100	0	0	3	35	.28	5	0	3	200	300	0.080	0.5350	4.082	3	HC
021NZYB	NZYB	NYERS	1	100	0	0	3	35	.28	5	3	8	100	600	0.287	2.4240	4.082	3	
021NAC	NAC	NACIMIENTO	1	100	0	0	3	35	.28	3	3	15	50	600	0.233	5.7870	2.450	2	
021NAD	NAD	NACIMIENTO	1	100	0	0	3	35	.28	3	15	30	50	400	1.671	11.7340	2.450	2	
021NAE	NAE	NACIMIENTO	1	100	0	0	3	35	.28	3	30	50	50	300	4.149	18.2420	2.450	1	
021NCD	NCD	NACIMIENTO	1	100	0	0	3	35	.28	3	10	30	50	500	0.958	13.1190	2.450	2	
021NDD	NDD	NACIMIENTO	1	50	0	0	3	35	.28	3	15	30	50	400	1.671	11.7340	2.450	2	
021NDE	NDE	NACIMIENTO	1	50	0	0	3	35	.24	2	30	50	50	300	4.149	18.2420	1.905	1	
021NFD	NFD	NACIMIENTO	1	50	0	0	3	35	.28	3	10	30	50	500	0.958	13.1190	2.449	2	
021NFD	NFD	ALTAMONT	2	40	0	0	3	35	.24	3	10	30	50	500	0.958	13.1190	2.857	2	
021NGD	NGD	NACIMIENTO	1	30	0	0	3	35	.28	2	15	30	50	400	1.671	11.7340	1.633	1	
021NGD	NGD	ALTAMONT	2	30	0	0	3	35	.24	3	15	30	50	400	1.671	11.7340	2.857	2	
021NGD	NGD	GULLIED	3	20	0	0		35			15	30	50	400	1.671	11.7340			
021NHC	NHC	NACIMIENTO	1	50	0	0	3	35	.24	2	3	15	50	600	0.233	5.7870	1.905	2	
021NHC	NHC	CONTRA COSTA	2	40	0	0	3	35	.32	2	3	15	50	600	0.233	5.7870	1.428	2	
021NHD	NHD	NACIMIENTO	1	50	0	0	3	35	.24	2	15	30	50	400	1.671	11.7340	1.905	2	
021NHD	NHD	CONTRA COSTA	2	40	0	0	3	35	.32	2	15	30	50	400	1.671	11.7340	1.429	1	
021NHE	NHE	NACIMIENTO	1	50	0	0	3	35	.24	2	30	50	50	300	4.149	18.2420	1.905	1	
021NHE	NHE	CONTRA COSTA	2	40	0	0	3	35	.32	2	30	50	50	300	4.149	18.2420	1.428	1	
021NKD	NKD	NACIMIENTO	1	30	0	0	3	35	.24	2	15	30	50	400	1.671	11.7340	1.905	2	
021NKD	NKD	CONTRA COSTA	2	30	0	0	3	35	.32	2	15	30	50	400	1.671	11.7340	1.429	1	

HIGHLY ERODIBLE LAND CLASS
1=HIGHLY ERODIBLE LAND
2=POTENTIALLY HIGLY ERODIBLE
3=NOT HIGHLY ERODIBLE

muid	musys	compname	sequm	compct	cfact	ifact	undhel	rfact	kfact	tfact	slopel	slopeh	slopelewl	slopelenh	lsvaluel	lsvaluh	rk_8t	wathel	
021NKD	NKD	GULLIED	3	20	0	0		35			15	30	50	400	1.671	11.7340			
021NKE	NKE	INCINTENTO	1	30	0	0	3	35	.24	2	30	50	50	300	4.149	18.2420	1.905	1	
021NKE	NKE	CONTRA COSTA	2	30	0	0	3	35	.32	2	30	50	50	300	4.149	18.2420	1.429	1	
021NKE	NKE	GULLIED	3	20	0	0		35			30	50	50	300	4.149	18.2420			
021NMD	NMD	NEUNS	1	100	0	0	3	90	.15	2	10	30	50	500	0.958	13.1190	1.185	2	
021NME	NME	NEUNS	1	100	0	0	3	90	.15	2	30	50	50	300	4.149	18.2420	1.185	1	
021NMF	NMF	NEUNS	1	100	0	0	3	90	.15	2	50	65	50	250	7.447	21.2650	1.185	1	
021NND	NND	NEUNS	1	100	0	0	3	90	.24	2	10	30	50	500	0.958	13.1190	.741	2	
021NNE	NNE	NEUNS	1	100	0	0	3	90	.24	2	30	50	50	300	4.149	18.2420	.741	1	
021NOD	NOD	NEUNS	1	100	0	0	3	90	.2	1	10	30	50	500	0.958	13.1190	.444	1	
021NOE	NOE	NEUNS	1	100	0	0	3	90	.2	1	30	50	50	300	4.149	18.2420	.444	1	
021NVC	NVC	NEWVILLE	1	100	0	0	3	35	.24	2	3	15	50	600	0.233	5.7870	1.905	2	
021NVC	NVC	NEWVILLE	1	100	0	0	3	45	.24	2	3	15	50	600	0.233	5.7870	1.481	2	
021NVD	NVD	NEWVILLE	1	100	0	0	3	35	.24	2	15	30	50	400	1.671	11.7340	1.905	2	
021NVD	NVD	NEWVILLE	1	100	0	0	3	45	.24	2	15	30	50	400	1.671	11.7340	1.481	2	
021NVE	NVE	NEWVILLE	1	100	0	0	3	35	.24	2	30	50	50	300	4.149	18.2420	1.905	2	
021NVE	NVE	NEWVILLE	1	100	0	0	3	45	.24	2	30	50	50	300	4.149	18.2420	1.481	1	
021NVF2	NVF2	NEWVILLE	1	100	0	0	3	35	.24	2	50	65	50	250	7.447	21.2650	1.905	1	
021NVF2	NVF2	NEWVILLE	1	40	0	0	3	45	.24	2	50	65	50	250	7.447	21.2650	1.481	1	
021NWD	NWD	NEWVILLE	1	20	0	0	3	35	.24	2	8	30	50	500	0.700	13.1190	1.905	2	
021NWE	NWE	NEWVILLE	1	50	0	0	3	35	.24	2	30	50	50	300	4.149	18.2420	1.905	2	
021NXE	NXE	NEWVILLE	1	30				45	.24	5	30	50	50	300	4.149	18.2420	.3.704	1	
021NXE	NXE	LODO	2	20	0	0	3	45	.24	1	30	50	50	300	4.149	18.2420	.889	1	
021NXE	NXE	GULLIED	3	10	0	0		45			30	50	50	300	4.149	18.2420			
0210A	OA	ORLAND	1	100	0	0		35	.43	3	0	2	200	800	0.080	0.3750	1.595	3	
0210D	OD	ORLAND	1	100	0	0		35	.43	5	0	1	200	800	0.080	0.2410	2.658	3	
0210DP	ODP	ORLAND	1	100	0	0		35	.43	3	0	1	200	800	0.080	0.2410	1.595	3	
0210NP	ONP	ORLAND	1	100	0	0		35	.43	3	0	1	200	800	0.080	0.2410	1.595	3	
0210NR	ONR	ORLAND	1	100	0	0		35	.43	3	0	2	200	800	0.080	0.3750	1.595	3	HC
0210NS	ONS	OLAND	1	100	0	0		35	.43	5	0	1	200	800	0.080	0.2410	1.658	3	
0210SG	OSG	ORLAND	1	100	0	0		35	.43	3	0	2	200	800	0.080	0.3750	1.595	3	
0210SH	OSH	ORLAND	1	100	0	0		35	.43	3	0	1	200	800	0.080	0.2410	1.595	3	
0210WD	OWD	ORLAND	1	100	0	0		35	.43	3	0	3	200	800	0.080	5.3500	1.595	3	HC
0210X	OX	CORTINA	2	40	0	0		35	.2	5	0	2	200	800	0.080	0.3750	5.714	3	HC
0210X	OX	ORLAND	1	50	0	0		35	.43	3	0	2	200	800	0.080	0.3750	1.595	3	
021PAE	PAE	PARRISH	1	100	0	0		90	.24	2	30	50	50	300	4.149	18.2420	.741	1	
021PBE	PBE	PARRISH	1	100	0	0	3	90	.24	2	30	50	50	300	4.149	18.2420	.741	1	
021PBF	PBF	PARRISH	1	100	0	0	3	90	.24	2	50	65	50	250	7.447	21.2650	.741	1	
021PCD	PCD	PARRISH	1	50	0	0	3	90	.24	2	10	30	50	500	0.958	13.1190	.741	1	
021PCD	PCD	GULLIED	2	40	0														

HIGHLY ERODIBLE LAND CLASS
1=HIGHLY ERODIBLE LAND
2=POTENTIALLY HIGLY ERODIBLE
3=NOT HIGHLY ERODIBLE

muid	musys	compname	sequm	compct	cfact	ifact	undhel	rfact	kfact	tfact	slopel	slopeh	slopelenl	slopelenh	lsvalue1	lsvalueh	rk_0t	vathel	
021PCE	PCE	PARRISH	1	50	0	0	3	90	.24	2	30	50	50	300	4.149	18.2420	.741	1	
021PCE	PCE	GULLIED	2	40	0														
021PDD	PDD	PARRISH	1	30	0	0	3	90	.24	2	10	30	50	500	0.958	13.1190	.741	1	
021PDD	PDD	YORKVILLE	2	30	0	0	3	90	.32	3	10	30	50	500	0.958	13.1190	.833	1	
021PDD	PDD	GULLIED	3	20	0	0		90			10	30	50	500	0.958	13.1190			
021PDE	PDE	PARRISH	1	30	0	0	3	90	.24	2	30	50	50	300	4.149	18.2420	.741	1	
021PDE	PDE	YORKVILLE	2	30	0	0	3	90	.32	3	30	50	50	300	4.149	18.2420	.833	1	
021PDE	PDE	GULLIED	3	20	0	0		90			30	50	50	300	4.149	18.2420			
021PEA	PEA	PERKINS	1	100	0	0	3	45	.2	5	0	3	200	800	0.080	0.5350	4.444	3	
021PEC	PEC	PERKINS	1	100	0	0	3	45	.2	5	3	15	50	600	0.233	5.7870	4.444	2	
021PF	PF	PLAZA	1	100	0	0	3	35	.43	5	0	2	200	800	0.080	0.3750	2.658	3	HC
021PFA	PFA	PLAZA	1	100	0	0	3	35	.43	5	0	2	200	800	0.080	0.3750	2.658	3	HC
021PG	PG	PLAZA	1	100	0	0	3	35	.37	5	0	2	200	800	0.080	0.3750	3.089	3	HC
021PGA	PGA	PLAZA	1	100	0	0	3	35	.37	5	0	2	200	800	0.080	0.3750	3.089	3	HC
021PH	PH	PLAZA	1	100	0	0	3	35	.43	2	0	2	200	800	0.080	0.3750	1.063	3	HC
021PHA	PHA	PLAZA	1	100	0	0	3	35	.43	2	0	2	200	800	0.080	0.3750	1.063	3	HC
021PK	PK	PLAZA	1	100	0	0	3	35	.43	2	0	2	200	800	0.080	0.3750	1.063	3	HC
021PKA	PKA	PLAZA	1	100	0	0	3	35	.43	2	0	2	200	800	0.080	0.3750	1.063	3	HC
021PKB	PKB	PLAZA	1	100	0	0	3	35	.43	2	0	2	200	800	0.080	0.3750	1.063	3	HC
021PNA	PNA	PLEASANTON	1	100	0	0	3	25	.2	5	0	2	200	800	0.080	0.3750	8.000	3	
021PNB	PNB	PLEASANTON	1	100	0	0	3	25	.2	5	2	10	100	600	0.201	3.3190	8.000	3	
021PN	PN	PLEASANTON	1	100	0	0	3	25	.2	5	0	2	200	800	0.080	0.3750	8.000	3	
021PO	PO	PLEASANTON	1	100	0	0	3	25	.2	5	0	2	200	800	0.080	0.3750	8.000	3	
021PPE	PPE	POLEBAR	1	100	0	0	3	90	.32	2	30	50	50	300	4.149	18.2420	.556	1	
021PRE	PRE	POLEBAR	1	50	0	0	3	90	.32	2	30	50	50	300	4.149	18.2420	.556	1	
021PRE	PRE	GULLIED	2	40	0														
021PSE	PSE	POLEBAR	1	30	0	0	3	90	.24	2	30	50	50	300	4.149	18.2420	.370	1	
021PSE	PSE	HILLSHOLM	2	30	0	0	3	90	.37	1	30	50	50	300	4.149	18.2420	.240	1	
021PSE	PSE	GULLIED	3	20	0	0		90			30	50	50	300	4.149	18.2420			
021PTA	PTA	PORTERVILLE	1	100	0	0	3	35	.28	5	0	2	200	800	0.080	0.3750	4.082	3	HC
021PTB	PTB	PORTERVILLE	1	100	0	0	3	35	.28	5	2	10	100	600	0.201	3.3190	4.082	3	
021RG	RG	REDDING	1	100	0	0	3	35	.24	2	0	3	200	800	0.080	0.5350	1.905	3	
021RH	RH	RIVERWASH	1	100	0	0		35			0	8	100	800	0.069	2.7590			H
021RLB	RLB	RIZ	1	100	0	0	3	25	.24	5	0	1	200	800	0.080	0.2410	6.667	3	HC
021RNA	RNA	RIZ	1	100	0	0	3	25	.43	5	0	1	200	800	0.080	0.2410	3.721	3	HC
021RNB	RNB	RIZ	1	100	0	0	3	25	.43	5	0	1	200	800	0.080	0.2410	3.721	3	HC
021RNB	RNB	RIZ	1	100	0			25	.43	5	0	1	200	800	0.080	0.2410	3.721	3	HC
021RNC	RNC	RIZ	1	100	0	0	3	25	.43	5	0	1	200	800	0.080	0.2410	3.721	3	HC
021ROSF	ROSF	ROCK LAND	1	100	0	0		45			15	70	[illegible]	400	1.671	28.5530			
021ROUF	ROUF	ROCK LAND	1	100	0	0		45			15	70	[illegible]	400	1.671	28.5530			

HIGHLY ERODIBLE LAND CLASS
1=HIGHLY ERODIBLE LAND
2=POTENTIALLY HIGLY ERODIBLE
3=NOT HIGHLY ERODIBLE

muid	musys	compname	seqnum	compct	cfact	ifact	vndhel	rfact	kfact	tfact	slopel	slopeh	slopelenl	slopelenh	lsvalue1	lsvalueh	rk_8t	vathel	
021ROWF	ROWF	ROCK LAND	1	100	0	0		45			10	70	50	500	0.958	31.9240			
021RPF	RPF	ROCK	1	100	0	0		45	.17		10	70	50	500	0.958	31.9240			
021SA	SA	SACRAMENTO	1	100	0	6	3	35	.17	5	0	2	200	800	0.080	0.3750	6.723	3	HC
021SBC	SBC	SEHORN	1	100	0	0	3	45	.32	2	3	15	50	600	0.233	5.7870	1.111	2	
021SBD	SBD	SEHORN	1	100	0	0	3	45	.32	2	15	30	50	400	1.671	11.7340	1.111	1	
021SBE	SBE	SEHORN	1	100	0	0	3	45	.32	2	30	65	50	300	4.149	23.2950	1.111	1	
021SCD	SCD	SEHORN	1	50	0	0	3	45	.28	2	10	30	50	500	0.958	13.1190	1.269	2	
021SCD	SCD	GULLIED	2	40															
021SCE	SCE	SEHORN	1	50	0	0	3	45	..28	2	30	50	50	300	4.149	18.2420	1.269	1	
021SDC	SDC	SEHORN	1	50	0	0	3	45	.28	2	8	15	50	500	0.700	5.2830	1.269	2	
021SDC	SDC	MILLSHOLM	2	40	0	0	3	45	.37	1	8	15	50	500	0.700	5.2830	.480	1	
021SDD	SDD	SEHORN	1	50	0	0	3	45	.28	2	15	30	50	400	1.671	11.7340	1.269	1	
021SDD	SDD	MILLSHOLM	2	40	0	0	3	45	.37	1	15	30	50	400	1.671	11.7340	.480	1	
021SDE	SDE	SEHORN	1	50	0	0	3	45	.28	2	30	65	50	300	4.149	23.2950	1.269	1	
021SDE	SDE	MILLSHOLM	2	40	0	0	3	45	.37	1	30	65	50	300	4.149	23.2950	.480	1	
021SED	SED	SEHORN	1	30	0	0	3	45	.28	2	15	30	50	400	1.671	11.7340	1.111	1	
021SED	SED	MILLSHOLM	2	30	0	0	3	45	.37	1	15	30	50	400	1.671	11.7340	.480	1	
021SED	SED	GULLIED	3	20	0	0		45			15	30	50	400	1.671	11.7340			
021SEE	SEE	SEHORN	1	30	0	0	3	45	.28	2	30	65	50	300	4.149	23.2950	1.269	1	
021SEE	SEE	MILSHOLM	2	30	0	0	3	45	.37	1	30	65	50	300	4.149	23.2950	.480	1	
021SEE	SEE	GULLIED	3	20	0	0		45			30	65	50	300	4.149	23.2950			
021SFC	SFC	SHEDD	1	100	0	0	3	35	.37	2	3	15	50	600	0.233	5.7870	1.236	2	
021SFD	SFD	SHEDD	1	100	0	0	3	35	.37	2	15	30	50	400	1.671	11.7340	1.236	1	
021SFE	SFE	SHEDD	1	100	0	0	3	35	.37	2	30	50	50	300	4.149	18.2420	1.236	1	
021SGD	SGD	SHEDD	1	50	0	0	3	35	.37	2	10	30	50	500	0.958	13.1190	1.236	2	
021SGD	SGD	ALTAMONT	2	40	0	0	3	35	.24	3	10	30	50	500	0.958	13.1190	2.857	2	
021SHC	SHC	SHEDD	1	30	0	0	3	35	.37	2	8	15	50	500	0.700	5.2830	1.236	2	
021SHC	SHC	ALTAMONT	2	30	0	0	3	35	.24	3	8	15	50	500	0.700	5.2830	2.857	2	
021SHC	SHC	GULLIED	3	20	0	0		35			8	15	50	500	0.700	5.2830			
021SID	SID	SHEETIRON	1	100	0	0	3	90	.2	1	10	30	50	500	0.958	13.1190	.444	1	
021SID2	SID2	SHEETIRON	1	100	0	0	3	90	.2	1	10	30	50	500	0.958	13.1190	.444	1	
021SIE	SIE	SHEETIRON	1	100	0	0	3	90	.2	1	30	50	50	300	4.149	18.2420	.444	1	
021SIE2	SIE2	SHEETIRON	1	100	0	0	3	90	.2	1	30	50	50	300	4.149	18.2420	.444	1	
021SIF	SIF	SHEETIRON	1	100	0	0	3	90	.2	1	50	65	50	250	7.447	21.2650	.444	1	
021SIF2	SIF2	SHEETIRON	1	100	0	0	3	90	.2	1	50	65	50	250	7.447	21.2650	.444	1	
021SPD	SPD	SHEETIRON	1	100	0	0	3	90	.2	2	10	30	50	500	0.958	13.1190	.889	1	
021SPE	SPE	SHEETIRON	1	100	0	0	3	90	.2	2	30	50	50	300	4.149	18.2420	.889	1	
021SPF	SPF	SHEETIRON	1	100	0	0	3	90	.2	2	50	65	50	250	7.447	21.2650	.889	1	
021SN	SN	STOCKTON	1	100	0	0	3	90	.24	3	0	1	200	800	0.080	0.2410	1.111	3	

HIGHLY ERODIBLE LAND CLASS
1=HIGHLY ERODIBLE LAND
2=POTENTIALLY HIGHLY ERODIBLE
3=NOT HIGHLY ERODIBLE

muid	musys	compname	sequm	compct	cfact	ifact	undhel	rfact	kfact	tfact	slopel	slopeh	slopelenl	slopelenh	lsvaluel	lsvaluh	rk_8t	wathel	
021SN	SN	STOCKTON	1	100	0	0	3	35	.24	2	0	1	200	800	0.080	0.2410	1.905	3	
021SO	SO	STOCKTON	1	100	0	0	3	35	.24	5	0	1	200	800	0.080	0.2410	4.762	3	
021SP	SP	STOCKTON	1	100	0	0	3	35	.24	4	0	3	200	800	0.080	0.5350	3.810	3	HC
021SR	SR	STOCKTON	1	100	0	0	3	35	.24	2	0	1	200	800	0.080	0.2410	1.905	3	HC
021SS	SS	STOCKTON	1	100	0	0	3	35	.24	2	0	5	100	800	0.069	1.5120	1.905	3	HC
021STE	STE	STONYFORD	1	100	0	0	3	90	.2	2	30	65	50	300	4.149	23.2950	.888	1	
021SUE	SUE	STONYFORD	1	100	0	0	3	90	.2	1	20	50	50	400	2.459	21.0640	.444	1	
021SUEZ	SUEZ	STONYFORD	1	100	0	0	3	90	.2	1	20	50	50	400	2.459	21.0640	.444	1	
021SUF	SUF	STONYFORD	1	100	0	0	3	90	.2	1	50	65	50	250	7.447	21.2650	.444	1	
021SUFZ	SUFZ	STONYFORD	1	100	0	0	3	90	.2	1	50	65	50	250	7.447	21.2650	.444	1	
021SVE	SVE	STONYFORD	1	50	0	0	3	90	.2	1	30	65	50	300	4.149	23.2950	.444	1	
021SVE	SVE	HENEKE	2	40	0	0	3	90	.1	1	30	65	50	300	4.149	23.2950	.889	1	
021SN	SN	SUNNYVALE	1	100	0	0	3	35	.24	5	0	1	200	800	0.080	0.2410	4.762	3	HC
021SXA	SXA	SUNNYVALE	1	100	0	0	3	35	.24	5	0	1	200	800	0.080	0.2410	4.762	3	HC
021SY	SY	SUNNYVALE	1	100	0	0	3	35	.32	5	0	1	200	800	0.080	0.2410	3.571	3	HC
021TA	TA	TEHAMA	1	100	0	0	3	35	.37	5	0	2	200	800	0.080	0.3750	3.089	3	
021TB	TB	TEHAMA	1	100	0	0	3	35	.37	5	0	3	200	800	0.080	0.5350	3.089	3	HC
021TCA	TCA	TEHAMA	1	100	0	0	3	35	.32	5	0	2	200	800	0.080	0.3750	3.571	3	
021TCB	TCB	TEHAMA	1	100	0	0	3	35	.32	5	2	10	100	600	0.201	3.3190	3.571	3	
021TF	TF	TEHAMA	1	100	0	0	3	35	.37	5	0	3	200	800	0.080	0.5350	3.089	3	
021TG	TG	TEHAMA	1	100	0	0	3	35	.2	5	0	3	200	800	0.080	0.5350	2.286	3	
021TH	TH	TEHAMA	1	100	0	0	3	35	.2	2	0	2	200	800	0.080	0.3750	2.286	3	
021TK	TK	TEHAMA	1	100	0	0	3	35	.2	5	0	2	200	800	0.080	0.3750	5.714	3	
021TN	TN	TEHAMA	1	100	0	0	3	35	.43	5	0	3	200	800	0.080	0.5350	2.658	3	HC
021TN	TN	TEHAMA	1	100	0	0	3	35	.43	5	0	2	200	800	0.080	0.3750	2.658	3	
021TOB	TOB	TEHAMA	1	50	0	0	3	35	.32	5	2	10	100	600	0.201	3.3190	3.571	2	
021TOB	TOB	GULLIED	2	40															
021TPF	TPF	TERRACE	1	100	0	0		45			30	70	50	300	4.149	24.7280			
021TRD	TRD	TOOMES	1	100	0	0	3	35	.32	1	10	30	50	500	0.958	13.1190	.714	1	
021TSC	TSC	TOOMES	1	100	0	0	3	35	.32	1	5	30	50	550	0.378	13.7600	.714	2	
021TTE	TTE	TYSON	1	100	0	0	3	90	.2	2	30	50	50	300	4.149	18.2420	.889	1	
021TUD	TUD	TYSON	1	100	0	0	3	90	.24	3	10	30	50	500	0.958	13.1190	1.111	2	
021TUE	TUE	TYSON	1	100	0	0	3	90	.24	3	30	50	50	300	4.149	18.2420	1.111	1	
021TVEZ	TVEZ	TYSON	1	100	0	0	3	90	.2	1	30	50	50	300	4.149	18.2420	.444	1	
021TVFZ	TVFZ	TYSON	1	100	0	0	3	90	.2	1	50	65	50	250	7.447	21.2650	.444	1	
021WCA	WCA	WILLOWS	1	100	0	0	3	25	.28	5	0	1	200	800	0.080	0.2410	5.714	3	HC
021WCB	WCB	WILLOWS	1	100	0	0	3	25	.28	5	0	1	200	800	0.080	0.2410	5.714	3	HC
021WCC	WCC	WILLOWS	1	100	0	0	3	25	.28	5	0	1	200	800	0.080	0.2410	5.714	3	HC
021WD	WD	WILLOWS	1	100	0	0	3	25	.24	2	0	1	200	800	0.080	0.2410	2.666	3	HC
021WDA	WDA	WILLOWS	1	100	0	0	3	25	.24	2	0	1	200	800	0.080	0.2410	2.666	3	

HIGHLY ERODIBLE LAND CLASS
1=HIGHLY ERODIBLE LAND
2=POTENTIALLY HIGLY ERODIBLE
3=NOT HIGHLY ERODIBLE

muid	musys	compname	sequm	couppct	cfact	ifact	undhel	rfact	kfact	tfact	slopel	slopeh	slopelenl	slopelenh	isvalue1	isvalueh	rk_8t	wathel	
021MDB	MDB	MILLONS	1	100	0	0	3	25	.24	2	0	1	200	800	0.080	0.2410	2.666	3	HC
021MDC	MDC	MILLONS	1	100	0	0	3	35	.24	2	0	1	200	800	0.080	0.2410	2.666	3	HC
021MG	MG	MYO	1	100	0	0	3	35	.37	4	0	2	200	800	0.080	0.3750	2.471	3	
021MH	MH	MYO	1	100	0	0	3	35	.2	5	0	1	200	800	0.080	0.2410	5.714	3	
021MM	MM	MYO	1	100	0	0	3	35	.2	5	0	1	200	800	0.080	0.2410	5.714	3	
021MN	MN	MYO	1	100	0	0	3	35	.37	5	0	2	200	800	0.080	0.3750	3.089	3	HC
021MO	MO	MYO	1	100	0	0	3	35	.37	5	0	1	200	800	0.080	0.2410	3.089	3	HC
021MP	MP	MYO	1	100	0	0	3	35	.37	5	0	1	200	800	0.080	0.2410	3.089	3	HC
021MSA	MSA	MYO	1	100	0	0	3	35	.37	5	0	1	200	800	0.080	0.2410	3.089	3	
021MSM	MSM	MYO	1	100	0	0	3	35	.43	5	0	1	200	800	0.080	0.2410	2.658	3	
021YC	YC	YOLO	1	100	0	0	3	35	.28	5	0	2	200	800	0.080	0.3750	4.082	3	
021YD	YD	YOLO	1	100	0	0	3	35	.28	5	0	2	200	800	0.080	0.3750	4.082	3	
021YF	YF	YOLO	1	100	0	0	3	35	.28	5	0	2	200	800	0.080	0.3750	4.082	3	
021YG	YG	YOLO	1	100	0	0	3	35	.32	3	0	2	200	800	0.080	0.3750	2.143	3	
021YH	YH	YOLO	1	100	0	0	3	35	.28	5	0	2	200	800	0.080	0.3750	4.082	3	
021YMA	YMA	YOLO	1	100	0	0	3	35	.32	5	0	2	200	800	0.080	0.3750	3.571	3	
021YO	YO	YOLO	1	100	0	0	3	35	.37	5	0	2	200	800	0.080	0.3750	3.089	3	
021YVE	YVE	YORKVILLE	1	100	0	0	3	90	.32	3	30	65	50	300	4.149	23.2950	.833	1	
021ZA	ZA	ZAMORA	1	100	0	0	3	35	.24	5	0	2	200	800	0.080	0.3750	4.762	3	HC
021ZBA	ZBA	ZAMORA	1	100	0	0	3	35	.28	5	0	2	200	800	0.080	0.3750	4.082	3	HC
021ZBB	ZBB	ZAMORA	1	100	0	0	3	35	.28	5	2	8	100	600	0.201	2.4240	4.082	3	HC
021ZC	ZC	ZAMORA	1	100	0	0	3	35	.32	3	0	2	200	800	0.080	0.3750	2.143	3	HC
021ZD	ZD	ZAMORA	1	100	0	0	3	35	.28	5	0	2	200	800	0.080	0.3750	4.081	3	HC
021ZMA	ZMA	ZAMORA	1	100	0	0	3	35	.32	5	0	2	200	800	0.080	0.3750	3.571	3	HC
021ZMB	ZMB	ZAMORA	1	100	0	0	3	35	.32	5	0	2	200	800	0.080	0.3750	3.571	3	HC
	ADE																		