

Farmland Classification

Farmland Classification— Summary by Map Unit — State of Connecticut (CT600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
2	Ridgebury fine sandy loam	Farmland of statewide importance	—	—
3	Ridgebury, Leicester, and Whitman soils, 0 to 8 percent slopes, extremely stony	Not prime farmland	—	—
4	Leicester fine sandy loam	Farmland of statewide importance	—	—
5	Wilbraham silt loam	Farmland of statewide importance	—	—
6	Wilbraham and Menlo soils, extremely stony	Not prime farmland	—	—
7	Mudgepond silt loam	Farmland of statewide importance	—	—
8	Mudgepond and Alden soils, extremely stony	Not prime farmland	—	—
9	Scitico, Shaker, and Maybid soils	Farmland of statewide importance	—	—
10	Raynham silt loam	Farmland of statewide importance	—	—
12	Raypol silt loam	Farmland of statewide importance	—	—
13	Walpole sandy loam, 0 to 3 percent slopes	Farmland of statewide importance	—	—
14	Fredon silt loam	Farmland of statewide importance	—	—
15	Scarboro muck, 0 to 3 percent slopes	Not prime farmland	—	—
16	Halsey silt loam	Not prime farmland	—	—
17	Timakwa and Natchaug soils	Not prime farmland	—	—
18	Catden and Freetown soils	Not prime farmland	—	—
20A	Ellington silt loam, 0 to 5 percent slopes	All areas are prime farmland	—	—
21A	Ninigret and Tisbury soils, 0 to 5 percent slopes	All areas are prime farmland	—	—
22A	Hero gravelly loam, 0 to 3 percent slopes	All areas are prime farmland	—	—
22B	Hero gravelly loam, 3 to 8 percent slopes	All areas are prime farmland	—	—

Farmland Classification— Summary by Map Unit — State of Connecticut (CT600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
23A	Sudbury sandy loam, 0 to 5 percent slopes	All areas are prime farmland	—	—
24A	Deerfield loamy fine sand, 0 to 3 percent slopes	Farmland of statewide importance	—	—
25A	Brancroft silt loam, 0 to 3 percent slopes	Farmland of statewide importance	—	—
25B	Brancroft silt loam, 3 to 8 percent slopes	Farmland of statewide importance	—	—
25C	Brancroft silt loam, 8 to 15 percent slopes	Farmland of statewide importance	—	—
26A	Berlin silt loam, 0 to 3 percent slopes	All areas are prime farmland	—	—
26B	Berlin silt loam, 3 to 8 percent slopes	Farmland of statewide importance	—	—
27A	Belgrade silt loam, 0 to 5 percent slopes	All areas are prime farmland	—	—
28A	Elmridge fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	—	—
28B	Elmridge fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
29A	Agawam fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	—	—
29B	Agawam fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
29C	Agawam fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	—	—
30A	Branford silt loam, 0 to 3 percent slopes	All areas are prime farmland	—	—
30B	Branford silt loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
30C	Branford silt loam, 8 to 15 percent slopes	Farmland of statewide importance	—	—
31A	Copake fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	—	—
31B	Copake fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
31C	Copake gravelly loam, 8 to 15 percent slopes	Farmland of statewide importance	—	—
32A	Haven and Enfield soils, 0 to 3 percent slopes	All areas are prime farmland	—	—
32B	Haven and Enfield soils, 3 to 8 percent slopes	All areas are prime farmland	—	—

Farmland Classification— Summary by Map Unit — State of Connecticut (CT600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
32C	Haven and Enfield soils, 8 to 15 percent slopes	Farmland of statewide importance	—	—
33A	Hartford sandy loam, 0 to 3 percent slopes	All areas are prime farmland	—	—
33B	Hartford sandy loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
34A	Merrimac sandy loam, 0 to 3 percent slopes	All areas are prime farmland	—	—
34B	Merrimac sandy loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
34C	Merrimac sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	—	—
35A	Penwood loamy sand, 0 to 3 percent slopes	Farmland of statewide importance	—	—
35B	Penwood loamy sand, 3 to 8 percent slopes	Farmland of statewide importance	—	—
36A	Windsor loamy sand, 0 to 3 percent slopes	Farmland of statewide importance	—	—
36B	Windsor loamy sand, 3 to 8 percent slopes	Farmland of statewide importance	—	—
36C	Windsor loamy sand, 8 to 15 percent slopes	Farmland of statewide importance	—	—
37A	Manchester gravelly sandy loam, 0 to 3 percent slopes	Farmland of statewide importance	—	—
37C	Manchester gravelly sandy loam, 3 to 15 percent slopes	Farmland of statewide importance	—	—
37E	Manchester gravelly sandy loam, 15 to 45 percent slopes	Not prime farmland	—	—
38A	Hinckley gravelly sandy loam, 0 to 3 percent slopes	Farmland of statewide importance	—	—
38C	Hinckley gravelly sandy loam, 3 to 15 percent slopes	Farmland of statewide importance	—	—
38E	Hinckley gravelly sandy loam, 15 to 45 percent slopes	Not prime farmland	—	—
39A	Groton gravelly sandy loam, 0 to 3 percent slopes	Farmland of statewide importance	—	—
39C	Groton gravelly sandy loam, 3 to 15 percent slopes	Farmland of statewide importance	—	—
39E	Groton gravelly sandy loam, 15 to 45 percent slopes	Not prime farmland	—	—

Farmland Classification— Summary by Map Unit — State of Connecticut (CT600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
40A	Ludlow silt loam, 0 to 3 percent slopes	All areas are prime farmland	—	—
40B	Ludlow silt loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
41B	Ludlow silt loam, 2 to 8 percent slopes, very stony	Not prime farmland	—	—
42C	Ludlow silt loam, 2 to 15 percent slopes, extremely stony	Not prime farmland	—	—
43A	Rainbow silt loam, 0 to 3 percent slopes	All areas are prime farmland	—	—
43B	Rainbow silt loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
44B	Rainbow silt loam, 2 to 8 percent slopes, very stony	Not prime farmland	—	—
45A	Woodbridge fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	—	—
45B	Woodbridge fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
45C	Woodbridge fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	—	—
46B	Woodbridge fine sandy loam, 0 to 8 percent slopes, very stony	Not prime farmland	—	—
46C	Woodbridge fine sandy loam, 8 to 15 percent slopes, very stony	Not prime farmland	—	—
47C	Woodbridge fine sandy loam, 2 to 15 percent slopes, extremely stony	Not prime farmland	—	—
48B	Georgia and Amenia silt loams, 2 to 8 percent slopes	All areas are prime farmland	—	—
48C	Georgia and Amenia silt loams, 8 to 15 percent slopes	Farmland of statewide importance	—	—
49B	Georgia and Amenia silt loams, 3 to 8 percent slopes, very stony	Not prime farmland	—	—
49C	Georgia and Amenia silt loams, 8 to 15 percent slopes, very stony	Not prime farmland	—	—
50A	Sutton fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	—	—

Farmland Classification— Summary by Map Unit — State of Connecticut (CT600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
50B	Sutton fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
51B	Sutton fine sandy loam, 2 to 8 percent slopes, very stony	Not prime farmland	—	—
52C	Sutton fine sandy loam, 2 to 15 percent slopes, extremely stony	Not prime farmland	—	—
53A	Wapping very fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	—	—
53B	Wapping very fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
54B	Wapping very fine sandy loam, 2 to 8 percent slopes, very stony	Not prime farmland	—	—
55A	Watchaug fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	—	—
55B	Watchaug fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
56B	Watchaug fine sandy loam, 2 to 8 percent slopes, very stony	Not prime farmland	—	—
57B	Gloucester gravelly sandy loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
57C	Gloucester gravelly sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	—	—
57D	Gloucester gravelly sandy loam, 15 to 25 percent slopes	Not prime farmland	—	—
58B	Gloucester gravelly sandy loam, 3 to 8 percent slopes, very stony	Not prime farmland	—	—
58C	Gloucester gravelly sandy loam, 8 to 15 percent slopes, very stony	Not prime farmland	—	—
59C	Gloucester gravelly sandy loam, 3 to 15 percent slopes, extremely stony	Not prime farmland	—	—
59D	Gloucester gravelly sandy loam, 15 to 35 percent slopes, extremely stony	Not prime farmland	—	—

Farmland Classification— Summary by Map Unit — State of Connecticut (CT600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
60B	Canton and Charlton soils, 3 to 8 percent slopes	All areas are prime farmland	—	—
60C	Canton and Charlton soils, 8 to 15 percent slopes	Farmland of statewide importance	—	—
60D	Canton and Charlton soils, 15 to 25 percent slopes	Not prime farmland	—	—
61B	Canton and Charlton soils, 3 to 8 percent slopes, very stony	Not prime farmland	—	—
61C	Canton and Charlton soils, 8 to 15 percent slopes, very stony	Not prime farmland	—	—
62C	Canton and Charlton soils, 3 to 15 percent slopes, extremely stony	Not prime farmland	—	—
62D	Canton and Charlton soils, 15 to 35 percent slopes, extremely stony	Not prime farmland	—	—
63B	Cheshire fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
63C	Cheshire fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	—	—
63D	Cheshire fine sandy loam, 15 to 25 percent slopes	Not prime farmland	—	—
64B	Cheshire fine sandy loam, 3 to 8 percent slopes, very stony	Not prime farmland	—	—
64C	Cheshire fine sandy loam, 8 to 15 percent slopes, very stony	Not prime farmland	—	—
65C	Cheshire fine sandy loam, 3 to 15 percent slopes, extremely stony	Not prime farmland	—	—
65D	Cheshire fine sandy loam, 15 to 35 percent slopes, extremely stony	Not prime farmland	—	—
66B	Narragansett silt loam, 2 to 8 percent slopes	All areas are prime farmland	—	—
66C	Narragansett silt loam, 8 to 15 percent slopes	Farmland of statewide importance	—	—

Farmland Classification— Summary by Map Unit — State of Connecticut (CT600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
67B	Narragansett silt loam, 3 to 8 percent slopes, very stony	Not prime farmland	—	—
67C	Narragansett silt loam, 8 to 15 percent slopes, very stony	Not prime farmland	—	—
68C	Narragansett silt loam, 3 to 15 percent slopes, extremely stony	Not prime farmland	—	—
68D	Narragansett silt loam, 15 to 25 percent slopes, extremely stony	Not prime farmland	—	—
69B	Yalesville fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
69C	Yalesville fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	—	—
70C	Branford-Holyoke complex, 3 to 15 percent slopes, very rocky	Not prime farmland	—	—
71C	Nipmuck-Brimfield-Rock outcrop complex, 3 to 15 percent slopes	Not prime farmland	—	—
71E	Nipmuck-Brimfield-Rock outcrop complex, 15 to 45 percent slopes	Not prime farmland	—	—
72C	Nipmuck-Brookfield complex, 3 to 15 percent slopes, very rocky	Not prime farmland	—	—
72E	Nipmuck-Brookfield complex, 15 to 45 percent slopes, very rocky	Not prime farmland	—	—
73C	Charlton-Chatfield complex, 3 to 15 percent slopes, very rocky	Not prime farmland	—	—
73E	Charlton-Chatfield complex, 15 to 45 percent slopes, very rocky	Not prime farmland	—	—
74C	Narragansett-Hollis complex, 3 to 15 percent slopes, very rocky	Not prime farmland	—	—
75C	Hollis-Chatfield-Rock outcrop complex, 3 to 15 percent slopes	Not prime farmland	—	—

Farmland Classification— Summary by Map Unit — State of Connecticut (CT600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
75E	Hollis-Chatfield-Rock outcrop complex, 15 to 45 percent slopes	Not prime farmland	—	—
76E	Rock outcrop-Hollis complex, 3 to 45 percent slopes	Not prime farmland	—	—
76F	Rock outcrop-Hollis complex, 45 to 60 percent slopes	Not prime farmland	—	—
77C	Cheshire-Holyoke complex, 3 to 15 percent slopes, very rocky	Not prime farmland	—	—
77D	Cheshire-Holyoke complex, 15 to 35 percent slopes, very rocky	Not prime farmland	—	—
78C	Holyoke-Rock outcrop complex, 3 to 15 percent slopes	Not prime farmland	—	—
78E	Holyoke-Rock outcrop complex, 15 to 45 percent slopes	Not prime farmland	—	—
79E	Rock outcrop-Holyoke complex, 3 to 45 percent slopes	Not prime farmland	—	—
80B	Bernardston silt loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
80C	Bernardston silt loam, 8 to 15 percent slopes	Farmland of statewide importance	—	—
81C	Bernardston silt loam, 3 to 15 percent slopes, extremely stony	Not prime farmland	—	—
81D	Bernardston silt loam, 15 to 25 percent slopes, extremely stony	Not prime farmland	—	—
82B	Broadbrook silt loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
82C	Broadbrook silt loam, 8 to 15 percent slopes	Farmland of statewide importance	—	—
82D	Broadbrook silt loam, 15 to 25 percent slopes	Not prime farmland	—	—
83B	Broadbrook silt loam, 3 to 8 percent slopes, very stony	Not prime farmland	—	—
83C	Broadbrook silt loam, 8 to 15 percent slopes, very stony	Not prime farmland	—	—
84B	Paxton and Montauk fine sandy loams, 3 to 8 percent slopes	All areas are prime farmland	—	—

Farmland Classification— Summary by Map Unit — State of Connecticut (CT600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
84C	Paxton and Montauk fine sandy loams, 8 to 15 percent slopes	Farmland of statewide importance	—	—
84D	Paxton and Montauk fine sandy loams, 15 to 25 percent slopes	Not prime farmland	—	—
85B	Paxton and Montauk fine sandy loams, 3 to 8 percent slopes, very stony	Not prime farmland	—	—
85C	Paxton and Montauk fine sandy loams, 8 to 15 percent slopes, very stony	Not prime farmland	—	—
86C	Paxton and Montauk fine sandy loams, 3 to 15 percent slopes, extremely stony	Not prime farmland	—	—
86D	Paxton and Montauk fine sandy loams, 15 to 35 percent slopes, extremely stony	Not prime farmland	—	—
87B	Wethersfield loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
87C	Wethersfield loam, 8 to 15 percent slopes	Farmland of statewide importance	—	—
87D	Wethersfield loam, 15 to 25 percent slopes	Not prime farmland	—	—
88B	Wethersfield loam, 3 to 8 percent slopes, very stony	Not prime farmland	—	—
88C	Wethersfield loam, 8 to 15 percent slopes, very stony	Not prime farmland	—	—
89C	Wethersfield loam, 3 to 15 percent slopes, extremely stony	Not prime farmland	—	—
89D	Wethersfield loam, 15 to 35 percent slopes, extremely stony	Not prime farmland	—	—
90B	Stockbridge loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
90C	Stockbridge loam, 8 to 15 percent slopes	Farmland of statewide importance	—	—
90D	Stockbridge loam, 15 to 25 percent slopes	Not prime farmland	—	—
91B	Stockbridge loam, 3 to 8 percent slopes, very stony	Not prime farmland	—	—

Farmland Classification— Summary by Map Unit — State of Connecticut (CT600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
91C	Stockbridge loam, 8 to 15 percent slopes, very stony	Not prime farmland	—	—
91D	Stockbridge loam, 15 to 35 percent slopes, very stony	Not prime farmland	—	—
92B	Nellis fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
92C	Nellis fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	—	—
92D	Nellis fine sandy loam, 15 to 25 percent slopes	Not prime farmland	—	—
93C	Nellis fine sandy loam, 3 to 15 percent slopes, very stony	Not prime farmland	—	—
94C	Farmington-Nellis complex, 3 to 15 percent slopes, very rocky	Not prime farmland	—	—
94E	Farmington-Nellis complex, 15 to 35 percent slopes, very rocky	Not prime farmland	—	—
95C	Farmington-Rock outcrop complex, 3 to 15 percent slopes	Not prime farmland	—	—
95E	Farmington-Rock outcrop complex, 15 to 45 percent slopes	Not prime farmland	—	—
96	Ipswich mucky peat, 0 to 2 percent slopes, very frequently flooded	Not prime farmland	—	—
97	Pawcatuck mucky peat, 0 to 2 percent slopes, very frequently flooded	Not prime farmland	—	—
98	Westbrook mucky peat, 0 to 2 percent slopes, very frequently flooded	Not prime farmland	—	—
99	Westbrook mucky peat, low salt	Not prime farmland	—	—
100	Suncook loamy fine sand	Farmland of statewide importance	—	—
101	Occum fine sandy loam	All areas are prime farmland	—	—
102	Pootatuck fine sandy loam	All areas are prime farmland	—	—
103	Rippowam fine sandy loam	Farmland of statewide importance	—	—

Farmland Classification— Summary by Map Unit — State of Connecticut (CT600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
104	Bash silt loam	Farmland of statewide importance	—	—
105	Hadley silt loam	All areas are prime farmland	—	—
106	Winooski silt loam	All areas are prime farmland	—	—
107	Limerick and Lim soils	Farmland of statewide importance	—	—
108	Saco silt loam	Not prime farmland	—	—
109	Fluvaquents-Udifluvents complex, frequently flooded	Not prime farmland	—	—
221A	Ninigret-Urban land complex, 0 to 5 percent slopes	Not prime farmland	—	—
224A	Deerfield-Urban land complex, 0 to 3 percent slopes	Not prime farmland	—	—
225B	Brancroft-Urban land complex, 0 to 8 percent slopes	Not prime farmland	—	—
226B	Berlin-Urban land complex, 0 to 8 percent slopes	Not prime farmland	—	—
228B	Elmridge-Urban land complex, 0 to 8 percent slopes	Not prime farmland	—	—
229B	Agawam-Urban land complex, 0 to 8 percent slopes	Not prime farmland	—	—
229C	Agawam-Urban land complex, 8 to 15 percent slopes	Not prime farmland	—	—
230B	Branford-Urban land complex, 0 to 8 percent slopes	Not prime farmland	—	—
230C	Branford-Urban land complex, 8 to 15 percent slopes	Not prime farmland	—	—
232B	Haven-Urban land complex, 0 to 8 percent slopes	Not prime farmland	—	—
234B	Merrimac-Urban land complex, 0 to 8 percent slopes	Not prime farmland	—	—
235B	Penwood-Urban land complex, 0 to 8 percent slopes	Not prime farmland	—	—

Farmland Classification— Summary by Map Unit — State of Connecticut (CT600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
236B	Windsor-Urban land complex, 0 to 8 percent slopes	Not prime farmland	—	—
237A	Manchester-Urban land complex, 0 to 3 percent slopes	Not prime farmland	—	—
237C	Manchester-Urban land complex, 3 to 15 percent slopes	Not prime farmland	—	—
238A	Hinckley-Urban land complex, 0 to 3 percent slopes	Not prime farmland	—	—
238C	Hinckley-Urban land complex, 3 to 15 percent slopes	Not prime farmland	—	—
240B	Ludlow-Urban land complex, 0 to 8 percent slopes	Not prime farmland	—	—
243B	Rainbow-Urban land complex, 0 to 8 percent slopes	Not prime farmland	—	—
245B	Woodbridge-Urban land complex, 0 to 8 percent slopes	Not prime farmland	—	—
245C	Woodbridge-Urban land complex, 8 to 15 percent slopes	Not prime farmland	—	—
248B	Georgia-Urban land complex, 2 to 8 percent slopes	Not prime farmland	—	—
250B	Sutton-Urban land complex, 0 to 8 percent slopes	Not prime farmland	—	—
253B	Wapping-Urban land complex, 0 to 8 percent slopes	Not prime farmland	—	—
255B	Watchaug-Urban land complex, 0 to 8 percent slopes	Not prime farmland	—	—
260B	Charlton-Urban land complex, 3 to 8 percent slopes	Not prime farmland	—	—
260C	Charlton-Urban land complex, 8 to 15 percent slopes	Not prime farmland	—	—
260D	Charlton-Urban land complex, 15 to 25 percent slopes	Not prime farmland	—	—
263B	Cheshire-Urban land complex, 3 to 8 percent slopes	Not prime farmland	—	—

Farmland Classification— Summary by Map Unit — State of Connecticut (CT600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
263C	Cheshire-Urban land complex, 8 to 15 percent slopes	Not prime farmland	—	—
266B	Narragansett-Urban land complex, 3 to 8 percent slopes	Not prime farmland	—	—
269B	Yalesville-Urban land complex, 3 to 8 percent slopes	Not prime farmland	—	—
269C	Yalesville-Urban land complex, 8 to 15 percent slopes	Not prime farmland	—	—
273C	Urban land-Charlton-Chatfield complex, rocky, 3 to 15 percent slopes	Not prime farmland	—	—
273E	Urban land-Charlton-Chatfield complex, rocky, 15 to 45 percent slopes	Not prime farmland	—	—
275C	Urban land-Chatfield complex, rocky, 3 to 15 percent slopes	Not prime farmland	—	—
275E	Urban land-Chatfield-Rock outcrop complex, 15 to 45 percent slopes	Not prime farmland	—	—
282B	Broadbrook-Urban land complex, 3 to 8 percent slopes	Not prime farmland	—	—
284B	Paxton-Urban land complex, 3 to 8 percent slopes	Not prime farmland	—	—
284C	Paxton-Urban land complex, 8 to 15 percent slopes	Not prime farmland	—	—
284D	Paxton-Urban land complex, 15 to 25 percent slopes	Not prime farmland	—	—
287B	Wethersfield-Urban land complex, 3 to 8 percent slopes	Not prime farmland	—	—
287C	Wethersfield-Urban land complex, 8 to 15 percent slopes	Not prime farmland	—	—
287D	Wethersfield-Urban land complex, 15 to 25 percent slopes	Not prime farmland	—	—
290B	Stockbridge-Urban land complex, 3 to 8 percent slopes	Not prime farmland	—	—

Farmland Classification— Summary by Map Unit — State of Connecticut (CT600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
290C	Stockbridge-Urban land complex, 8 to 15 percent slopes	Not prime farmland	—	—
290D	Stockbridge-Urban land complex, 15 to 25 percent slopes	Not prime farmland	—	—
301	Beaches-Udipsammments complex, coastal	Not prime farmland	—	—
302	Dumps	Not prime farmland	—	—
303	Pits, quarries	Not prime farmland	—	—
304	Udorthents, loamy, very steep	Not prime farmland	—	—
305	Udorthents-Pits complex, gravelly	Not prime farmland	—	—
306	Udorthents-Urban land complex	Not prime farmland	—	—
307	Urban land	Not prime farmland	—	—
308	Udorthents, smoothed	Not prime farmland	—	—
309	Udorthents, flood control	Not prime farmland	—	—
310	Udorthents, periodically flooded	Not prime farmland	—	—
401C	Macomber-Taconic complex, 3 to 15 percent slopes, very rocky	Not prime farmland	—	—
402D	Taconic-Macomber-Rock outcrop complex, 15 to 25 percent slopes	Not prime farmland	—	—
403C	Taconic-Rock outcrop complex, 3 to 15 percent slopes	Not prime farmland	—	—
403E	Taconic-Rock outcrop complex, 15 to 45 percent slopes	Not prime farmland	—	—
403F	Taconic-Rock outcrop complex, 45 to 70 percent slopes	Not prime farmland	—	—
405C	Dummerston gravelly loam, 3 to 15 percent slopes, very stony	Not prime farmland	—	—
405E	Dummerston gravelly loam, 15 to 45 percent slopes, very stony	Not prime farmland	—	—
407C	Lanesboro loam, 3 to 15 percent slopes, very stony	Not prime farmland	—	—

Farmland Classification— Summary by Map Unit — State of Connecticut (CT600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
407E	Lanesboro loam, 15 to 45 percent slopes, very stony	Not prime farmland	—	—
408C	Fullam silt loam, 3 to 15 percent slopes, very stony	Not prime farmland	—	—
409B	Brayton mucky silt loam, 0 to 8 percent slopes, very stony	Not prime farmland	—	—
412B	Bice fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
412C	Bice fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	—	—
412D	Bice fine sandy loam, 15 to 25 percent slopes	Not prime farmland	—	—
413C	Bice-Millsite complex, 3 to 15 percent slopes, very rocky	Not prime farmland	—	—
413E	Bice-Millsite complex, 15 to 45 percent slopes, very rocky	Not prime farmland	—	—
414	Fredon silt loam, cold	Farmland of statewide importance	—	—
415C	Westminster-Millsite-Rock outcrop complex, 3 to 15 percent slopes	Not prime farmland	—	—
415E	Westminster-Millsite-Rock outcrop complex, 15 to 45 percent slopes	Not prime farmland	—	—
416E	Rock outcrop-Westminster complex, 8 to 45 percent slopes	Not prime farmland	—	—
416F	Rock outcrop-Westminster complex, 45 to 70 percent slopes	Not prime farmland	—	—
417B	Bice fine sandy loam, 3 to 8 percent slopes, very stony	Not prime farmland	—	—
417C	Bice fine sandy loam, 8 to 15 percent slopes, very stony	Not prime farmland	—	—
417D	Bice fine sandy loam, 15 to 25 percent slopes, very stony	Not prime farmland	—	—
418C	Schroon fine sandy loam, 2 to 15 percent slopes, very stony	Not prime farmland	—	—

Farmland Classification— Summary by Map Unit — State of Connecticut (CT600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
420A	Schroon fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	—	—
420B	Schroon fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
421A	Ninigret fine sandy loam, cold, 0 to 3 percent slopes	All areas are prime farmland	—	—
423A	Sudbury sandy loam, cold, 0 to 3 percent slopes	All areas are prime farmland	—	—
424B	Shelburne fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
424C	Shelburne fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	—	—
424D	Shelburne fine sandy loam, 15 to 25 percent slopes	Not prime farmland	—	—
425B	Shelburne fine sandy loam, 3 to 8 percent slopes, very stony	Not prime farmland	—	—
425C	Shelburne fine sandy loam, 8 to 15 percent slopes, very stony	Not prime farmland	—	—
426D	Shelburne fine sandy loam, 15 to 35 percent slopes, extremely stony	Not prime farmland	—	—
427B	Ashfield fine sandy loam, 2 to 8 percent slopes, very stony	Not prime farmland	—	—
427C	Ashfield fine sandy loam, 8 to 15 percent slopes, very stony	Not prime farmland	—	—
428A	Ashfield fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	—	—
428B	Ashfield fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
428C	Ashfield fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	—	—
429A	Agawam fine sandy loam, cold, 0 to 3 percent slopes	All areas are prime farmland	—	—
429B	Agawam fine sandy loam, cold, 3 to 8 percent slopes	All areas are prime farmland	—	—

Farmland Classification— Summary by Map Unit — State of Connecticut (CT600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
429C	Agawam fine sandy loam, cold, 8 to 15 percent slopes	Farmland of statewide importance	—	—
433	Moosilauke sandy loam	Farmland of statewide importance	—	—
434A	Merrimac sandy loam, cold, 0 to 3 percent slopes	All areas are prime farmland	—	—
434B	Merrimac sandy loam, cold, 3 to 8 percent slopes	All areas are prime farmland	—	—
434C	Merrimac sandy loam, cold, 8 to 15 percent slopes	Farmland of statewide importance	—	—
435	Scarboro muck, cold	Not prime farmland	—	—
436	Halsey silt loam, cold	Not prime farmland	—	—
437	Wonsqueak mucky peat	Not prime farmland	—	—
438	Bucksport muck	Not prime farmland	—	—
440A	Boscawen gravelly sandy loam, 0 to 3 percent slopes	Farmland of statewide importance	—	—
440C	Boscawen gravelly sandy loam, 3 to 15 percent slopes	Farmland of statewide importance	—	—
440E	Boscawen gravelly sandy loam, 15 to 45 percent slopes	Not prime farmland	—	—
442	Brayton loam	Farmland of statewide importance	—	—
443	Brayton-Loonmeadow complex, extremely stony	Not prime farmland	—	—
448B	Hogansburg loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
449B	Hogansburg loam, 3 to 8 percent slopes, very stony	Not prime farmland	—	—
449C	Hogansburg loam, 8 to 15 percent slopes, very stony	Not prime farmland	—	—
450B	Pyrities loam, 3 to 8 percent slopes	All areas are prime farmland	—	—
450C	Pyrities loam, 8 to 15 percent slopes	Farmland of statewide importance	—	—
450D	Pyrities loam, 15 to 25 percent slopes	Not prime farmland	—	—
451B	Pyrities loam, 3 to 8 percent slopes, very stony	Not prime farmland	—	—

Farmland Classification— Summary by Map Unit — State of Connecticut (CT600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
451C	Pyrities loam, 8 to 15 percent slopes, very stony	Not prime farmland	—	—
451D	Pyrities loam, 15 to 25 percent slopes, very stony	Not prime farmland	—	—
457	Mudgepond silt loam, cold	Farmland of statewide importance	—	—
458	Mudgepond and Alden soils, extremely stony, cold	Not prime farmland	—	—
501	Ondawa fine sandy loam, 0 to 3 percent slopes, occasionally flooded	All areas are prime farmland	—	—
503	Rumney fine sandy loam, 0 to 3 percent slopes, frequently flooded	Farmland of statewide importance	—	—
508	Medomak silt loam	Not prime farmland	—	—
700E	Rock outcrop-Brimfield complex, 3 to 45 percent slopes	Not prime farmland	—	—
700F	Rock outcrop-Brimfield complex, 45 to 60 percent slopes	Not prime farmland	—	—
800	Wequetequock mucky silt loam, 0 to 2 meter water depth	Not prime farmland	—	—
810	Napatree sand, 0 to 1 meter water depth, bouldery	Not prime farmland	—	—
811	Napatree sand, 0 to 1 meter water depth, extremely bouldery	Not prime farmland	—	—
820	Fort Neck mucky silt loam, 0 to 1 meter water depth		—	—
830	Anguilla mucky sand, 0 to 1 meter water depth	Not prime farmland	—	—
840	Rhodesfolly fine sand, 0 to 1 meter water depth	Not prime farmland	—	—
841	Rhodesfolly fine sand, 1 to 2 meter water depth	Not prime farmland	—	—
850	Marshneck loam, 1 to 2 meter water depth	Not prime farmland	—	—
860	Billington silt loam, 0 to 1 meter water depth	Not prime farmland	—	—

Farmland Classification— Summary by Map Unit — State of Connecticut (CT600)				
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
910	Fort Neck mucky silt loam, 1 to 2 meter water depth	Not prime farmland	—	—
W	Water	Not prime farmland	—	—
Totals for Area of Interest			3,562,273.8	100.0%

Description

Farmland classification identifies map units as prime farmland, farmland of statewide importance, farmland of local importance, or unique farmland. It identifies the location and extent of the soils that are best suited to food, feed, fiber, forage, and oilseed crops. NRCS policy and procedures on prime and unique farmlands are published in the "Federal Register," Vol. 43, No. 21, January 31, 1978.

Rating Options

Aggregation Method: No Aggregation Necessary

Tie-break Rule: Lower