

PRACTICE IMPLEMENTATION CHECKLIST FOR FENCE (CODE 382)

Name:	Farm No./Tract No.:
Address:	Field Number(s):
Cost-Share Program:	Contract Number:

Purpose of fence (and type of livestock, if applicable):

Critical confinement/exclusion **Non-critical confinement/exclusion**

Type of fence: (Check only one fence type per data sheet)

High tensile, non-electric High tensile, electric Woven wire Barbed wire Wooden board
 Chain link Electric, polywire or ribbon Other (describe) _____

Total height of fence (at top wire or board): _____ **Total length of fence:** _____

MATERIALS AND CONSTRUCTION (As appropriate, indicate whether measurements are in inches or feet)

Wire	<input type="checkbox"/> High Tensile: Gauge _____ No. of strands _____ Strand spacing at _____ Battens used? <input type="checkbox"/> Yes <input type="checkbox"/> No Max. spacing interval between battens at: _____ linear feet
	<input type="checkbox"/> Barbed: Gauge _____ No. of strands _____ Strand spacing at _____
	<input type="checkbox"/> Woven: Top and bottom wire gauge _____ Intermediate and stay gauge _____ Height of woven wire _____ No. of additional wires: <input type="checkbox"/> barbed _____ <input type="checkbox"/> electric _____
	<input type="checkbox"/> Chain link: Gauge _____
	<input type="checkbox"/> Polywire or ribbon: No. of strands _____ Strand spacing at _____
Boards (Rails)	Number of horizontal boards per post _____ Vertical spacing between boards _____ Min. board dimensions (width, thickness & length) _____ No. of additional wires: <input type="checkbox"/> barbed _____ <input type="checkbox"/> electric _____
Line Posts	<input type="checkbox"/> Wood: Min. length _____ Min. dimensions (round or square) _____
	<input type="checkbox"/> Steel: Min. length _____
	<input type="checkbox"/> Fiberglass: Min. length _____
	Max. spacing between line posts _____ Min. depth set in the ground _____ Was concrete used? <input type="checkbox"/> Yes <input type="checkbox"/> No If both wood and steel posts are used, indicate the maximum number of steel posts (_____) used in between each wood post.
Corner, End, & Gate Posts	Min. length _____ Min. dimensions (round or square) _____ Min. depth set in the ground _____ Was concrete used? <input type="checkbox"/> Yes <input type="checkbox"/> No
Brace Posts	Min. length _____ Min. dimensions (round or square) _____ Min. depth set in the ground _____ Was concrete used? <input type="checkbox"/> Yes <input type="checkbox"/> No
Brace Assemblies	<input type="checkbox"/> Max. distance between single span assemblies _____
	<input type="checkbox"/> Max. distance between double span assemblies _____

CERTIFICATION

Fence field-checked by: _____ Date _____
Designated Conservationist

Practice meets the Delaware NRCS standard for Fence (Code 382): Yes No

Comments: