

Ziebach County, South Dakota
Acreage and Proportionate Extent of the Soils

Map symbol	Soil name	Acres	Percent
AcD	Amor-cabba loams, 9 to 15 percent slopes-----	7,630	0.6
Ba	Badland-----	1,510	0.1
Bk	Bankard loamy fine sand-----	2,965	0.2
Bn	Bankard variant loamy fine sand-----	730	*
Bo	Banks loamy fine sand-----	2,730	0.2
BpB	Bullock-parchin fine sandy loams, 0 to 9 percent slopes-----	37,635	3.0
BsC	Bullock-slickspots-parchin complex, 2 to 25 percent slopes-----	13,025	1.0
CaE	Cabba-lantry complex, 25 to 40 percent slopes-----	19,395	1.5
CcF	Cabba-rock outcrop complex, 9 to 60 percent slopes-----	9,775	0.8
CkF	Cohagen-rock outcrop complex, 9 to 50 percent slopes-----	7,670	0.6
CoE	Cohagen-vebar fine sandy loams, 15 to 40 percent slopes-----	18,945	1.5
CrD	Cohagen-vebar-bullock fine sandy loams, 6 to 25 percent slopes-----	23,190	1.8
Ct	Craft very fine sandy loam-----	3,055	0.2
DaA	Daglum loam, 0 to 2 percent slopes-----	3,260	0.3
DrB	Daglum-rhoades loams, 2 to 6 percent slopes-----	26,190	2.1
DuC	Dupree clay, 3 to 15 percent slopes-----	7,385	0.6
EvB	Evrige loamy fine sand, 0 to 6 percent slopes-----	2,910	0.2
FaA	Farland silt loam, 0 to 2 percent slopes-----	2,105	0.2
FaB	Farland silt loam, 2 to 6 percent slopes-----	1,695	0.1
Fv	Fluvaquents, ponded-----	1,025	*
Gn	Glenross fine sandy loam-----	1,060	*
Gr	Graill silt loam-----	2,105	0.2
Hc	Haverson silt loam, channeled-----	1,845	0.1
He	Heil silt loam-----	7,160	0.6
Hn	Heil variant silty clay loam, ponded-----	975	*
HpC	Hisle-pierre complex, 2 to 9 percent slopes-----	13,525	1.1
HsB	Hisle-slickspots complex, 2 to 9 percent slopes-----	4,595	0.4
Ka	Korchea loam-----	2,405	0.2
Kc	Korchea loam, channeled-----	8,385	0.7
KyB	Kyle clay, 2 to 6 percent slopes-----	25,700	2.0
LcD	Lantry-cabba complex, 9 to 30 percent slopes-----	73,065	5.8
LdD	Lantry-cabba-rhoades complex, 9 to 30 percent slopes-----	16,650	1.3
LeD	Lantry-korchea-cabba complex, 1 to 25 percent slopes-----	2,110	0.2
Lh	Lohler silty clay loam-----	1,050	*
Lk	Lohler silty clay loam, channeled-----	1,520	0.1
Ln	Lohmiller silty clay loam-----	3,610	0.3
Lo	Lohmiller silty clay loam, channeled-----	9,445	0.7
PbB	Parchin-bullock fine sandy loams, 1 to 6 percent slopes-----	10,445	0.8
PeB	Pierre clay, 2 to 6 percent slopes-----	51,410	4.1
PeC	Pierre clay, 6 to 9 percent slopes-----	30,490	2.4
PmD	Pierre-samsil clays, 9 to 30 percent slopes-----	83,120	6.6
Po	Pits, gravel-----	130	*
PrA	Promise clay, silty substratum, 0 to 2 percent slopes-----	12,790	1.0
RaA	Ree loam, 0 to 2 percent slopes-----	800	*
RaB	Ree loam, 2 to 6 percent slopes-----	565	*
RbB	Reeder loam, 2 to 6 percent slopes-----	12,945	1.0
RbC	Reeder loam, 6 to 9 percent slopes-----	780	*
RcB	Reeder-daglum loams, 1 to 6 percent slopes-----	2,900	0.2
RdC	Reeder-lantry complex, 2 to 9 percent slopes-----	70,885	5.6
ReC	Reeder-rhoades-lantry complex, 2 to 9 percent slopes-----	29,310	2.3
RgB	Regent silty clay loam, 2 to 6 percent slopes-----	47,100	3.7
RgC	Regent silty clay loam, 6 to 9 percent slopes-----	14,570	1.2
RhD	Regent-cabba complex, 6 to 15 percent slopes-----	3,270	0.3
RmB	Regent-daglum complex, 2 to 6 percent slopes-----	4,115	0.3
RnB	Regent-rhoades complex, 2 to 9 percent slopes-----	51,610	4.1
RoA	Reliance silty clay loam, 0 to 2 percent slopes-----	3,800	0.3
RoB	Reliance silty clay loam, 2 to 6 percent slopes-----	3,380	0.3
RrA	Rhoades-daglum loams, 0 to 2 percent slopes-----	6,540	0.5
RrB	Rhoades-daglum loams, 2 to 9 percent slopes-----	67,205	5.3
RsB	Rhoades-slickspots complex, 1 to 6 percent slopes-----	13,320	1.1
RvA	Ridgeview silty clay loam, 0 to 2 percent slopes-----	3,580	0.3
RvB	Ridgeview silty clay loam, 2 to 6 percent slopes-----	11,405	0.9
Rw	Riverwash-----	1,200	*
SaE	Samsil clay, 15 to 40 percent slopes-----	177,250	14.0
ScF	Samsil-rock outcrop complex, 9 to 60 percent slopes-----	5,530	0.4
SgA	Savage silt loam, 0 to 2 percent slopes-----	660	*
SgB	Savage silt loam, 2 to 6 percent slopes-----	12,110	1.0
ShE	Schamber-samsil complex, 9 to 40 percent slopes-----	6,330	0.5
SkB	Seroco-tally complex, 2 to 9 percent slopes-----	1,200	*

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
So	Shambo loam-----	3,785	0.3
Sp	Slickspots-----	1,010	*
StA	Stady loam, 0 to 3 percent slopes-----	2,020	0.2
SwB	Swanboy clay, 0 to 6 percent slopes-----	8,035	0.6
SxC	Swanboy-kyle clays, 2 to 15 percent slopes-----	2,710	0.2
SyB	Swanboy-slickspots complex, 0 to 6 percent slopes-----	5,210	0.4
TaA	Tally fine sandy loam, 0 to 2 percent slopes-----	2,740	0.2
TaB	Tally fine sandy loam, 2 to 6 percent slopes-----	1,625	0.1
Tm	Trembles fine sandy loam-----	4,165	0.3
Tr	Trembles fine sandy loam, channeled-----	4,350	0.3
VbB	Vebar fine sandy loam, 2 to 6 percent slopes-----	2,295	0.2
VbC	Vebar fine sandy loam, 6 to 9 percent slopes-----	4,990	0.4
VcC	Vebar-cohagen fine sandy loam, 6 to 15 percent slopes-----	28,330	2.2
VdC	Vebar-daglum complex, 3 to 9 percent slopes-----	61,135	4.8
w	Water less than 40 acres-----	2,433	0.2
w40	Water greater than 40 acres-----	2,388	0.2
WcE	Wabek-cabba complex, 9 to 40 percent slopes-----	1,500	0.1
WdE	Wayden silty clay loam, 15 to 40 percent slopes-----	10,660	0.8
We	Wendte silty clay-----	2,790	0.2
Wn	Wendte silty clay, channeled-----	1,800	0.1
	Total-----	1,262,746	100.0

* Less than 0.1 percent.

