

**324 - Deep Tillage  
Implementation Requirements**

**Producer:**

**Project or Contract:**

**Location:**

**County:**

**Farm Name:**

**Tract Number:**

**Practice Location Map**

*(showing detailed aerial view of where practice is to be installed on farm/site, showing all major components, stationing, relative location to any landmarks, and survey benchmarks)*

**Index**

- \_\_\_\_\_ Cover Sheet
- \_\_\_\_\_ Specifications
- \_\_\_\_\_ Drawings
- \_\_\_\_\_ Cost Estimate and Project Bid Form
- \_\_\_\_\_ Operation & Maintenance

Utility Safety /  
One-Call System  
Information

**Description of work:**

**NRCS Review Only**

<b>Designed By:</b> _____	<b>Date:</b> _____
<b>Checked By:</b> _____	<b>Date:</b> _____
<b>Approved By:</b> _____	<b>Date:</b> _____

## 324 - Deep Tillage Implementation Requirements

**The Practice Purpose(s):**

Bury or mix soil deposits from wind or water erosion or flood overwash.  
Fracture restrictive soil layers.

Site Information			
	Fields:	Fields:	Fields:
Measured Acres:			
Soil Texture:			
Map Unit Slope (%):			
Soil Moisture (% field capacity)			
Depth/Restrictive Layer (in.):			
Soil Deposit Depth			

Tillage Information			
	Fields:	Fields:	Fields:
Equipment to be Used:			
Depth of Tillage:			
Shank Spacing (in)			
Date/Timing of Tillage:			

Site Preparation and Additional Installation Information
Additional requirements:

## **324 - Deep Tillage Implementation Requirements**

### **OPERATION AND MAINTENANCE**

\_\_\_ Monitor root zone for recurring restrictive layers after deep tillage has been performed to assist with determining when or if treatment will be reapplied.

\_\_\_ Perform deep tillage for reduction of restrictive layers whenever soil compaction occurs.

Other: