

STATEMENT OF WORK
Contour Buffer Strips (332)
Florida

These deliverables apply to this individual practice. For other planned practice deliverables refer to those specific Statements of Work.

DESIGN**Deliverables:**

1. Design documents that demonstrate criteria in Florida NRCS practice standard have been met and are compatible with planned and applied practices
 - a. Practice purpose(s) as identified in the conservation plan.
 - b. List of required permits to be obtained by the client
 - c. List all required and/or facilitating practices
 - d. Practice standard criteria-related computations and analyses to develop plans and specifications including but not limited to:
 - i. Row grade, width of tilled strip and width of vegetated strip
 - ii. Vegetative species selection
 - iii. Spacing and arrangement of strips
 - iv. Erosion calculations
 - v. Slope length
 - vi. Outlet stability
 - vii. Wildlife considerations
2. Written plans and specifications including sketches and drawings shall be provided to the client that adequately describes the requirements to install the practice and obtain necessary permits. Plans and specifications shall be developed in accordance with the requirements of the conservation practice standard for Contour Buffer Strips, Code 332
3. Operation and maintenance plan
4. Certification that the design meets practice standard criteria and comply with applicable laws and regulations
5. Design modifications during installation as required

INSTALLATION**Deliverables**

1. Pre-installation conference with client
2. Verification that client has obtained required permits
3. Staking and layout according to plans and specifications including applicable layout notes
4. Installation guidance as needed
5. Facilitate and implement required design modifications with client and original designer
6. Advise client/NRCS on compliance issues with all federal, state, tribal, and local laws, regulations and NRCS policies during installation
7. Certification that the installation process and materials meets design and permit requirements

CHECK OUT**Deliverables / Practice Certification and Check-out Requirements**

1. Records of application for certification:
 - a. Actual row grade applied
 - b. Extent of practice units applied in acres
 - c. Species planted
 - d. Percent land slope
 - e. Width of vegetated strip
2. Certification that the installation meets Florida NRCS standards and specifications and is in compliance with permits
3. Progress reporting

REFERENCES

- Florida NRCS Field Office Technical Guide (eFOTG), Section IV, Conservation Practice Standard Contour Buffer Strips, Code 332
- NRCS National Agronomy Manual
- NRCS National Environmental Compliance Handbook
- NRCS Cultural Resources Handbook

STATE CONTACT

Henry Burkwhat
State Resource Conservationist
(352) 338-9543
enry.burkwhat@fl.usda.gov