

## Contents

Design of Post Size, Beam Size, and Post Embedment Depth for Umbrella Type Structure	FL6-A-1
Example Problem - Head Discharge Relationship for Flashboard Risers	S-6-15a

## Tables

### Post and Pole Sizing – 3:12 Roof Slope

<b>Table 1</b>	Bracing, 12 Foot post height, 8 Foot post spacing	FL6-A-8
<b>Table 2</b>	Bracing, 12 Foot post height, 10 Foot post spacing	FL6-A-9
<b>Table 3</b>	Bracing, 12 Foot post height, 12 Foot post spacing	FL6-A-10
<b>Table 4</b>	Bracing, 14 Foot post height, 8 Foot post spacing	FL6-A-11
<b>Table 5</b>	Bracing, 14 Foot post height, 10 Foot post spacing	FL6-A-12
<b>Table 6</b>	Bracing, 14 Foot post height, 12 Foot post spacing	FL6-A-13
<b>Table 7</b>	No Bracing, 12 Foot post height, 8 Foot post spacing	FL6-A-14
<b>Table 8</b>	No Bracing, 12 Foot post height, 10 Foot post spacing	FL6-A-15
<b>Table 9</b>	No Bracing, 12 Foot post height, 12 Foot post spacing	FL6-A-16
<b>Table 10</b>	No Bracing, 14 Foot post height, 8 Foot post spacing	FL6-A-17
<b>Table 11</b>	No Bracing, 14 Foot post height, 10 Foot post spacing	FL6-A-18
<b>Table 12</b>	No Bracing, 14 Foot post height, 12 Foot post spacing	FL6-A-19
<b>Post Embedment Depth (ft)-3:12 Roof Slope</b>		
<b>Table 13</b>	Bracing, Concrete bearing, 12 Foot post height, 150 psf soil bearing pressure	FL6-A-20
<b>Table 14</b>	Bracing, Concrete bearing, 12 Foot post height, 200 psf soil bearing pressure	FL6-A-21
<b>Table 15</b>	Bracing, Concrete bearing, 14 Foot post height, 150 psf soil bearing pressure	FL6-A-22

<b>Table 16</b>	Bracing, Concrete bearing, 14 Foot post height, 200 psf soil bearing pressure	FL6-A-23
<b>Table 17</b>	Bracing, No Concrete bearing, 12 Foot post height, 150 psf soil bearing pressure	FL6-A-24
<b>Table 18</b>	Bracing, No Concrete bearing, 12 Foot post height, 200 psf soil bearing pressure	FL6-A-25
<b>Table 19</b>	Bracing, No Concrete bearing, 14 Foot post height, 150 psf soil bearing pressure	FL6-A-26
<b>Table 20</b>	Bracing, No Concrete bearing, 14 Foot post height, 200 psf soil bearing pressure	FL6-A-27
<b>Table 21</b>	No Bracing, Concrete bearing, 12 Foot post height, 150 psf soil bearing pressure	FL6-A-28
<b>Table 22</b>	No Bracing, Concrete bearing, 12 Foot post height, 200 psf soil bearing pressure	FL6-A-29
<b>Table 23</b>	No Bracing, Concrete bearing, 14 Foot post height, 150 psf soil bearing pressure	FL6-A-30
<b>Table 24</b>	No Bracing, Concrete bearing, 14 Foot post height, 200 psf soil bearing pressure	FL6-A-31
<b>Table 25</b>	No Bracing, No Concrete bearing, 12 Foot post height, 150 psf soil bearing pressure	FL6-A-32
<b>Table 26</b>	No Bracing, No Concrete bearing, 12 Foot post height, 200 psf soil bearing pressure	FL6-A-33
<b>Table 27</b>	No Bracing, No Concrete bearing, 14 Foot post height, 150 psf soil bearing pressure	FL6-A-34
<b>Table 28</b>	No Bracing, No Concrete bearing, 14 Foot post height, 200 psf soil bearing pressure	FL6-A-35
<b>Beam Width Size (in) – Nominal - 3:12 Roof Slope</b>		
<b>Table 29</b>	12 Foot post height, 8 Foot post spacing	FL6-A-36
<b>Table 30</b>	12 Foot post height, 10 Foot post spacing	FL6-A-37
<b>Table 31</b>	12 Foot post height, 12 Foot post spacing	FL6-A-38
<b>Beam Width Size (in) – Full Cut - 3:12 Roof Slope</b>		
<b>Table 32</b>	12 Foot post height, 8 Foot post spacing	FL6-A-39
<b>Table 33</b>	12 Foot post height, 10 Foot post spacing	FL6-A-40
<b>Table 34</b>	12 Foot post height, 12 Foot post spacing	FL6-A-41

**Post and Pole Sizing – 4:12 Roof Slope**

<b>Table 35</b>	Bracing, 12 Foot post height, 8 Foot post spacing	FL6-A-43
<b>Table 36</b>	Bracing, 12 Foot post height, 10 Foot post spacing	FL6-A-44
<b>Table 37</b>	Bracing, 12 Foot post height, 12 Foot post spacing	FL6-A-45
<b>Table 38</b>	Bracing, 14 Foot post height, 8 Foot post spacing	FL6-A-46
<b>Table 39</b>	Bracing, 14 Foot post height, 10 Foot post spacing	FL6-A-47
<b>Table 40</b>	Bracing, 14 Foot post height, 12 Foot post spacing	FL6-A-48
<b>Table 41</b>	No Bracing, 12 Foot post height, 8 Foot post spacing	FL6-A-49
<b>Table 42</b>	No Bracing, 12 Foot post height, 10 Foot post spacing	FL6-A-50
<b>Table 43</b>	No Bracing, 12 Foot post height, 12 Foot post spacing	FL6-A-51
<b>Table 44</b>	No Bracing, 14 Foot post height, 8 Foot post spacing	FL6-A-52
<b>Table 45</b>	No Bracing, 14 Foot post height, 10 Foot post spacing	FL6-A-53
<b>Table 46</b>	No Bracing, 14 Foot post height, 12 Foot post spacing	FL6-A-54
<b>Post Embedment Depth (ft) – 4:12 Roof Slope</b>		
<b>Table 47</b>	Bracing, Concrete bearing, 12 Foot post height, 150 psf soil bearing pressure	FL6-A-55
<b>Table 48</b>	Bracing, Concrete bearing, 12 Foot post height, 200 psf soil bearing pressure	FL6-A-56
<b>Table 49</b>	Bracing, Concrete bearing, 14 Foot post height, 150 psf soil bearing pressure	FL6-A-57
<b>Table 50</b>	Bracing, Concrete bearing, 14 Foot post height, 200 psf soil bearing pressure	FL-6A-58
<b>Table 51</b>	Bracing, No Concrete bearing, 12 Foot post height, 150 psf soil bearing pressure	FL6-A-59
<b>Table 52</b>	Bracing, No Concrete bearing, 12 Foot post height, 200 psf soil bearing pressure	FL6-A-60
<b>Table 53</b>	Bracing, No Concrete bearing, 14 Foot post height, 150 psf soil bearing pressure	FL6-A-61

<b>Table 54</b>	Bracing, No Concrete bearing, 14 Foot post height, 200 psf soil bearing pressure	FL6-A-62
<b>Table 55</b>	No Bracing, Concrete bearing, 12 Foot post height, 150 psf soil bearing pressure	FL6-A-63
<b>Table 56</b>	No Bracing, Concrete bearing, 12 Foot post height, 200 psf soil bearing pressure	FL6-A-64
<b>Table 57</b>	No Bracing, Concrete bearing, 14 Foot post height, 150 psf soil bearing pressure	FL6-A-65
<b>Table 58</b>	No Bracing, Concrete bearing, 14 Foot post height, 200 psf soil bearing pressure	FL6-A-66
<b>Table 59</b>	No Bracing, No Concrete bearing, 12 Foot post height, 150 psf soil bearing pressure	FL6-A-67
<b>Table 60</b>	No Bracing, No Concrete bearing, 12 Foot post height, 200 psf soil bearing pressure	FL6-A-68
<b>Table 61</b>	No Bracing, No Concrete bearing, 14 Foot post height, 150 psf soil bearing pressure	FL6-A-69
<b>Table 62</b>	No Bracing, No Concrete bearing, 14 Foot post height, 200 psf soil bearing pressure	FL6-A-70
<b>Beam Width Size (in) – Nominal – 4:12 Roof Slope</b>		
<b>Table 63</b>	12 Foot post height, 8 Foot post spacing	FL6-A-71
<b>Table 64</b>	12 Foot post height, 10 Foot post spacing	FL6-A-72
<b>Table 65</b>	12 Foot post height, 12 Foot post spacing	FL6-A-73
<b>Beam Width Size (in) – Full Cut - 3:12 Roof Slope</b>		
<b>Table 66</b>	12 Foot post height, 8 Foot post spacing	FL6-A-74
<b>Table 67</b>	12 Foot post height, 10 Foot post spacing	FL6-A-75
<b>Table 68</b>	12 Foot post height, 12 Foot post spacing	FL6-A-76
<b>Table -69</b>	Purlin Size	FL6-A-77

## Figures

<b>Figure 1</b>	Umbrella type structure without braces	FL6-A-3
<b>Figure 2</b>	Umbrella type structure with braces	FL6-A-4
<b>Figure 3</b>	Post embedment diagram	FL6-A-4
<b>Figure 4</b>	Wind Zone Requirements	FL6-A-5
<b>Figure 5</b>	Truss design documentation	FL6-A-78
<b>Figure S-6-1</b>	Water Control Structure (Corrugated Metal)	S-6-1
<b>Figure S-6-2</b>	Minimum Standard Dimensions for Water Control Weir Pipe Drops	S-6-3
<b>Figure S-6-3</b>	Corrugated Metal Pipe Drop Structure with Metal End Section for Flatland Areas	S-6-5
<b>Figure S-6-4</b>	Pipe Overall Structure (Concrete Headwall)	S-6-6
<b>Figure S-6-5</b>	Structure for Water Control for Low Overfalls	S-6-17
<b>Figure S-6-6</b>	Concrete Box Drop Inlet	S-6-19
<b>Figure S-6-7</b>	Formless Concrete Chute Spillway (Structural Details and Design Data)	S-6-23 to 24
<b>Figure S-6-8</b>	Water Control Structure, Weir Drop (Asbestos Cement)	S-6-25
<b>Figure S-6-9</b>	Water Control Structure, Weir Drop (Plastic)	S-6-27
<b>Figure S-6-10</b>	Pipe Support for Channel Crossing (Smooth Steel Pipe)	S-6-29
<b>Figure S-6-11</b>	Swinging Water Gates	S-6-31
<b>Figure S-6-12</b>	Flashboard Riser and Culvert Structure (Corrugated Metal)	S-6-34

---

**Exhibits**

<b>Exhibit S-6-1</b>	Use of Curves Giving Ultimate Cantilever Load for Standard Corrugated Metal Pipe	S-6-7
<b>Exhibit S-6-2</b>	Corrugated Metal Pipe Drop Inlet Capacity Curves	S-6-11
<b>Exhibit S-6-3</b>	Height of Fill vs. Pipe Thickness Smooth Steel Pipe 10" to 48" Diameter	S-6-21
<b>Exhibit S-6-4</b>	Hydraulic Design Data - Siphons	S-6-33
<b>Exhibit FL6-5</b>	Grade Stabilization Structure Design and Check Sheet - Hood Inlet	FL6-35
<b>Exhibit FL6-6</b>	Structure for Water Control – Design and Check Sheet	FL6-36
<b>Exhibit FL6-7</b>	Grade Stabilization Structure Design and Check Sheet - Drop Inlet	FL6-37