

Early Successional Habitat Development/Management Forest Openings

Conservation Practice GA Job Sheet

Code 647

Definition

Manage early plant succession to benefit desired wildlife or natural communities.

Purpose

The purpose of this practice is to increase plant diversity and provide habitat for those species of wildlife that benefit from early successional vegetation stages and the insects that these communities attract. Many wildlife species that depend on these types of plant communities are declining nationwide.

Conditions Where Practice Applies

This practice applies to lands that are managed for wildlife. Early successional habitat development/management is normally established concurrently with other practices as part of a wildlife resource management system.

This job sheet pertains to creating various types of openings within otherwise contiguous forest settings. Openings in the forest canopy occur naturally due to overstory tree loss from insects, fire, storms, and disease. These gaps are generally occupied by a mixture of tree seedlings, shrubs, grasses, and/or broadleaf plants that contribute to the diversity of the forest and provide valuable habitat for many species of wildlife including reptiles, deer, turkeys, grouse, bats, rabbits, small mammals and songbirds.

Considerations for Establishment

Most wildlife species benefit from a variety of vegetative conditions other than the climax stage. Forest openings can provide the place for this diversity to occur. This improves habitat for species that utilize and benefit from early successional woody or herbaceous vegetation within forested settings. To achieve the desired habitat, it is essential to understand the daily and seasonal requirements of the wildlife species prior to implementing this practice.

Some general criteria apply to creation of all types of openings:

- Openings scattered throughout a

targeted species' home range can add diversity and benefit a variety of wildlife. The type of forest stands, their age class, and how they are arranged determines the species of wildlife that benefit

- Do not locate openings in the interior portions of forest in a manner that will fragment critical habitat for area sensitive forest interior species.
- Identify and utilize existing openings. These may include log landings, skid trails, roadsides and utility rights-of-way.
- When creating openings, look for areas that are relatively flat and free of rocks such as on benches and ridge tops. If reptiles are the target species, openings around rocky habitat may be preferred.
- Avoid sites with high quality trees that may have important economic or wildlife values. Areas that have been damaged from insects or severe weather should be considered first, as well as sites where the majority of trees present are in the sapling to pole size range (2" to 10" diameter at breast height (DBH)).
- Sites with little slope generally have better soils, less soil erosion problems, and more planting options than steeper sites. When openings are created near drainages, a forested buffer should be maintained. Refer to conservation practice standard (391) Riparian Forest Buffer and the [GFC Georgia Best Management Practices for Forestry](#) for more guidance.
- Openings may be constructed by various means including mechanical and chemical methods.
- The size of openings varies with the individual species requirements and site characteristics. However, forest openings generally range from 1 to 10 acres, should not cumulatively impact more than 10% of the available forest habitat, should be a minimum of 50' wide, and should follow the contour while being as irregular in shape as possible. Careful consideration must be given to the effectiveness of openings less than one acre due to shading from

the surrounding canopy.

- If this practice is implemented through CRP, forest stands less than 5 acres will have 10% of the stand in forest openings. For example, a 3 acre forest stand will have at least a 0.3 acres of forest opening.
- If forest openings are planned in a stand that will not be thinned outside of the patch clear-cut, edge feather the clear-cut to improve habitat quality.
- Where possible, create or maintain retain a minimum of 6 snags and habitat trees per acre.
- Isolated woodland tracts less than 40 acres generally do not benefit from forest openings. Caution should be exercised when proposing several forest openings in large contiguous woodland sites. A single large opening or too many small openings may lead to habitat fragmentation.
- Southerly facing slopes are preferred, since they tend to receive more hours of direct sunlight per day and remain warmer in early spring and fall.
- Depending on the opening type, slash, stumps and debris may be left on site or piled adjacent to openings to provide additional habitat.
- If an opening is to be actively managed, the site selected must be easily and permanently accessible with necessary equipment.

Herbaceous Forest Openings

This type of opening contains wild herbaceous vegetation consisting primarily of forbs, annuals and some perennials. They are frequently utilized as foraging and brood habitats by a variety of wildlife due to increased macro-invertebrate populations and relatively sparse vegetation. These are not recommended for pollinators.

- Openings are constructed by removing existing vegetation, slash, stumps, rocks and debris that interfere with mowing and

disking.

- Vegetation may be planted or allowed to naturally regeneration if an existing seed bank is present.
- Herbaceous plantings must adhere to GA 327 Conservation Cover or 643 Restoration and Management of Rare and Declining Habitats and appropriate 327&643 job sheets.
- For natural revegetation, lightly disk area to encourage establishment of herbaceous vegetation. Light disking should be performed at least every 2-3 years to rejuvenate growth.
- Soil amendments may be applied according to soil test results to expedite natural succession in areas of extremely low fertility. However, fertilization in most instances often results in dense regrowth or weed invasion that can inhibit utilization of the area by wildlife.
- Openings should be maintained by mowing at least once every three years to reduce woody plant succession. Maintain ground cover at 50
– 70% during the growing season to avoid becoming too dense, which could restrict movement of wildlife.

Permanent Food Plots

This practice is used to create new openings consisting of warm and/or cool season perennial grasses and legume mixtures that provide food and cover within otherwise forested areas.

Pollinators

Openings for pollinators may be created in suitable cover types and in the same fashion and with the same considerations as other wildlife openings. Pollinator openings should be:

- a minimum of one acre in size;
- Plantings must adhere to GA 327 Conservation Cover and the GA Pollinator Habitat Job Sheet.

Terrestrial Wildlife

- Plots vary greatly in size depending on the site conditions and target species. Plots smaller than 1 acre should be evaluated to determine their effectiveness due to shading from the surrounding canopy.

- The site should be prepared by removing all vegetation, stumps, slash and debris that interfere with planting and mowing. Care should be taken to preserve the existing topsoil.
- Plots should be irregular in shape and fit as closely to the topographic contour as possible.
- Perennial seeding mixtures should be selected that are beneficial to the target species and adapted to site conditions. Refer to practice standard 327 Conservation Cover or 643 Restoration and Management of Rare and Declining Habitats for seedbed preparation and seeding rates. **No variety of tall fescue should be planted in conjunction with this practice.**
- Soil amendments may be applied according to soil test recommendations. Maintain established plot by mowing as needed to retain the stand vigor and remove woody invasives. Where feasible, strip mowing should be utilized to maximize diversity especially in larger openings.
- Care should be taken to ensure that the proper plant density is achieved according to the target wildlife species. Light disking, harvesting or similar methods may be necessary once the stand is established.

Early Successional Forest Openings (Clear-Cut/Shelterwood Cut)

This method should be utilized when early successional woody vegetation is desired. Openings may be established in hardwood and coniferous stands. Clear-cut and shelterwood cuts may be used in either hardwood stands or coniferous stands. For both types of forest openings, refer to the practice standard (666) Forest Stand Improvement for specific information concerning these methods.

A. Deciduous Hardwood Settings

Areas should be irregular in shape and fit the contour where feasible. Various wildlife species prefer differing shapes and sizes of

openings. Size will depend on the requirements of the targeted species and the site characteristics. No more than 10% of the available forest habitat should be converted to openings.

Clearcuts:

- All woody vegetation over 4" DBH or greater than 15' in height should be removed. In most instances all trees, regardless of size, may be removed for better regeneration and to remove potential predator perches.
- Slash may be left on the site to provide additional wildlife habitat.
- Where possible, select tree species which rapidly re-sprout from stumps or roots (e.g. aspen, maple, etc).

Shelterwood Cuts

- Thin canopy to 60% cover

B. Coniferous Settings (Shelterwood Cuts)

This procedure applies to conifer stands where the majority of trees and shrubs exceed 20 feet in height; or occur as mature block or plantation stands.

- Create openings within coniferous stands by removing 40 – 60% of the basal area from the site. This opens the canopy to allow more sunlight to reach the forest floor and encourages the natural production of coniferous seedlings and shrubs.
- Mature trees of good form and good seed production should be selected for initial retention. Remove the mature trees once seedlings have become established.

Coordinating Forest Openings with a Timber Harvest

Timber harvests may be planned to coincide with the creation of forest openings. The methods described above to construct openings or maintain existing openings in forested areas, may also be utilized where timber production is an objective. A forestry management plan should be developed prior to timber harvest. The Georgia Forestry Commission should be consulted to coordinate these methods with timber production.

Chemicals

Herbicides may be effectively used to manipulate succession, control noxious or

exotic weeds, reduce competition and improve overall diversity.

Careful planning and application are required in the use of herbicides to improve existing habitat.

Selection of a product should be based on several factors including: desired effect to the vegetative community, affects to non-target wildlife specie(s), toxicological risks and off-site movement.

Chemicals should not be utilized where pollinators are a concern.

Chemicals must only be applied for the uses listed on the label. All manufacturers' recommendations, precautions and directions must be followed.

A pesticide applicators license may be required for some herbicides.

Operation and Maintenance

Early successional communities require frequent disturbance to maintain the desired composition. If a mowing, harvest or disking schedule is required beyond the installation period, refer to the 647 Early Successional Habitat Development and Management Job Sheet.

To maintain the health and vigor of openings it may require the periodic application of lime and/or fertilizer. This should be done according to recommendations from a soil test that is performed on a regular basis. Nutrients should be applied outside the primary nesting season (April 1st August 31st).

Refer to conservation practice (590) Nutrient Management if soil amendments are necessary to implement this practice.

Specifications

Early Successional Habitat Management/Development – GA Job Sheet

Site-specific requirements are listed on the following pages of this job sheet. Specifications are prepared in accordance with the GA-NRCS Field Office Technical Guide.

Client	Farm #:
Field(s):	Tract #:
Designed By:	Date:
Targeted Wildlife Species(s):	

Purpose (check all that apply)	
<input type="checkbox"/> Create early successional woody openings or scrub/shrub habitat	<input type="checkbox"/> Create herbaceous forest openings for brood habitat
<input type="checkbox"/> Create permanent food plots (grass/legume) within a contiguous forest setting for terrestrial or pollinator habitat	<input type="checkbox"/> Component of a wildlife management plan developed using the (645) Upland Wildlife Habitat Management standard
<input type="checkbox"/> Create wildlife habitat in conjunction with a forestry/timber management plan	<input type="checkbox"/> Creating habitat for other game and non-game species including threatened or endangered species

Do these openings involve strip disking or strip mowing practices as part of the management scheme? <div style="text-align: center;"> <input type="checkbox"/> YES <input type="checkbox"/> NO </div>	If YES , refer to the Strip Disking and/or Grassland Management for Wildlife job sheet(s) for additional information.
---	--

Layout (as applicable)		
Home range of the target specie(s): _____ acres	Total number of openings: 	Total acreage of openings: _____ acres

Early Successional Habitat Management/Development – GA Job Sheet

If needed, an aerial view, map or a sketch of the practice can be shown below. Other relevant information, complementary practices and measures, and additional specifications may be included.

Refer to the conservation plan map for locations of conservation practices.

Additional Specifications and Notes: (i.e. herbicide application, operation and maintenance specifics, mowing schedule, etc.)

Maintain this practice as indicated in the section entitled "Operation and Maintenance".

Questions regarding the establishment, operation or maintenance of this practice should be directed to:

_____ at _____

The United States Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication program information (Braille, large print, audiotape, etc.) should contact the USDA Office of Communications (202) 720-2791. To file a complaint of discrimination write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5964 (voice or TDD). USDA is an equal opportunity provider and employer.

Clear Form

