

HIGHLY ERODIBLE LAND
 Bartow County, Georgia

Map Symbol	Map Unit Name	HEL Class
AaE2	Agricola-Lloyd-Musella complex, 15 to 25 percent slopes, moderately eroded	HEL
AbB	Allen loam, 2 to 6 percent slopes	PHEL
AbC	Allen loam, 6 to 10 percent slopes	HEL
AbD	Allen loam, 10 to 15 percent slopes	HEL
AbE	Allen loam, 15 to 30 percent slopes	HEL
AcD	Allen-Urban land complex, 0 to 15 percent slopes	PHEL
AdA	Altavista sandy loam, 0 to 2 percent slopes, rarely flooded	NHEL
AdB	Altavista sandy loam, 2 to 6 percent slopes	NHEL
AnB	Anniston sandy loam, 2 to 6 percent slopes	PHEL
AnC	Anniston sandy loam, 6 to 10 percent slopes	HEL
AnD	Anniston sandy loam, 10 to 15 percent slopes	HEL
AnE	Anniston sandy loam, 15 to 30 percent slopes	HEL
AoD	Anniston-Urban land complex, 0 to 15 percent slopes	PHEL
ApB	Appling sandy loam, 2 to 6 percent slopes	PHEL
ApC	Appling sandy loam, 6 to 10 percent slopes	HEL
ArB	Aragon sandy loam, 2 to 6 percent slopes	PHEL
ArC	Aragon sandy loam, 6 to 10 percent slopes	HEL
ArD	Aragon sandy loam, 10 to 15 percent slopes	HEL
ArE	Aragon sandy loam, 15 to 30 percent slopes	HEL
AsD	Aragon-Urban land complex, 0 to 15 percent slopes	PHEL
AuA	Arkaqua loam, 0 to 2 percent slopes, occasionally flooded	NHEL
BdA	Bloomingtondale silt loam, 0 to 2 percent slopes, occasionally flooded	NHEL
BnA	Bloomingtondale-Urban land complex, 0 to 2 percent slopes, occasionally flooded	NHEL
BrB	Braswell sandy loam, 2 to 6 percent slopes	PHEL
CaA	Capshaw silty clay loam, 0 to 2 percent slopes	NHEL
CaB	Capshaw silty clay loam, 2 to 6 percent slopes	PHEL
CbB	Capshaw-Urban land complex, 0 to 6 percent slopes	PHEL
CcA	Cartecay sandy loam, 0 to 3 percent slopes, occasionally flooded	NHEL
CeG	Cataska channery loam, 45 to 70 percent slopes, very rocky	HEL
CfA	Cedarbluff loam, 0 to 2 percent slopes, occasionally flooded	NHEL
CgA	Craigsville gravelly sandy loam, 0 to 5 percent slopes, occasionally flooded	PHEL
CnB	Cunningham silt loam, 2 to 6 percent slopes	PHEL
CnC	Cunningham silt loam, 6 to 10 percent slopes	HEL
CnD	Cunningham silt loam, 10 to 15 percent slopes	HEL
CnE	Cunningham silt loam, 15 to 30 percent slopes	HEL
CuB2	Cunningham silty clay loam, 2 to 6 percent slopes, moderately eroded	PHEL
CuC2	Cunningham silty clay loam, 6 to 10 percent slopes, moderately eroded	HEL
CuD2	Cunningham silty clay loam, 10 to 15 percent slopes, moderately eroded	HEL
CxD	Cunningham-Urban land complex, 0 to 15 percent slopes	PHEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

HIGHLY ERODIBLE LAND
 Bartow County, Georgia

Map Symbol	Map Unit Name	HEL Class
DaB	Decatur loam, 2 to 6 percent slopes	PHEL
DaC	Decatur loam, 6 to 10 percent slopes	HEL
DaD	Decatur loam, 10 to 15 percent slopes	HEL
DaE	Decatur loam, 15 to 25 percent slopes	HEL
DAM	Dam	-----
DbD	Decatur-Urban land complex, 0 to 15 percent slopes	PHEL
DbE	Decatur-Urban land complex, 15 to 30 percent slopes	HEL
DdB	Dillard loam, 2 to 6 percent slopes, rarely flooded	PHEL
DmC	Ditney-Maymead complex, 6 to 10 percent slopes, stony	HEL
DmD	Ditney-Maymead complex, 10 to 15 percent slopes, stony	HEL
DmE	Ditney-Maymead complex, 15 to 30 percent slopes, stony	HEL
DmF	Ditney-Maymead complex, 30 to 45 percent slopes, stony	HEL
DrD	Ditney-Unicoi-Rock outcrop complex, 10 to 15 percent slopes, very stony	HEL
DrE	Ditney-Unicoi-Rock outcrop complex, 15 to 30 percent slopes, very stony	HEL
DrF	Ditney-Unicoi-Rock outcrop complex, 30 to 45 percent slopes, very stony	HEL
DrG	Ditney-Unicoi-Rock outcrop complex, 45 to 70 percent slopes, very stony	HEL
EtA	Etowah loam, 0 to 2 percent slopes	NHEL
EtB	Etowah loam, 2 to 6 percent slopes	PHEL
EtC	Etowah loam, 6 to 10 percent slopes	HEL
EuD	Etowah-Urban land complex, 0 to 15 percent slopes	PHEL
EvE	Evard-Cowee complex, 15 to 30 percent slopes, stony	HEL
ExF	Evard-Saluda complex, 30 to 70 percent slopes, stony	HEL
FhA	French loam, 0 to 3 percent slopes, occasionally flooded	NHEL
FrD	Fruithurst-Braswell complex, 6 to 15 percent slopes	HEL
FrE	Fruithurst-Braswell complex, 15 to 25 percent slopes	HEL
FtE	Fruithurst-Tallapoosa complex, 15 to 25 percent slopes	HEL
FuB	Fullerton gravelly silt loam, 2 to 6 percent slopes	PHEL
FuC	Fullerton gravelly silt loam, 6 to 10 percent slopes	HEL
FuD	Fullerton gravelly silt loam, 10 to 15 percent slopes	HEL
FuE	Fullerton gravelly silt loam, 15 to 30 percent slopes	HEL
FuF	Fullerton gravelly silt loam, 30 to 45 percent slopes	HEL
FxD	Fullerton-Urban land complex, 0 to 15 percent slopes	PHEL
GuA	Guthrie silt loam, ponded, 0 to 2 percent slopes	PHEL
HcB	Hayesville-Cowee complex, 2 to 6 percent slopes, stony	PHEL
HcC	Hayesville-Cowee complex, 6 to 10 percent slopes, stony	HEL
HcD	Hayesville-Cowee complex, 10 to 15 percent slopes, stony	HEL
HsB	Holston fine sandy loam, 2 to 6 percent slopes	PHEL
HsC	Holston fine sandy loam, 6 to 10 percent slopes	HEL
HsD	Holston fine sandy loam, 10 to 15 percent slopes	HEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

HIGHLY ERODIBLE LAND
 Bartow County, Georgia

Map Symbol	Map Unit Name	HEL Class
HuD	Holston-Urban land complex, 0 to 15 percent slopes	PHEL
JtD	Junaluska-Tsali complex, 10 to 15 percent slopes	HEL
JtE	Junaluska-Tsali complex, 15 to 30 percent slopes	HEL
JtF	Junaluska-Tsali complex, 30 to 45 percent slopes	HEL
LdB2	Lloyd-Agricola-Musella complex, 2 to 6 percent slopes, moderately eroded	PHEL
LdC2	Lloyd-Agricola-Musella complex, 6 to 10 percent slopes, moderately eroded	HEL
LdD2	Lloyd-Agricola-Musella complex, 10 to 15 percent slopes, moderately eroded	HEL
MdC	Maymead-Lonon complex, 6 to 10 percent slopes, stony	HEL
MdD	Maymead-Lonon complex, 10 to 15 percent slopes, stony	HEL
MdE	Maymead-Lonon complex, 15 to 30 percent slopes, stony	HEL
MsB	Minvale-Shack complex, 2 to 6 percent slopes	PHEL
MsC	Minvale-Shack complex, 6 to 10 percent slopes	HEL
MsD	Minvale-Shack complex, 10 to 15 percent slopes	HEL
MsE	Minvale-Shack complex, 15 to 30 percent slopes	HEL
MW	Miscellaneous water	-----
MvC	Montevallo channery silt loam, 6 to 10 percent slopes	HEL
MvD	Montevallo channery silt loam, 10 to 15 percent slopes	HEL
MvE	Montevallo channery silt loam, 15 to 30 percent slopes	HEL
MvF	Montevallo channery silt loam, 30 to 45 percent slopes	HEL
MxE	Montevallo-Townley-Urban land complex, 15 to 30 percent slopes	HEL
NeC	Nella gravelly fine sandy loam, 6 to 10 percent slopes	PHEL
NeD	Nella gravelly fine sandy loam, 10 to 15 percent slopes	HEL
NeE	Nella gravelly fine sandy loam, 15 to 30 percent slopes	HEL
NeF	Nella gravelly fine sandy loam, 30 to 45 percent slopes	HEL
NuD	Nella-Urban land complex, 6 to 15 percent slopes	PHEL
NuE	Nella-Urban land complex, 15 to 30 percent slopes	HEL
PaB2	Pacolet sandy loam, 2 to 6 percent slopes, moderately eroded	PHEL
PaC2	Pacolet sandy loam, 6 to 10 percent slopes, moderately eroded	HEL
PaD2	Pacolet sandy loam, 10 to 15 percent slopes, moderately eroded	HEL
PcC	Pailo-Minvale complex, 6 to 10 percent slopes, stony	HEL
PcD	Pailo-Minvale complex, 10 to 15 percent slopes, stony	HEL
PcE	Pailo-Minvale complex, 15 to 30 percent slopes, stony	HEL
PcF	Pailo-Minvale complex, 30 to 45 percent slopes, stony	HEL
PeA	Pettyjon loam, 0 to 2 percent slopes, occasionally flooded	NHEL
Pg	Pits, quarries	-----
Pn	Pits-Udorthents complex, 0 to 45 percent slopes	*
PoF	Poindexter-Wilkes complex, 25 to 60 percent slopes, stony	HEL
PrE	Poindexter-Wilkes-Rowan complex, 15 to 25 percent slopes, stony	HEL
PwC	Poindexter-Wilkes-Wynott complex, 6 to 10 percent slopes, stony	HEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

HIGHLY ERODIBLE LAND
 Bartow County, Georgia

Map Symbol	Map Unit Name	HEL Class
PwD	Poindexter-Wilkes-Wynott complex, 10 to 15 percent slopes, stony	HEL
RnC	Rion sandy loam, 6 to 10 percent slopes	HEL
RnD	Rion sandy loam, 10 to 15 percent slopes	HEL
RnE	Rion sandy loam, 15 to 25 percent slopes	HEL
ShA	Shady loam, 0 to 2 percent slopes, occasionally flooded	NHEL
ShB	Shady loam, 2 to 6 percent slopes	PHEL
SpD	Sipseys-Sunlight complex, 10 to 15 percent slopes	HEL
SpE	Sipseys-Sunlight complex, 15 to 30 percent slopes	HEL
SpF	Sipseys-Sunlight complex, 30 to 45 percent slopes	HEL
StA	Steadman silt loam, 0 to 2 percent slopes, occasionally flooded	NHEL
SuA	Steadman-Urban land complex, 0 to 2 percent slopes, occasionally flooded	NHEL
SwA	Subligna extremely gravelly sandy loam, 1 to 6 percent slopes, occasionally flooded	PHEL
SxA	Suches loam, 0 to 2 percent slopes, occasionally flooded	NHEL
TaF	Tallapoosa-Fruithurst complex, 25 to 60 percent slopes	HEL
TaG	Tallapoosa-Rock outcrop complex, 45 to 70 percent slopes	HEL
TdB	Tidings-Sipseys complex, 2 to 6 percent slopes	PHEL
TdC	Tidings-Sipseys complex, 6 to 10 percent slopes	HEL
TdD	Tidings-Sipseys complex, 10 to 15 percent slopes	HEL
TdE	Tidings-Sipseys complex, 15 to 30 percent slopes	HEL
TdF	Tidings-Sipseys complex, 30 to 45 percent slopes	HEL
ToA	Toccoa sandy loam, 0 to 3 percent slopes, occasionally flooded	NHEL
TrB	Townley channery silt loam, 2 to 6 percent slopes	HEL
TrC	Townley channery silt loam, 6 to 10 percent slopes	HEL
TvD	Townley-Montevallo complex, 10 to 15 percent slopes	HEL
TvE	Townley-Montevallo complex, 15 to 30 percent slopes	HEL
TvF	Townley-Montevallo complex, 30 to 45 percent slopes	HEL
TxD	Townley-Urban land-Montevallo complex, 0 to 15 percent slopes	PHEL
Ud	Udorthents, 0 to 45 percent slopes	*
UuC	Urban land-Udorthents complex, 0 to 10 percent slopes	-----
W	Water	-----
WaA	Wax silt loam, 0 to 2 percent slopes, occasionally flooded	PHEL
WaB	Wax silt loam, 2 to 6 percent slopes, rarely flooded	HEL
WbB2	Waynesboro clay loam, 2 to 6 percent slopes, moderately eroded	PHEL
WbC2	Waynesboro clay loam, 6 to 10 percent slopes, moderately eroded	HEL
WbD2	Waynesboro clay loam, 10 to 15 percent slopes, moderately eroded	HEL
WbE2	Waynesboro clay loam, 15 to 30 percent slopes, moderately eroded	HEL
WnD	Waynesboro-Urban land complex, 0 to 15 percent slopes	PHEL
WnE	Waynesboro-Urban land complex, 15 to 30 percent slopes	HEL
WrA	Wehadkee silt loam, 0 to 2 percent slopes, occasionally flooded	NHEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

HIGHLY ERODIBLE LAND
Bartow County, Georgia

Map Symbol	Map Unit Name	HEL Class
WtB	Whitwell silt loam, 1 to 5 percent slopes, rarely flooded	PHEL
WyB	Wickham sandy loam, 2 to 6 percent slopes	PHEL
WyC	Wickham sandy loam, 6 to 10 percent slopes	HEL

* Properties of this mapunit are highly variable. Site evaluation is needed to determine HEL Class.

HEL Highly Erodible Land
PHEL Potentially Highly Erodible Land
NHEL Not Highly Erodible Land

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
 HIGHLY ERODIBLE LAND
 Bartow County, Georgia

R Factor = 300

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
AaE2	Agricola-Lloyd-Musella complex, 15 to 25 percent slopes, moderately eroded	Agricola	40	15-25	2	.28	1.99	4.56	0.19	HEL
		Lloyd	30	15-25	5	.28	1.99	4.56	0.48	HEL
		Musella	30	15-25	1	.28	1.99	4.56	0.10	HEL
AbB	Allen loam, 2 to 6 percent slopes	Allen	85	2-6	5	.28	0.23	0.67	0.48	PHEL
AbC	Allen loam, 6 to 10 percent slopes	Allen	85	6-10	5	.28	0.67	1.23	0.48	HEL
AbD	Allen loam, 10 to 15 percent slopes	Allen	85	10-15	5	.28	1.23	1.99	0.48	HEL
AbE	Allen loam, 15 to 30 percent slopes	Allen	85	15-30	5	.28	1.99	6.16	0.48	HEL
AcD	Allen-Urban land complex, 0 to 15 percent slopes	Allen	50	0-15	5	.28	0.11	1.99	0.48	PHEL
		Urban Land	35	-----	-	----	-----	-----	-----	-----
AdA	Altavista sandy loam, 0 to 2 percent slopes, rarely flooded	Altavista	95	0-2	5	.17	0.11	0.23	0.78	NHEL
AdB	Altavista sandy loam, 2 to 6 percent slopes	Altavista	100	2-6	5	.17	0.23	0.67	0.78	NHEL
AnB	Anniston sandy loam, 2 to 6 percent slopes	Anniston	100	2-6	5	.28	0.23	0.67	0.48	PHEL
AnC	Anniston sandy loam, 6 to 10 percent slopes	Anniston	100	6-10	5	.28	0.67	1.23	0.48	HEL
AnD	Anniston sandy loam, 10 to 15 percent slopes	Anniston	100	10-15	5	.28	1.23	1.99	0.48	HEL
AnE	Anniston sandy loam, 15 to 30 percent slopes	Anniston	100	15-30	5	.28	1.99	6.16	0.48	HEL
AoD	Anniston-Urban land complex, 0 to 15 percent slopes	Anniston	65	0-15	5	.28	0.11	1.99	0.48	PHEL
		Urban Land	35	0-15	-	----	-----	-----	-----	-----
ApB	Appling sandy loam, 2 to 6 percent slopes	Appling	100	2-6	4	.24	0.23	0.67	0.44	PHEL
ApC	Appling sandy loam, 6 to 10 percent slopes	Appling	100	6-10	4	.24	0.67	1.23	0.44	HEL
ArB	Aragon sandy loam, 2 to 6 percent slopes	Aragon	100	2-6	3	.32	0.23	0.67	0.25	PHEL
ArC	Aragon sandy loam, 6 to 10 percent slopes	Aragon	100	6-10	3	.32	0.67	1.23	0.25	HEL
ArD	Aragon sandy loam, 10 to 15 percent slopes	Aragon	100	10-15	3	.32	1.23	1.99	0.25	HEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
 HIGHLY ERODIBLE LAND
 Bartow County, Georgia

R Factor = 300

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
ArE	Aragon sandy loam, 15 to 30 percent slopes	Aragon	100	15-30	3	.32	1.99	6.16	0.25	HEL
AsD	Aragon-Urban land complex, 0 to 15 percent slopes	Aragon	65	0-15	3	.32	0.11	1.99	0.25	PHEL
		Urban Land	35	0-15	-	----	-----	-----	-----	-----
AuA	Arkaqua loam, 0 to 2 percent slopes, occasionally flooded	Arkaqua	95	0-2	4	.24	0.11	0.23	0.44	NHEL
BdA	Bloomingtondale silt loam, 0 to 2 percent slopes, occasionally flooded	Bloomingtondale	100	0-2	4	.37	0.11	0.23	0.29	NHEL
BnA	Bloomingtondale-Urban land complex, 0 to 2 percent slopes, occasionally flooded	Bloomingtondale	65	0-2	4	.37	0.11	0.23	0.29	NHEL
		Urban Land	35	0-2	-	----	-----	-----	-----	-----
BrB	Braswell sandy loam, 2 to 6 percent slopes	Braswell	100	2-6	3	.24	0.23	0.67	0.33	PHEL
CaA	Capshaw silty clay loam, 0 to 2 percent slopes	Capshaw	95	0-2	4	.32	0.11	0.23	0.33	NHEL
CaB	Capshaw silty clay loam, 2 to 6 percent slopes	Capshaw	95	2-6	4	.32	0.23	0.67	0.33	PHEL
CbB	Capshaw-Urban land complex, 0 to 6 percent slopes	Capshaw	60	0-6	4	.32	0.11	0.67	0.33	PHEL
		Urban Land	35	0-6	-	----	-----	-----	-----	-----
CcA	Cartecay sandy loam, 0 to 3 percent slopes, occasionally flooded	Cartecay	90	0-3	5	.24	0.11	0.3	0.56	NHEL
CeG	Cataska channery loam, 45 to 70 percent slopes, very rocky	Cataska	85	45-70	1	.2	11.81	22.66	0.13	HEL
CfA	Cedarbluff loam, 0 to 2 percent slopes, occasionally flooded	Cedarbluff	95	0-2	5	.28	0.11	0.23	0.48	NHEL
CgA	Craigsville gravelly sandy loam, 0 to 5 percent slopes, occasionally flooded	Craigsville	95	0-5	2	.17	0.11	0.59	0.31	PHEL
CnB	Cunningham silt loam, 2 to 6 percent slopes	Cunningham	95	2-6	3	.32	0.23	0.67	0.25	PHEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
 HIGHLY ERODIBLE LAND
 Bartow County, Georgia

R Factor = 300

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
CnC	Cunningham silt loam, 6 to 10 percent slopes	Cunningham	88	6-10	3	.32	0.67	1.23	0.25	HEL
CnD	Cunningham silt loam, 10 to 15 percent slopes	Cunningham	88	10-15	3	.32	1.23	1.99	0.25	HEL
CnE	Cunningham silt loam, 15 to 30 percent slopes	Cunningham	88	15-30	3	.32	1.99	6.16	0.25	HEL
CuB2	Cunningham silty clay loam, 2 to 6 percent slopes, moderately eroded	Cunningham	95	2-6	3	.28	0.23	0.67	0.29	PHEL
CuC2	Cunningham silty clay loam, 6 to 10 percent slopes, moderately eroded	Cunningham	88	6-10	3	.28	0.67	1.23	0.29	HEL
CuD2	Cunningham silty clay loam, 10 to 15 percent slopes, moderately eroded	Cunningham	88	10-15	3	.28	1.23	1.99	0.29	HEL
CxD	Cunningham-Urban land complex, 0 to 15 percent slopes	Cunningham	60	0-15	3	.32	0.11	1.99	0.25	PHEL
		Urban Land	35	0-15	-	----	-----	-----	-----	-----
DaB	Decatur loam, 2 to 6 percent slopes	Decatur	90	2-6	5	.32	0.23	0.67	0.42	PHEL
DaC	Decatur loam, 6 to 10 percent slopes	Decatur	88	6-10	5	.32	0.67	1.23	0.42	HEL
DaD	Decatur loam, 10 to 15 percent slopes	Decatur	95	10-15	5	.32	1.23	1.99	0.42	HEL
DaE	Decatur loam, 15 to 25 percent slopes	Decatur	100	15-25	5	.32	1.99	4.56	0.42	HEL
DAM	Dam	Dam	100	0-100	-	----	-----	-----	-----	-----
DbD	Decatur-Urban land complex, 0 to 15 percent slopes	Decatur	60	0-15	5	.32	0.11	1.99	0.42	PHEL
		Urban Land	35	0-15	-	----	-----	-----	-----	-----
DbE	Decatur-Urban land complex, 15 to 30 percent slopes	Decatur	65	15-30	5	.32	1.99	6.16	0.42	HEL
		Urban Land	35	15-30	-	----	-----	-----	-----	-----
DdB	Dillard loam, 2 to 6 percent slopes, rarely flooded	Dillard	85	2-6	4	.32	0.23	0.67	0.33	PHEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
 HIGHLY ERODIBLE LAND
 Bartow County, Georgia

R Factor = 300

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
DmC	Ditney-Maymead complex, 6 to 10 percent slopes, stony	Ditney	50	6-10	2	.17	0.67	1.23	0.31	HEL
		Maymead	30	6-10	4	.17	0.67	1.23	0.63	HEL
DmD	Ditney-Maymead complex, 10 to 15 percent slopes, stony	Ditney	60	10-15	2	.17	1.23	1.99	0.31	HEL
		Maymead	20	10-15	4	.17	1.23	1.99	0.63	HEL
DmE	Ditney-Maymead complex, 15 to 30 percent slopes, stony	Ditney	51	15-30	2	.17	1.99	6.16	0.31	HEL
		Maymead	39	15-30	4	.17	1.99	6.16	0.63	HEL
DmF	Ditney-Maymead complex, 30 to 45 percent slopes, stony	Ditney	38	30-45	2	.17	6.16	11.81	0.31	HEL
		Maymead	38	30-45	4	.17	6.16	11.81	0.63	HEL
DrD	Ditney-Unicoi-Rock outcrop complex, 10 to 15 percent slopes, very stony	Ditney	40	10-15	2	.17	1.23	1.99	0.31	HEL
		Unicoi	35	10-15	1	.1	1.23	1.99	0.27	HEL
		Rock outcrop	20	10-15	-	----	-----	-----	-----	-----
DrE	Ditney-Unicoi-Rock outcrop complex, 15 to 30 percent slopes, very stony	Ditney	40	15-30	2	.17	1.99	6.16	0.31	HEL
		Unicoi	35	15-30	1	.1	1.99	6.16	0.27	HEL
		Rock outcrop	20	15-30	-	----	-----	-----	-----	-----
DrF	Ditney-Unicoi-Rock outcrop complex, 30 to 45 percent slopes, very stony	Ditney	35	30-45	2	.17	6.16	11.81	0.31	HEL
		Unicoi	35	30-45	1	.1	6.16	11.81	0.27	HEL
		Rock outcrop	20	30-45	-	----	-----	-----	-----	-----
DrG	Ditney-Unicoi-Rock outcrop complex, 45 to 70 percent slopes, very stony	Ditney	35	45-70	2	.17	11.81	22.66	0.31	HEL
		Unicoi	35	45-70	1	.1	11.81	22.66	0.27	HEL
		Rock outcrop	20	45-70	-	----	-----	-----	-----	-----
EtA	Etowah loam, 0 to 2 percent slopes	Etowah	95	0-2	5	.37	0.11	0.23	0.36	NHEL
EtB	Etowah loam, 2 to 6 percent slopes	Etowah	95	2-6	5	.37	0.23	0.67	0.36	PHEL
EtC	Etowah loam, 6 to 10 percent slopes	Etowah	100	6-10	5	.37	0.67	1.23	0.36	HEL
EuD	Etowah-Urban land complex, 0 to 15 percent slopes	Etowah	60	0-15	5	.37	0.11	1.99	0.36	PHEL
		Urban Land	35	0-15	-	----	-----	-----	-----	-----
EvE	Evard-Cowee complex, 15 to 30 percent slopes, stony	Evard	75	15-30	5	.28	1.99	6.16	0.48	HEL
		Cowee	25	15-30	2	.28	1.99	6.16	0.19	HEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
 HIGHLY ERODIBLE LAND
 Bartow County, Georgia

R Factor = 300

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
ExF	Evard-Saluda complex, 30 to 70 percent slopes, stony	Evard	50	30-70	5	.28	6.16	22.66	0.48	HEL
		Saluda	50	30-70	2	.2	6.16	22.66	0.27	HEL
FhA	French loam, 0 to 3 percent slopes, occasionally flooded	French	80	0-3	5	.28	0.11	0.3	0.48	NHEL
FrD	Fruithurst-Braswell complex, 6 to 15 percent slopes	Fruithurst	46	6-15	4	.24	0.67	1.99	0.44	HEL
		Braswell	42	6-15	3	.24	0.67	1.99	0.33	HEL
FrE	Fruithurst-Braswell complex, 15 to 25 percent slopes	Fruithurst	55	15-25	4	.24	1.99	4.56	0.44	HEL
		Braswell	40	15-25	3	.24	1.99	4.56	0.33	HEL
FtE	Fruithurst-Tallapoosa complex, 15 to 25 percent slopes	Fruithurst	56	15-25	4	.24	1.99	4.56	0.44	HEL
		Tallapoosa	37	15-25	1	.2	1.99	4.56	0.13	HEL
FuB	Fullerton gravelly silt loam, 2 to 6 percent slopes	Fullerton	82	2-6	5	.28	0.23	0.67	0.48	PHEL
FuC	Fullerton gravelly silt loam, 6 to 10 percent slopes	Fullerton	85	6-10	5	.28	0.67	1.23	0.48	HEL
FuD	Fullerton gravelly silt loam, 10 to 15 percent slopes	Fullerton	87	10-15	5	.28	1.23	1.99	0.48	HEL
FuE	Fullerton gravelly silt loam, 15 to 30 percent slopes	Fullerton	87	15-30	5	.28	1.99	6.16	0.48	HEL
FuF	Fullerton gravelly silt loam, 30 to 45 percent slopes	Fullerton	90	30-45	5	.28	6.16	11.81	0.48	HEL
FxD	Fullerton-Urban land complex, 0 to 15 percent slopes	Fullerton	55	0-15	5	.28	0.11	1.99	0.48	PHEL
		Urban Land	35	0-15	-	----	-----	-----	-----	-----
GuA	Guthrie silt loam, ponded, 0 to 2 percent slopes	Guthrie	100	0-2	3	.43	0.11	0.23	0.19	PHEL
HcB	Hayesville-Cowee complex, 2 to 6 percent slopes, stony	Hayesville	65	2-6	5	.2	0.23	0.67	0.67	PHEL
		Cowee	20	2-6	2	.28	0.23	0.67	0.19	HEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
 HIGHLY ERODIBLE LAND
 Bartow County, Georgia

R Factor = 300

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
HcC	Hayesville-Cowee complex, 6 to 10 percent slopes, stony	Hayesville	65	6-10	5	.2	0.67	1.23	0.67	HEL
		Cowee	20	6-10	2	.28	0.67	1.23	0.19	HEL
HcD	Hayesville-Cowee complex, 10 to 15 percent slopes, stony	Hayesville	58	10-15	5	.2	1.23	1.99	0.67	HEL
		Cowee	37	10-15	2	.28	1.23	1.99	0.19	HEL
HsB	Holston fine sandy loam, 2 to 6 percent slopes	Holston	85	2-6	5	.28	0.23	0.67	0.48	PHEL
HsC	Holston fine sandy loam, 6 to 10 percent slopes	Holston	85	6-10	5	.28	0.67	1.23	0.48	HEL
HsD	Holston fine sandy loam, 10 to 15 percent slopes	Holston	85	10-15	5	.28	1.23	1.99	0.48	HEL
HuD	Holston-Urban land complex, 0 to 15 percent slopes	Holston	50	0-15	5	.28	0.11	1.99	0.48	PHEL
		Urban Land	35	0-15	-	----	-----	-----	-----	-----
JtD	Junaluska-Tsali complex, 10 to 15 percent slopes	Junaluska	60	10-15	2	.28	1.23	1.99	0.19	HEL
		Tsali	25	10-15	1	.15	1.23	1.99	0.18	HEL
JtE	Junaluska-Tsali complex, 15 to 30 percent slopes	Junaluska	50	15-30	2	.28	1.99	6.16	0.19	HEL
		Tsali	35	15-30	1	.15	1.99	6.16	0.18	HEL
JtF	Junaluska-Tsali complex, 30 to 45 percent slopes	Junaluska	50	30-45	2	.28	6.16	11.81	0.19	HEL
		Tsali	35	30-45	1	.15	6.16	11.81	0.18	HEL
LdB2	Lloyd-Agricola-Musella complex, 2 to 6 percent slopes, moderately eroded	Lloyd	55	2-6	5	.28	0.23	0.67	0.48	PHEL
		Agricola	25	2-6	2	.28	0.23	0.67	0.19	HEL
		Musella	20	2-6	1	.28	0.23	0.67	0.10	HEL
LdC2	Lloyd-Agricola-Musella complex, 6 to 10 percent slopes, moderately eroded	Lloyd	50	6-10	5	.28	0.67	1.23	0.48	HEL
		Agricola	25	6-10	2	.28	0.67	1.23	0.19	HEL
		Musella	25	6-10	1	.28	0.67	1.23	0.10	HEL
LdD2	Lloyd-Agricola-Musella complex, 10 to 15 percent slopes, moderately eroded	Lloyd	55	10-15	5	.28	1.23	1.99	0.48	HEL
		Agricola	25	10-15	2	.28	1.23	1.99	0.19	HEL
		Musella	20	10-15	1	.28	1.23	1.99	0.10	HEL
MdC	Maymead-Lonon complex, 6 to 10 percent slopes, stony	Maymead	75	6-10	4	.17	0.67	1.23	0.63	HEL
		Lonon	20	6-10	4	.17	0.67	1.23	0.63	HEL
MdD	Maymead-Lonon complex, 10 to 15 percent slopes, stony	Maymead	75	10-15	4	.17	1.23	1.99	0.63	HEL
		Lonon	20	10-15	4	.17	1.23	1.99	0.63	HEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
 HIGHLY ERODIBLE LAND
 Bartow County, Georgia

R Factor = 300

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
MdE	Maymead-Lonon complex, 15 to 30 percent slopes, stony	Maymead	60	15-30	4	.17	1.99	6.16	0.63	HEL
		Lonon	34	15-30	4	.17	1.99	6.16	0.63	HEL
MsB	Minvale-Shack complex, 2 to 6 percent slopes	Minvale	63	2-6	5	.28	0.23	0.67	0.48	PHEL
		Shack	37	2-6	3	.28	0.23	0.67	0.29	PHEL
MsC	Minvale-Shack complex, 6 to 10 percent slopes	Minvale	64	6-10	5	.28	0.67	1.23	0.48	HEL
		Shack	36	6-10	3	.28	0.67	1.23	0.29	HEL
MsD	Minvale-Shack complex, 10 to 15 percent slopes	Minvale	57	10-15	5	.28	1.23	1.99	0.48	HEL
		Shack	33	10-15	3	.28	1.23	1.99	0.29	HEL
MsE	Minvale-Shack complex, 15 to 30 percent slopes	Minvale	43	15-30	5	.28	1.99	6.16	0.48	HEL
		Shack	42	15-30	3	.28	1.99	6.16	0.29	HEL
MvC	Montevallo channery silt loam, 6 to 10 percent slopes	Montevallo	85	6-10	1	.28	0.67	1.23	0.10	HEL
MvD	Montevallo channery silt loam, 10 to 15 percent slopes	Montevallo	85	10-15	1	.28	1.23	1.99	0.10	HEL
MvE	Montevallo channery silt loam, 15 to 30 percent slopes	Montevallo	85	15-30	1	.28	1.99	6.16	0.10	HEL
MvF	Montevallo channery silt loam, 30 to 45 percent slopes	Montevallo	85	30-45	1	.28	6.16	11.81	0.10	HEL
MW	Miscellaneous Water	Water	100	-----	-	----	-----	-----	-----	-----
MxE	Montevallo-Townley-Urban land complex, 15 to 30 percent slopes	Montevallo	38	15-30	1	.28	1.99	6.16	0.10	HEL
		Townley	32	15-30	2	.28	1.99	6.16	0.19	HEL
		Urban Land	30	15-30	-	----	-----	-----	-----	-----
NeC	Nella gravelly fine sandy loam, 6 to 10 percent slopes	Nella	85	6-10	5	.15	0.67	1.23	0.89	PHEL
NeD	Nella gravelly fine sandy loam, 10 to 15 percent slopes	Nella	85	10-15	5	.15	1.23	1.99	0.89	HEL
NeE	Nella gravelly fine sandy loam, 15 to 30 percent slopes	Nella	85	15-30	5	.15	1.99	6.16	0.89	HEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
 HIGHLY ERODIBLE LAND
 Bartow County, Georgia

R Factor = 300

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
NeF	Nella gravelly fine sandy loam, 30 to 45 percent slopes	Nella	85	30-45	5	.15	6.16	11.81	0.89	HEL
NuD	Nella-Urban land complex, 6 to 15 percent slopes	Nella	50	6-15	5	.15	0.67	1.99	0.89	PHEL
		Urban Land	35	6-15	-	----	-----	-----	-----	-----
NuE	Nella-Urban land complex, 15 to 30 percent slopes	Nella	50	15-30	5	.15	1.99	6.16	0.89	HEL
		Urban Land	35	15-30	-	----	-----	-----	-----	-----
PaB2	Pacolet sandy loam, 2 to 6 percent slopes, moderately eroded	Pacolet	100	2-6	3	.2	0.23	0.67	0.40	PHEL
PaC2	Pacolet sandy loam, 6 to 10 percent slopes, moderately eroded	Pacolet	100	6-10	3	.2	0.67	1.23	0.40	HEL
PaD2	Pacolet sandy loam, 10 to 15 percent slopes, moderately eroded	Pacolet	96	10-15	3	.2	1.23	1.99	0.40	HEL
PcC	Pailo-Minvale complex, 6 to 10 percent slopes, stony	Pailo	50	6-10	5	.28	0.67	1.23	0.48	HEL
		Minvale	35	6-10	5	.28	0.67	1.23	0.48	HEL
PcD	Pailo-Minvale complex, 10 to 15 percent slopes, stony	Pailo	50	10-15	5	.28	1.23	1.99	0.48	HEL
		Minvale	35	10-15	5	.28	1.23	1.99	0.48	HEL
PcE	Pailo-Minvale complex, 15 to 30 percent slopes, stony	Pailo	50	15-30	5	.28	1.99	6.16	0.48	HEL
		Minvale	35	15-30	5	.28	1.99	6.16	0.48	HEL
PcF	Pailo-Minvale complex, 30 to 45 percent slopes, stony	Pailo	75	30-45	5	.28	6.16	11.81	0.48	HEL
		Minvale	25	30-45	5	.28	6.16	11.81	0.48	HEL
PeA	Pettyjon loam, 0 to 2 percent slopes, occasionally flooded	Pettyjon	85	0-2	5	.32	0.11	0.23	0.42	NHEL
Pg	Pits, quarries	Pits	100	-----	-	----	-----	-----	-----	-----
Pn	Pits-Udorthents complex, 0 to 45 percent slopes	Pits	50	-----	-	----	-----	-----	-----	-----
		Udorthents	50	0-45	-	----	-----	-----	-----	-----
PoF	Poindexter-Wilkes complex, 25 to 60 percent slopes, stony	Poindexter	55	25-60	2	.17	4.56	17.93	0.31	HEL
		Wilkes	30	25-60	2	.24	4.56	17.93	0.22	HEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
 HIGHLY ERODIBLE LAND
 Bartow County, Georgia

R Factor = 300

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
PrE	Poindexter-Wilkes-Rowan complex, 15 to 25 percent slopes, stony	Poindexter	50	15-25	2	.17	1.99	4.56	0.31	HEL
		Wilkes	25	15-25	2	.24	1.99	4.56	0.22	HEL
		Rowan	20	15-25	4	.17	1.99	4.56	0.63	HEL
PwC	Poindexter-Wilkes-Wynott complex, 6 to 10 percent slopes, stony	Poindexter	40	6-10	2	.17	0.67	1.23	0.31	HEL
		Wilkes	25	6-10	2	.24	0.67	1.23	0.22	HEL
		Wynott	25	6-10	2	.24	0.67	1.23	0.22	HEL
PwD	Poindexter-Wilkes-Wynott complex, 10 to 15 percent slopes, stony	Poindexter	60	10-15	2	.17	1.23	1.99	0.31	HEL
		Wilkes	15	10-15	2	.24	1.23	1.99	0.22	HEL
		Wynott	15	10-15	2	.24	1.23	1.99	0.22	HEL
RnC	Rion sandy loam, 6 to 10 percent slopes	Rion	100	6-10	3	.24	0.67	1.23	0.33	HEL
RnD	Rion sandy loam, 10 to 15 percent slopes	Rion	100	10-15	3	.24	1.23	1.99	0.33	HEL
RnE	Rion sandy loam, 15 to 25 percent slopes	Rion	100	15-25	3	.24	1.99	4.56	0.33	HEL
ShA	Shady loam, 0 to 2 percent slopes, occasionally flooded	Shady	85	0-2	4	.28	0.11	0.23	0.38	NHEL
ShB	Shady loam, 2 to 6 percent slopes	Shady	85	2-6	4	.28	0.23	0.67	0.38	PHEL
SpD	Sipsey-Sunlight complex, 10 to 15 percent slopes	Sipsey	43	10-15	3	.28	1.23	1.99	0.29	HEL
		Sunlight	42	10-15	1	.24	1.23	1.99	0.11	HEL
SpE	Sipsey-Sunlight complex, 15 to 30 percent slopes	Sipsey	43	15-30	3	.28	1.99	6.16	0.29	HEL
		Sunlight	42	15-30	1	.24	1.99	6.16	0.11	HEL
SpF	Sipsey-Sunlight complex, 30 to 45 percent slopes	Sipsey	43	30-45	3	.28	6.16	11.81	0.29	HEL
		Sunlight	42	30-45	1	.24	6.16	11.81	0.11	HEL
StA	Steadman silt loam, 0 to 2 percent slopes, occasionally flooded	Steadman	85	0-2	5	.32	0.11	0.23	0.42	NHEL
SuA	Steadman-Urban land complex, 0 to 2 percent slopes, occasionally flooded	Steadman	50	0-2	5	.32	0.11	0.23	0.42	NHEL
		Urban Land	35	0-2	-	----	-----	-----	-----	-----
SwA	Subligna extremely gravelly sandy loam, 1 to 6 percent slopes, occasionally flooded	Subligna	100	1-6	2	.2	0.15	0.67	0.27	PHEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
 HIGHLY ERODIBLE LAND
 Bartow County, Georgia

R Factor = 300

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
SxA	Suches loam, 0 to 2 percent slopes, occasionally flooded	Suches	95	0-2	5	.24	0.11	0.23	0.56	NHEL
TaF	Tallapoosa-Fruithurst complex, 25 to 60 percent slopes	Tallapoosa	50	25-60	1	.2	4.56	17.93	0.13	HEL
		Fruithurst	43	25-60	4	.24	4.56	17.93	0.44	HEL
TaG	Tallapoosa-Rock outcrop complex, 45 to 70 percent slopes	Tallapoosa	65	45-70	1	.2	11.81	22.66	0.13	HEL
		Rock outcrop	20	45-70	-	----	-----	-----	-----	-----
TdB	Tidings-Sipsey complex, 2 to 6 percent slopes	Tidings	65	2-6	3	.28	0.23	0.67	0.29	PHEL
		Sipsey	20	2-6	3	.28	0.23	0.67	0.29	PHEL
TdC	Tidings-Sipsey complex, 6 to 10 percent slopes	Tidings	65	6-10	3	.28	0.67	1.23	0.29	HEL
		Sipsey	20	6-10	3	.28	0.67	1.23	0.29	HEL
TdD	Tidings-Sipsey complex, 10 to 15 percent slopes	Tidings	65	10-15	3	.28	1.23	1.99	0.29	HEL
		Sipsey	20	10-15	3	.28	1.23	1.99	0.29	HEL
TdE	Tidings-Sipsey complex, 15 to 30 percent slopes	Tidings	65	15-30	3	.28	1.99	6.16	0.29	HEL
		Sipsey	20	15-30	3	.28	1.99	6.16	0.29	HEL
TdF	Tidings-Sipsey complex, 30 to 45 percent slopes	Tidings	65	30-45	3	.28	6.16	11.81	0.29	HEL
		Sipsey	20	30-45	3	.28	6.16	11.81	0.29	HEL
ToA	Toccoa sandy loam, 0 to 3 percent slopes, occasionally flooded	Toccoa	85	0-3	5	.1	0.11	0.3	1.33	NHEL
TrB	Townley channery silt loam, 2 to 6 percent slopes	Townley	85	2-6	2	.28	0.23	0.67	0.19	HEL
TrC	Townley channery silt loam, 6 to 10 percent slopes	Townley	85	6-10	2	.28	0.67	1.23	0.19	HEL
TvD	Townley-Montevallo complex, 10 to 15 percent slopes	Townley	60	10-15	2	.28	1.23	1.99	0.19	HEL
		Montevallo	25	10-15	1	.28	1.23	1.99	0.10	HEL
TvE	Townley-Montevallo complex, 15 to 30 percent slopes	Townley	50	15-30	2	.28	1.99	6.16	0.19	HEL
		Montevallo	35	15-30	1	.28	1.99	6.16	0.10	HEL
TvF	Townley-Montevallo complex, 30 to 45 percent slopes	Townley	55	30-45	2	.28	6.16	11.81	0.19	HEL
		Montevallo	45	30-45	1	.28	6.16	11.81	0.10	HEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
 HIGHLY ERODIBLE LAND
 Bartow County, Georgia

R Factor = 300

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
TxD	Townley-Urban land-Montevallo complex, 0 to 15 percent slopes	Townley	40	0-15	2	.28	0.11	1.99	0.19	PHEL
		Montevallo	25	0-15	1	.28	0.11	1.99	0.10	HEL
		Urban Land	35	0-15	-	----	-----	-----	-----	-----
Ud	Udorthents, 0 to 45 percent slopes	Udorthents	100	0-45	-	----	-----	-----	-----	-----
W	Water	Water	100	-----	-	----	-----	-----	-----	-----
WaA	Wax silt loam, 0 to 2 percent slopes, occasionally flooded	Wax	85	0-2	2	.37	0.11	0.23	0.14	PHEL
WaB	Wax silt loam, 2 to 6 percent slopes, rarely flooded	Wax	85	2-6	2	.37	0.23	0.67	0.14	HEL
WbB2	Waynesboro clay loam, 2 to 6 percent slopes, moderately eroded	Waynesboro	90	2-6	5	.28	0.23	0.67	0.48	PHEL
WbC2	Waynesboro clay loam, 6 to 10 percent slopes, moderately eroded	Waynesboro	90	6-10	5	.28	0.67	1.23	0.48	HEL
WbD2	Waynesboro clay loam, 10 to 15 percent slopes, moderately eroded	Waynesboro	85	10-15	5	.28	1.23	1.99	0.48	HEL
WbE2	Waynesboro clay loam, 15 to 30 percent slopes, moderately eroded	Waynesboro	85	15-30	5	.28	1.99	6.16	0.48	HEL
WnD	Waynesboro-Urban land complex, 0 to 15 percent slopes	Waynesboro	50	0-15	5	.28	0.11	1.99	0.48	PHEL
		Urban Land	35	0-15	-	----	-----	-----	-----	-----
WnE	Waynesboro-Urban land complex, 15 to 30 percent slopes	Waynesboro	65	15-30	5	.28	1.99	6.16	0.48	HEL
		Urban Land	35	15-30	-	----	-----	-----	-----	-----
WrA	Wehadkee silt loam, 0 to 2 percent slopes, occasionally flooded	Wehadkee	95	0-2	5	.32	0.11	0.23	0.42	NHEL
WtB	Whitwell silt loam, 1 to 5 percent slopes, rarely flooded	Whitwell	90	1-5	4	.32	0.15	0.59	0.33	PHEL
WyB	Wickham sandy loam, 2 to 6 percent slopes	Wickham	95	2-6	5	.24	0.23	0.67	0.56	PHEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
 HIGHLY ERODIBLE LAND
 Bartow County, Georgia

R Factor = 300

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
WyC	Wickham sandy loam, 6 to 10 percent slopes	Wickham	95	6-10	5	.24	0.67	1.23	0.56	HEL

HEL Highly Erodible Land
 PHEL Potentially Highly Erodible Land
 NHEL Not Highly Erodible Land

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.