

PRE-CONSTRUCTION CERTIFICATION:

THE BUILDING ENVELOPE IMPROVEMENT WILL BE CONSTRUCTED IN ACCORDANCE WITH THE FOLLOWING DRAWING AND PRACTICE CODE 672. ALL CHANGES HAVE BEEN APPROVED BY AN ENGINEER WITH JOB APPROVAL AUTHORITY LEVEL IV OR GREATER. ALL ADDITIONS HAVE BEEN APPROVED BY NRCS.

OWNER	DATE	NRCS REPRESENTATIVE	DATE	ENGINEER (IF REQUIRED)	DATE
-------	------	---------------------	------	------------------------	------

AS-BUILT CERTIFICATION:

THIS PRACTICE HAS BEEN CONSTRUCTED IN ACCORDANCE TO THESE PLANS AND MEETS NRCS STANDARDS AND SPECIFICATIONS.

NRCS REPRESENTATIVE	DATE	ENGINEER (IF REQUIRED)	DATE
---------------------	------	------------------------	------


BUILDING ENVELOPE IMPROVEMENT:

JOB CLASS: \_\_\_\_\_

\_\_\_\_\_ FT<sup>2</sup>  
TOTAL AREA OF WALL TREATED

NOTES:

1. FASTENERS TO BE COMPATIBLE WITH PRESERVATIVE.
2. WOOD TREATMENT RETENTION FOR NON-GROUND CONTACT.
3. SEAL ALL CRACKS WITH ELASTOMERIC POLYURETHANE EXPANSION JOINT SEALANT THAT MEETS OR EXCEEDS ASTM C920, TYPE S, GRADE NS, CLASS 35.
4. CLOSE CURTAIN OPENINGS ON BOTH SIDEWALLS.
5. VERIFY THE OPERATION HAS SUFFICIENT EMERGENCY POWER TO OPERATE FULL VENTILATION.



Date 2/16  
Designed BRANDON QUINN  
Drawn BRANDON QUINN  
Checked DIANE A GUTHRIE, P.E.  
Approved DIANE A GUTHRIE, P.E.

BUILDING ENVELOPE IMPROVEMENT  
CPS 672  
Curtain Walls to Batt Insulated Walls  
Location:  
Producer:



File No. Batt Insulated Walls.dwg  
Drawing No. GA-ENG-672-01  
8/26/16 8:47 AM  
Sheet 1 of 1