

HIGHLY ERODIBLE LAND
Hancock County, Georgia

Map Symbol	Map Unit Name	HEL Class
AdB	Ailey loamy sand, 0 to 6 percent slopes	NHEL
AeD	Ailey-Vaucluse-Lucy complex, 6 to 15 percent slopes	PHEL
AkB	Altavista sandy loam, 2 to 6 percent slopes, rarely flooded	NHEL
BbA	Bibb loamy sand, 0 to 2 percent slopes, frequently flooded	NHEL
BnB	Bonifay sand, 0 to 6 percent slopes	NHEL
BnD	Bonifay sand, 6 to 12 percent slopes	PHEL
BoD	Bonneau-Lucy complex, 6 to 15 percent slopes	PHEL
CaB	Cataula coarse sandy loam, 2 to 6 percent slopes, very bouldery	PHEL
CaD	Cataula coarse sandy loam, 6 to 15 percent slopes, very bouldery	HEL
CcB2	Cataula-Cecil complex, 2 to 6 percent slopes, moderately eroded	PHEL
CcD2	Cataula-Cecil complex, 6 to 15 percent slopes, moderately eroded	HEL
CdD	Cataula-Shoulderbone complex, 6 to 15 percent slopes, stony	HEL
CeB2	Cecil gravelly sandy loam, 2 to 6 percent slopes, moderately eroded	NHEL
CeC2	Cecil gravelly sandy loam, 6 to 10 percent slopes, moderately eroded	PHEL
CfE3	Cecil-Cataula complex, 10 to 25 percent slopes, severely eroded	HEL
ChA	Chewacla silt loam, 0 to 2 percent slopes, frequently flooded	NHEL
CKA	Chewacla and Congaree soils, 0 to 2 percent slopes, frequently flooded	NHEL
CnA	Congaree silt loam, 0 to 3 percent slopes, occasionally flooded	NHEL
CoB	Cowarts loamy sand, 2 to 6 percent slopes	PHEL
CoD	Cowarts loamy sand, 6 to 15 percent slopes	HEL
CrB	Crawfordville loamy sand, 2 to 6 percent slopes	PHEL
CsD	Crawfordville-Sedgefield complex, 6 to 15 percent slopes	HEL
CwE2	Crawfordville-Wilkes complex, 15 to 25 percent slopes, moderately eroded, stony	HEL
EnB	Enon sandy loam, 2 to 6 percent slopes	HEL
FaB	Fuquay loamy sand, 0 to 6 percent slopes	NHEL
FaC	Fuquay loamy sand, 6 to 10 percent slopes	PHEL
GeB	Georgeville gravelly very fine sandy loam, 2 to 6 percent slopes	PHEL
GeD2	Georgeville gravelly very fine sandy loam, 6 to 15 percent slopes, moderately eroded	HEL
GeF2	Georgeville gravelly very fine sandy loam, 15 to 30 percent slopes, moderately eroded	HEL
GgD	Georgeville loam, 2 to 15 percent slopes, stony	PHEL
GoB	Goldsboro-Noboco complex, 0 to 6 percent slopes	NHEL
HaB	Hard Labor loamy coarse sand, 2 to 6 percent slopes, bouldery	NHEL
HaD	Hard Labor loamy coarse sand, 6 to 15 percent slopes, bouldery	PHEL
HbB	Hard Labor-Appling complex, 2 to 6 percent slopes	NHEL
HbD	Hard Labor-Appling complex, 6 to 15 percent slopes	PHEL
HcB	Hard Labor-Cecil complex, 2 to 6 percent slopes	PHEL
HcC2	Hard Labor-Cecil complex, 6 to 10 percent slopes, moderately eroded	HEL
HnB	Helena loamy coarse sand, 2 to 6 percent slopes	PHEL
HoC	Helena loamy sand, 6 to 10 percent slopes	HEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

HIGHLY ERODIBLE LAND
Hancock County, Georgia

Map Symbol	Map Unit Name	HEL Class
HrB2	Herndon gravelly very fine sandy loam, 2 to 6 percent slopes, moderately eroded	PHEL
HsD2	Herndon loam, 6 to 15 percent slopes, moderately eroded	HEL
LaB	Lakeland sand, 0 to 6 percent slopes	NHEL
LaD	Lakeland sand, 6 to 15 percent slopes	PHEL
LdB2	Lloyd gravelly loam, 2 to 6 percent slopes, moderately eroded	PHEL
LdD2	Lloyd gravelly loam, 6 to 15 percent slopes, moderately eroded	HEL
LdF2	Lloyd gravelly loam, 15 to 30 percent slopes, moderately eroded	HEL
LfB3	Lloyd sandy clay loam, 2 to 6 percent slopes, severely eroded	PHEL
LuB	Lucknow sand, 0 to 6 percent slopes	NHEL
LvD	Lucknow-Fuquay complex, 6 to 15 percent slopes	PHEL
LyB	Lucy fine sand, 0 to 6 percent slopes	NHEL
MaB2	Madison sandy loam, 2 to 6 percent slopes, moderately eroded	PHEL
MaD2	Madison sandy loam, 6 to 15 percent slopes, moderately eroded	HEL
MaE2	Madison sandy loam, 15 to 25 percent slopes, moderately eroded	HEL
MdD2	Madison-Bethlehem complex, 2 to 15 percent slopes, moderately eroded	PHEL
MdE2	Madison-Bethlehem complex, 15 to 25 percent slopes, moderately eroded	HEL
MwD2	Mecklenburg-Wynott complex, 6 to 15 percent slopes, moderately eroded	HEL
M-W	Miscellaneous Water	-----
NoB	Norfolk loamy sand, 0 to 6 percent slopes	NHEL
NoC	Norfolk loamy sand, 6 to 10 percent slopes	PHEL
OcA	Ocilla loamy sand, 0 to 3 percent slopes	NHEL
OrB	Orangeburg loamy sand, 0 to 6 percent slopes	NHEL
OrD	Orangeburg loamy sand, 6 to 15 percent slopes	PHEL
PaB	Pacolet loamy sand, 2 to 6 percent slopes, bouldery	PHEL
PaD	Pacolet loamy sand, 6 to 15 percent slopes, bouldery	HEL
PcB2	Pacolet sandy loam, 2 to 6 percent slopes, moderately eroded	PHEL
PcD2	Pacolet sandy loam, 6 to 15 percent slopes, moderately eroded	HEL
PcE2	Pacolet sandy loam, 15 to 25 percent slopes, moderately eroded	HEL
PdD2	Pacolet-Cataula complex, 6 to 15 percent slopes, moderately eroded	HEL
Pm	Pits, mine	-----
Pq	Pits, quarry	-----
PrE	Prosperity-Helena complex, 15 to 25 percent slopes, stony	HEL
PsB	Prosperity-Helena-Bush River complex, 2 to 6 percent slopes	PHEL
PsD	Prosperity-Helena-Bush River complex, 6 to 15 percent slopes	HEL
Ro	Rock outcrop	-----
SeB	Sedgefield-Crawfordville complex, 2 to 6 percent slopes	PHEL
ShE2	Shoulderbone-Cataula complex, 15 to 25 percent slopes, moderately eroded	HEL
UdD	Udorthents, loamy, 2 to 15 percent slopes	*
VaD	Vaclude-Norfolk complex, 6 to 15 percent slopes	HEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

HIGHLY ERODIBLE LAND
 Hancock County, Georgia

Map Symbol	Map Unit Name	HEL Class
VoB	Vaucluse-Orangeburg complex, 2 to 6 percent slopes	PHEL
W	Water	-----
WaD	Wateree-Rion-Rock outcrop complex, 2 to 15 percent slopes	PHEL
WeA	Wehadkee loam, 0 to 2 percent slopes, frequently flooded	NHEL
WhB	Wickham sandy loam, 2 to 6 percent slopes, rarely flooded	PHEL
WkD2	Wynott-Wilkes-Enon complex, 2 to 15 percent slopes, moderately eroded	HEL
WyE	Wynott-Wilkes-Winnsboro complex, 15 to 25 percent slopes	HEL

* Properties of this mapunit are highly variable. Site evaluation is needed to determine HEL Class.

HEL Highly Erodible Land
 PHEL Potentially Highly Erodible Land
 NHEL Not Highly Erodible Land

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
HIGHLY ERODIBLE LAND
Hancock County, Georgia

R Factor = 250

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
AdB	Ailey loamy sand, 0 to 6 percent slopes	Ailey	100	0-6	4	.15	0.11	0.67	0.85	NHEL
AeD	Ailey-Vaucluse-Lucy complex, 6 to 15 percent slopes	Ailey	55	6-15	4	.15	0.67	1.99	0.85	PHEL
		Vaucluse	25	6-15	3	.15	0.67	1.99	0.64	HEL
		Lucy	20	6-15	5	.15	0.67	1.99	1.07	PHEL
AkB	Altavista sandy loam, 2 to 6 percent slopes, rarely flooded	Altavista	100	2-6	5	.17	0.23	0.67	0.94	NHEL
BbA	Bibb loamy sand, 0 to 2 percent slopes, frequently flooded	Bibb	100	0-2	5	.15	0.11	0.23	1.07	NHEL
BnB	Bonifay sand, 0 to 6 percent slopes	Bonifay	100	0-6	5	.1	0.11	0.67	1.60	NHEL
BnD	Bonifay sand, 6 to 12 percent slopes	Bonifay	100	6-12	5	.1	0.67	1.61	1.60	PHEL
BoD	Bonneau-Lucy complex, 6 to 15 percent slopes	Bonneau	60	6-12	5	.15	0.67	1.61	1.07	PHEL
		Lucy	40	6-15	5	.15	0.67	1.99	1.07	PHEL
CaB	Cataula coarse sandy loam, 2 to 6 percent slopes, very bouldery	Cataula	100	2-6	3	.28	0.23	0.67	0.34	PHEL
CaD	Cataula coarse sandy loam, 6 to 15 percent slopes, very bouldery	Cataula	100	6-15	3	.28	0.67	1.99	0.34	HEL
CcB2	Cataula-Cecil complex, 2 to 6 percent slopes, moderately eroded	Cataula	66	2-6	3	.28	0.23	0.67	0.34	PHEL
		Cecil	34	2-6	4	.28	0.23	0.67	0.46	PHEL
CcD2	Cataula-Cecil complex, 6 to 15 percent slopes, moderately eroded	Cataula	60	6-15	3	.28	0.67	1.99	0.34	HEL
		Cecil	40	6-15	4	.28	0.67	1.99	0.46	HEL
CdD	Cataula-Shoulderbone complex, 6 to 15 percent slopes, stony	Cataula	60	6-15	3	.28	0.67	1.99	0.34	HEL
		Shoulderbone	40	6-15	2	.28	0.67	1.99	0.23	HEL
CeB2	Cecil gravelly sandy loam, 2 to 6 percent slopes, moderately eroded	Cecil	100	2-6	4	.15	0.23	0.67	0.85	NHEL
CeC2	Cecil gravelly sandy loam, 6 to 10 percent slopes, moderately eroded	Cecil	100	6-10	4	.15	0.67	1.23	0.85	PHEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
HIGHLY ERODIBLE LAND
Hancock County, Georgia

R Factor = 250

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
CfE3	Cecil-Cataula complex, 10 to 25 percent slopes, severely eroded	Cecil	80	10-25	3	.28	1.23	4.56	0.34	HEL
		Cataula	20	10-25	3	.32	1.23	4.56	0.30	HEL
ChA	Chewacla silt loam, 0 to 2 percent slopes, frequently flooded	Chewacla	95	0-2	5	.28	0.11	0.23	0.57	NHEL
CKA	Chewacla and Congaree soils, 0 to 2 percent slopes, frequently flooded	Chewacla	55	0-2	5	.28	0.11	0.23	0.57	NHEL
		Congaree	40	0-2	5	.37	0.11	0.23	0.43	NHEL
CnA	Congaree silt loam, 0 to 3 percent slopes, occasionally flooded	Congaree	100	0-3	5	.37	0.11	0.3	0.43	NHEL
CoB	Cowarts loamy sand, 2 to 6 percent slopes	Cowarts	100	2-6	3	.15	0.23	0.67	0.64	PHEL
CoD	Cowarts loamy sand, 6 to 15 percent slopes	Cowarts	100	6-15	3	.15	0.67	1.99	0.64	HEL
CrB	Crawfordville loamy sand, 2 to 6 percent slopes	Crawfordville	100	2-6	2	.15	0.23	0.67	0.43	PHEL
CsD	Crawfordville-Sedgefield complex, 6 to 15 percent slopes	Crawfordville	60	6-15	2	.2	0.67	1.99	0.32	HEL
		Sedgefield	40	6-15	3	.15	0.67	1.99	0.64	HEL
CwE2	Crawfordville-Wilkes complex, 15 to 25 percent slopes, moderately eroded, stony	Crawfordville	87	15-25	2	.2	1.99	4.56	0.32	HEL
		Wilkes	13	15-25	1	.17	1.99	4.56	0.19	HEL
EnB	Enon sandy loam, 2 to 6 percent slopes	Enon	100	2-6	2	.28	0.23	0.67	0.23	HEL
FaB	Fuquay loamy sand, 0 to 6 percent slopes	Fuquay	100	0-6	5	.15	0.11	0.67	1.07	NHEL
FaC	Fuquay loamy sand, 6 to 10 percent slopes	Fuquay	100	6-10	5	.15	0.67	1.23	1.07	PHEL
GeB	Georgeville gravelly very fine sandy loam, 2 to 6 percent slopes	Georgeville	100	2-6	4	.24	0.23	0.67	0.53	PHEL
GeD2	Georgeville gravelly very fine sandy loam, 6 to 15 percent slopes, moderately eroded	Georgeville	100	6-15	4	.24	0.67	1.99	0.53	HEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
HIGHLY ERODIBLE LAND
Hancock County, Georgia

R Factor = 250

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
GeF2	Georgeville gravelly very fine sandy loam, 15 to 30 percent slopes, moderately eroded	Georgeville	100	15-30	4	.24	1.99	6.16	0.53	HEL
GgD	Georgeville loam, 2 to 15 percent slopes, stony	Georgeville	100	2-15	4	.43	0.23	1.99	0.30	PHEL
GoB	Goldsboro-Noboco complex, 0 to 6 percent slopes	Goldsboro	65	0-6	5	.2	0.11	0.67	0.80	NHEL
		Noboco	35	0-6	5	.17	0.11	0.67	0.94	NHEL
HaB	Hard Labor loamy coarse sand, 2 to 6 percent slopes, bouldery	Hard Labor	100	2-6	4	.15	0.23	0.67	0.85	NHEL
HaD	Hard Labor loamy coarse sand, 6 to 15 percent slopes, bouldery	Hard Labor	100	6-15	4	.15	0.67	1.99	0.85	PHEL
HbB	Hard Labor-Appling complex, 2 to 6 percent slopes	Hard Labor	60	2-6	4	.15	0.23	0.67	0.85	NHEL
		Appling	40	2-6	4	.15	0.23	0.67	0.85	NHEL
HbD	Hard Labor-Appling complex, 6 to 15 percent slopes	Hard Labor	56	6-15	4	.15	0.67	1.99	0.85	PHEL
		Appling	44	6-15	4	.15	0.67	1.99	0.85	PHEL
HcB	Hard Labor-Cecil complex, 2 to 6 percent slopes	Hard Labor	55	2-6	4	.24	0.23	0.67	0.53	PHEL
		Cecil	45	2-6	4	.28	0.23	0.67	0.46	PHEL
HcC2	Hard Labor-Cecil complex, 6 to 10 percent slopes, moderately eroded	Hard Labor	55	6-10	4	.24	0.67	1.23	0.53	HEL
		Cecil	45	6-10	4	.28	0.67	1.23	0.46	HEL
HnB	Helena loamy coarse sand, 2 to 6 percent slopes	Helena	100	2-6	3	.15	0.23	0.67	0.64	PHEL
HoC	Helena loamy sand, 6 to 10 percent slopes	Helena	100	6-10	3	.15	0.67	1.23	0.64	HEL
HrB2	Herndon gravelly very fine sandy loam, 2 to 6 percent slopes, moderately eroded	Herndon	100	2-6	5	.24	0.23	0.67	0.67	PHEL
HsD2	Herndon loam, 6 to 15 percent slopes, moderately eroded	Herndon	100	6-15	5	.43	0.67	1.99	0.37	HEL
LaB	Lakeland sand, 0 to 6 percent slopes	Lakeland	78	0-6	5	.1	0.11	0.67	1.60	NHEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
HIGHLY ERODIBLE LAND
Hancock County, Georgia

R Factor = 250

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
LaD	Lakeland sand, 6 to 15 percent slopes	Lakeland	100	6-15	5	.1	0.67	1.99	1.60	PHEL
LdB2	Lloyd gravelly loam, 2 to 6 percent slopes, moderately eroded	Lloyd	100	2-6	5	.24	0.23	0.67	0.67	PHEL
LdD2	Lloyd gravelly loam, 6 to 15 percent slopes, moderately eroded	Lloyd	100	6-15	5	.24	0.67	1.99	0.67	HEL
LdF2	Lloyd gravelly loam, 15 to 30 percent slopes, moderately eroded	Lloyd	100	15-30	5	.24	1.99	6.16	0.67	HEL
LfB3	Lloyd sandy clay loam, 2 to 6 percent slopes, severely eroded	Lloyd	100	2-6	5	.28	0.23	0.67	0.57	PHEL
LuB	Lucknow sand, 0 to 6 percent slopes	Lucknow	100	0-6	5	.1	0.11	0.67	1.60	NHEL
LvD	Lucknow-Fuquay complex, 6 to 15 percent slopes	Lucknow	65	6-15	5	.1	0.67	1.99	1.60	PHEL
		Fuquay	35	6-10	5	.15	0.67	1.23	1.07	PHEL
LyB	Lucy fine sand, 0 to 6 percent slopes	Lucy	100	0-6	5	.15	0.11	0.67	1.07	NHEL
MaB2	Madison sandy loam, 2 to 6 percent slopes, moderately eroded	Madison	96	2-6	3	.24	0.23	0.67	0.40	PHEL
MaD2	Madison sandy loam, 6 to 15 percent slopes, moderately eroded	Madison	100	6-15	3	.24	0.67	1.99	0.40	HEL
MaE2	Madison sandy loam, 15 to 25 percent slopes, moderately eroded	Madison	100	15-25	3	.24	1.99	4.56	0.40	HEL
MdD2	Madison-Bethlehem complex, 2 to 15 percent slopes, moderately eroded	Madison	70	2-15	3	.24	0.23	1.99	0.40	PHEL
		Bethlehem	30	2-15	2	.24	0.23	1.99	0.27	PHEL
MdE2	Madison-Bethlehem complex, 15 to 25 percent slopes, moderately eroded	Madison	67	15-25	3	.24	1.99	4.56	0.40	HEL
		Bethlehem	33	15-25	2	.24	1.99	4.56	0.27	HEL
MwD2	Mecklenburg-Wynott complex, 6 to 15 percent slopes, moderately eroded	Mecklenburg	65	6-15	4	.24	0.67	1.99	0.53	HEL
		Wynott	35	6-15	2	.24	0.67	1.99	0.27	HEL
M-W	Miscellaneous Water	Water	100	-----	-	----	-----	-----	-----	-----

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
HIGHLY ERODIBLE LAND
Hancock County, Georgia

R Factor = 250

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
NoB	Norfolk loamy sand, 0 to 6 percent slopes	Norfolk	100	0-6	5	.17	0.11	0.67	0.94	NHEL
NoC	Norfolk loamy sand, 6 to 10 percent slopes	Norfolk	100	6-10	5	.17	0.67	1.23	0.94	PHEL
OcA	Ocilla loamy sand, 0 to 3 percent slopes	Ocilla	95	0-3	5	.1	0.11	0.3	1.60	NHEL
OrB	Orangeburg loamy sand, 0 to 6 percent slopes	Orangeburg	100	0-6	5	.1	0.11	0.67	1.60	NHEL
OrD	Orangeburg loamy sand, 6 to 15 percent slopes	Orangeburg	100	6-15	5	.1	0.67	1.99	1.60	PHEL
PaB	Pacolet loamy sand, 2 to 6 percent slopes, bouldery	Pacolet	100	2-6	3	.15	0.23	0.67	0.64	PHEL
PaD	Pacolet loamy sand, 6 to 15 percent slopes, bouldery	Pacolet	100	6-15	3	.15	0.67	1.99	0.64	HEL
PcB2	Pacolet sandy loam, 2 to 6 percent slopes, moderately eroded	Pacolet	100	2-6	3	.2	0.23	0.67	0.48	PHEL
PcD2	Pacolet sandy loam, 6 to 15 percent slopes, moderately eroded	Pacolet	97	6-15	3	.2	0.67	1.99	0.48	HEL
PcE2	Pacolet sandy loam, 15 to 25 percent slopes, moderately eroded	Pacolet	95	15-25	3	.2	1.99	4.56	0.48	HEL
PdD2	Pacolet-Cataula complex, 6 to 15 percent slopes, moderately eroded	Pacolet	55	6-15	3	.2	0.67	1.99	0.48	HEL
		Cataula	45	6-15	3	.28	0.67	1.99	0.34	HEL
Pq	Pits, mine	Pits	100	-----	-	----	-----	-----	-----	-----
Pq	Pits, quarry	Pits	100	-----	-	----	-----	-----	-----	-----
PrE	Prosperity-Helena complex, 15 to 25 percent slopes, stony	Prosperity	60	15-25	2	.2	1.99	4.56	0.32	HEL
		Helena	40	15-25	3	.2	1.99	4.56	0.48	HEL
PsB	Prosperity-Helena-Bush River complex, 2 to 6 percent slopes	Prosperity	49	2-6	2	.2	0.23	0.67	0.32	PHEL
		Helena	31	2-6	3	.2	0.23	0.67	0.48	PHEL
		Bush River	20	2-6	3	.2	0.23	0.67	0.48	PHEL
PsD	Prosperity-Helena-Bush River complex, 6 to 15 percent slopes	Prosperity	50	6-15	2	.2	0.67	1.99	0.32	HEL
		Helena	40	6-15	3	.2	0.67	1.99	0.48	HEL
		Bush River	10	6-15	3	.2	0.67	1.99	0.48	HEL
Ro	Rock outcrop	Rock outcrop	100	-----	-	----	-----	-----	-----	-----

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
HIGHLY ERODIBLE LAND
Hancock County, Georgia

R Factor = 250

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
SeB	Sedgefield-Crawfordville complex, 2 to 6 percent slopes	Sedgefield	60	2-6	3	.15	0.23	0.67	0.64	PHEL
		Crawfordville	40	2-6	2	.15	0.23	0.67	0.43	PHEL
ShE2	Shoulderbone-Cataula complex, 15 to 25 percent slopes, moderately eroded	Shoulderbone	60	15-25	2	.28	1.99	4.56	0.23	HEL
		Cataula	40	15-25	3	.28	1.99	4.56	0.34	HEL
UdD	Udorthents, loamy, 2 to 15 percent slopes	Udorthents	100	2-15	-	----	-----	-----	-----	-----
VaD	Vaucluse-Norfolk complex, 6 to 15 percent slopes	Vaucluse	60	6-15	3	.15	0.67	1.99	0.64	HEL
		Norfolk	40	6-15	5	.17	0.67	1.99	0.94	PHEL
VoB	Vaucluse-Orangeburg complex, 2 to 6 percent slopes	Vaucluse	60	2-6	3	.15	0.23	0.67	0.64	PHEL
		Orangeburg	40	2-6	5	.1	0.23	0.67	1.60	NHEL
W	Water	Water	100	-----	-	----	-----	-----	-----	-----
WaD	Wateree-Rion-Rock outcrop complex, 2 to 15 percent slopes	Wateree	60	2-15	2	.24	0.23	1.99	0.27	PHEL
		Rion	25	2-15	3	.2	0.23	1.99	0.48	PHEL
		Rock outcrop	15	2-15	-	----	-----	-----	-----	-----
WeA	Wehadkee loam, 0 to 2 percent slopes, frequently flooded	Wehadkee	100	0-2	5	.24	0.11	0.23	0.67	NHEL
WhB	Wickham sandy loam, 2 to 6 percent slopes, rarely flooded	Wickham	95	2-6	5	.24	0.23	0.67	0.67	PHEL
WkD2	Wynott-Wilkes-Enon complex, 2 to 15 percent slopes, moderately eroded	Wilkes	40	2-15	1	.17	0.23	1.99	0.19	HEL
		Wynott	40	2-15	2	.24	0.23	1.99	0.27	PHEL
		Enon	20	2-15	2	.28	0.23	1.99	0.23	HEL
WyE	Wynott-Wilkes-Winnsboro complex, 15 to 25 percent slopes	Wilkes	40	15-25	1	.15	1.99	4.56	0.21	HEL
		Wynott	40	15-25	2	.24	1.99	4.56	0.27	HEL
		Winnsboro	20	15-25	3	.24	1.99	4.56	0.40	HEL

HEL Highly Erodible Land
PHEL Potentially Highly Erodible Land
NHEL Not Highly Erodible Land

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.