

HIGHLY ERODIBLE LAND
Quitman County, Georgia

Map Symbol	Map Unit Name	HEL Class
AeB	Ailey loamy sand, 2 to 5 percent slopes	PHEL
AeC	Ailey loamy sand, 5 to 8 percent slopes	HEL
AoE	Ailey-Cowarts complex, 8 to 25 percent slopes	HEL
BeB	Benevolence loamy sand, 0 to 5 percent slopes	NHEL
BoB	Bonneau loamy sand, 0 to 5 percent slopes	NHEL
CaB2	Carnegie sandy loam, 2 to 5 percent slopes, eroded	HEL
CkC2	Carnegie-Nankin complex, 5 to 8 percent slopes, eroded	HEL
CnA	Clarendon sandy loam, 0 to 2 percent slopes	NHEL
CoB	Cowarts loamy sand, 2 to 5 percent slopes	PHEL
CoC	Cowarts loamy sand, 5 to 8 percent slopes	HEL
FeA	Faceville sandy loam, 0 to 2 percent slopes	NHEL
FeB	Faceville sandy loam, 2 to 5 percent slopes	NHEL
FeC	Faceville sandy loam, 5 to 8 percent slopes	PHEL
GoA	Goldsboro loamy sand, 0 to 2 percent slopes	NHEL
GrA	Grady clay loam, ponded	NHEL
GsA	Greenville sandy clay loam, 0 to 2 percent slopes	NHEL
GsB	Greenville sandy clay loam, 2 to 5 percent slopes	PHEL
GsC	Greenville sandy clay loam, 5 to 8 percent slopes	HEL
HnC	Henderson gravelly sandy loam, 2 to 8 percent slopes	PHEL
KBA	Kinston and Bibb soils, 0 to 1 percent slopes, frequently flooded	NHEL
LkC	Lakeland sand, 0 to 8 percent slopes	NHEL
LkD	Lakeland sand, 8 to 15 percent slopes	PHEL
LmB	Lucy loamy sand, 0 to 5 percent slopes	NHEL
LmC	Lucy loamy sand, 5 to 8 percent slopes	PHEL
MaA	Marlboro sandy loam, 0 to 2 percent slopes	NHEL
MaB	Marlboro sandy loam, 2 to 5 percent slopes	PHEL
NcB	Nankin-Cowarts complex, 2 to 5 percent slopes	PHEL
NcD	Nankin-Cowarts complex, 5 to 15 percent slopes	HEL
NcF	Nankin-Cowarts complex, 15 to 35 percent slopes	HEL
NmF	Nankin-Cowarts-Maubila complex, 15 to 45 percent slopes	HEL
NoA	Norfolk loamy sand, 0 to 2 percent slopes	NHEL
NoB	Norfolk loamy sand, 2 to 5 percent slopes	NHEL
OcA	Ocilla loamy sand, 0 to 2 percent slopes	NHEL
OeA	Orangeburg loamy sand, 0 to 2 percent slopes	NHEL
OeB	Orangeburg loamy sand, 2 to 5 percent slopes	NHEL
OgC2	Orangeburg sandy loam, 5 to 8 percent slopes, eroded	HEL
OgD2	Orangeburg sandy loam, 8 to 15 percent slopes, eroded	HEL
Pt	Pits	-----
RaA	Rains sandy loam, 0 to 2 percent slopes	NHEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

HIGHLY ERODIBLE LAND
 Quitman County, Georgia

Map Symbol	Map Unit Name	HEL Class
ReA	Red Bay loamy sand, 0 to 2 percent slopes	NHEL
ReB	Red Bay loamy sand, 2 to 5 percent slopes	NHEL
RfC2	Red Bay sandy loam, 5 to 8 percent slopes, eroded	HEL
RfD2	Red Bay sandy loam, 8 to 15 percent slopes, eroded	HEL
TrB	Troup loamy sand, 0 to 5 percent slopes	NHEL
TrC	Troup loamy sand, 5 to 8 percent slopes	NHEL
TrD	Troup loamy sand, 8 to 15 percent slopes	PHEL
W	Water	-----

HEL Highly Erodible Land
 PHEL Potentially Highly Erodible Land
 NHEL Not Highly Erodible Land

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
HIGHLY ERODIBLE LAND
Quitman County, Georgia

R Factor = 375

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
AeB	Ailey loamy sand, 2 to 5 percent slopes	Ailey	80	2-5	4	.15	0.23	0.59	0.57	PHEL
AeC	Ailey loamy sand, 5 to 8 percent slopes	Ailey	80	5-8	4	.15	0.59	0.99	0.57	HEL
AoE	Ailey-Cowarts complex, 8 to 25 percent slopes	Ailey	60	8-25	4	.15	0.99	4.56	0.57	HEL
		Cowarts	30	8-25	3	.15	0.99	4.56	0.43	HEL
BeB	Benevolence loamy sand, 0 to 5 percent slopes	Benevolence	85	0-5	5	.1	0.11	0.59	1.07	NHEL
BoB	Bonneau loamy sand, 0 to 5 percent slopes	Bonneau	90	0-5	5	.15	0.11	0.59	0.71	NHEL
CaB2	Carnegie sandy loam, 2 to 5 percent slopes, eroded	Carnegie	80	2-5	3	.28	0.23	0.59	0.23	HEL
CkC2	Carnegie-Nankin complex, 5 to 8 percent slopes, eroded	Carnegie	80	5-8	3	.28	0.59	0.99	0.23	HEL
		Nankin	15	5-8	3	.17	0.59	0.99	0.38	HEL
CnA	Clarendon sandy loam, 0 to 2 percent slopes	Clarendon	80	0-2	5	.2	0.11	0.23	0.53	NHEL
CoB	Cowarts loamy sand, 2 to 5 percent slopes	Cowarts	80	2-5	3	.15	0.23	0.59	0.43	PHEL
CoC	Cowarts loamy sand, 5 to 8 percent slopes	Cowarts	85	5-8	3	.15	0.59	0.99	0.43	HEL
FeA	Faceville sandy loam, 0 to 2 percent slopes	Faceville	90	0-2	5	.17	0.11	0.23	0.63	NHEL
FeB	Faceville sandy loam, 2 to 5 percent slopes	Faceville	85	2-5	5	.17	0.23	0.59	0.63	NHEL
FeC	Faceville sandy loam, 5 to 8 percent slopes	Faceville	85	5-8	5	.17	0.59	0.99	0.63	PHEL
GoA	Goldsboro loamy sand, 0 to 2 percent slopes	Goldsboro	85	0-2	5	.17	0.11	0.23	0.63	NHEL
GrA	Grady clay loam, ponded	Grady	80	0-1	5	.24	0.11	0.15	0.44	NHEL
GsA	Greenville sandy clay loam, 0 to 2 percent slopes	Greenville	90	0-2	5	.24	0.11	0.23	0.44	NHEL
GsB	Greenville sandy clay loam, 2 to 5 percent slopes	Greenville	85	2-5	5	.24	0.23	0.59	0.44	PHEL
GsC	Greenville sandy clay loam, 5 to 8 percent slopes	Greenville	85	5-8	5	.24	0.59	0.99	0.44	HEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
HIGHLY ERODIBLE LAND
Quitman County, Georgia

R Factor = 375

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
HnC	Henderson gravelly sandy loam, 2 to 8 percent slopes	Henderson	70	2-8	4	.2	0.23	0.99	0.43	PHL
KBA	Kinston and Bibb soils, 0 to 1 percent slopes, frequently flooded	Kinston	45	0-1	5	.37	0.11	0.15	0.29	NHEL
		Bibb	35	0-1	5	.2	0.11	0.15	0.53	NHEL
LkC	Lakeland sand, 0 to 8 percent slopes	Lakeland	85	0-8	5	.1	0.11	0.99	1.07	NHEL
LkD	Lakeland sand, 8 to 15 percent slopes	Lakeland	85	8-15	5	.1	0.99	1.99	1.07	PHL
LmB	Lucy loamy sand, 0 to 5 percent slopes	Lucy	85	0-5	5	.15	0.11	0.59	0.71	NHEL
LmC	Lucy loamy sand, 5 to 8 percent slopes	Lucy	85	5-8	5	.15	0.59	0.99	0.71	PHL
MaA	Marlboro sandy loam, 0 to 2 percent slopes	Marlboro	80	0-2	5	.2	0.11	0.23	0.53	NHEL
MaB	Marlboro sandy loam, 2 to 5 percent slopes	Marlboro	80	2-5	5	.2	0.23	0.59	0.53	PHL
NcB	Nankin-Cowarts complex, 2 to 5 percent slopes	Nankin	60	2-5	3	.17	0.23	0.59	0.38	PHL
		Cowarts	25	2-5	3	.15	0.23	0.59	0.43	PHL
NcD	Nankin-Cowarts complex, 5 to 15 percent slopes	Nankin	60	5-15	3	.17	0.59	1.99	0.38	HEL
		Cowarts	25	5-15	3	.15	0.59	1.99	0.43	HEL
NcF	Nankin-Cowarts complex, 15 to 35 percent slopes	Nankin	50	15-35	3	.17	1.99	7.32	0.38	HEL
		Cowarts	40	15-35	3	.15	1.99	7.32	0.43	HEL
NmF	Nankin-Cowarts-Maubila complex, 15 to 45 percent slopes	Nankin	45	15-45	3	.17	1.99	11.80	0.38	HEL
		Cowarts	30	15-45	3	.15	1.99	11.80	0.43	HEL
		Maubila	20	15-45	4	.17	1.99	11.80	0.50	HEL
NoA	Norfolk loamy sand, 0 to 2 percent slopes	Norfolk	85	0-2	5	.17	0.11	0.23	0.63	NHEL
NoB	Norfolk loamy sand, 2 to 5 percent slopes	Norfolk	85	2-5	5	.17	0.23	0.59	0.63	NHEL
OcA	Ocilla loamy sand, 0 to 2 percent slopes	Ocilla	80	0-2	5	.1	0.11	0.23	1.07	NHEL
OeA	Orangeburg loamy sand, 0 to 2 percent slopes	Orangeburg	80	0-2	5	.1	0.11	0.23	1.07	NHEL
OeB	Orangeburg loamy sand, 2 to 5 percent slopes	Orangeburg	80	2-5	5	.1	0.23	0.59	1.07	NHEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:
HIGHLY ERODIBLE LAND
Quitman County, Georgia

R Factor = 375

Mapunit		Component								
Map Sym	Name	Name	% of MU	Slope	T	K	Min LS	Max LS	8T/RK	HEL Class
OgC2	Orangeburg sandy loam, 5 to 8 percent slopes, eroded	Orangeburg	85	5-8	5	.2	0.59	0.99	0.53	HEL
OgD2	Orangeburg sandy loam, 8 to 15 percent slopes, eroded	Orangeburg	80	8-15	5	.2	0.99	1.99	0.53	HEL
Pt	Pits	Pits	100	-----	-	----	-----	-----	-----	-----
RaA	Rains sandy loam, 0 to 2 percent slopes	Rains	80	0-2	5	.2	0.11	0.23	0.53	NHEL
ReA	Red Bay loamy sand, 0 to 2 percent slopes	Red Bay	85	0-2	5	.1	0.11	0.23	1.07	NHEL
ReB	Red Bay loamy sand, 2 to 5 percent slopes	Red Bay	85	2-5	5	.1	0.23	0.59	1.07	NHEL
RfC2	Red Bay sandy loam, 5 to 8 percent slopes, eroded	Red Bay	85	5-8	5	.2	0.59	0.99	0.53	HEL
RfD2	Red Bay sandy loam, 8 to 15 percent slopes, eroded	Red Bay	80	8-15	5	.2	0.99	1.99	0.53	HEL
TrB	Troup loamy sand, 0 to 5 percent slopes	Troup	85	0-5	5	.1	0.11	0.59	1.07	NHEL
TrC	Troup loamy sand, 5 to 8 percent slopes	Troup	90	5-8	5	.1	0.59	0.99	1.07	NHEL
TrD	Troup loamy sand, 8 to 15 percent slopes	Troup	80	8-15	5	.1	0.99	1.99	1.07	PHEL
W	Water	Water	100	-----	-	----	-----	-----	-----	-----

HEL Highly Erodible Land
PHEL Potentially Highly Erodible Land
NHEL Not Highly Erodible Land

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.