Technical Guide – Section II Correlation Date: October 2002 HEL List Amended: May 1, 2017

HIGHLY ERODIBLE LAND Randolph County, Georgia

Map Symbol	Map Unit Name	HEL Class
AeB	Ailey loamy sand, 2 to 5 percent slopes	NHEL
AeC	Ailey loamy sand, 5 to 8 percent slopes	PHEL
AoE	Ailey-Cowarts complex, 8 to 25 percent slopes	HEL
BeB	Benevolence loamy sand, 0 to 5 percent slopes	NHEL
ВоВ	Bonneau loamy sand, 0 to 5 percent slopes	NHEL
CaB2	Carnegie sandy loam, 2 to 5 percent slopes, moderately eroded	PHEL
CkC2	Carnegie-Nankin complex, 5 to 8 percent slopes, eroded	HEL
CkC2	Carnegie-Nankin complex, 5 to 8 percent slopes, eroded	HEL
CkD2	Carnegie-Nankin complex, 8 to 15 percent slopes, eroded	HEL
CkD2	Carnegie-Nankin complex, 8 to 15 percent slopes, eroded	HEL
CnA	Clarendon sandy loam, 0 to 2 percent slopes	NHEL
СоВ	Cowarts loamy sand, 2 to 5 percent slopes	PHEL
CoC	Cowarts loamy sand, 5 to 8 percent slopes	HEL
FeA	Faceville sandy loam, 0 to 2 percent slopes	NHEL
FeB	Faceville sandy loam, 2 to 5 percent slopes	NHEL
FeC	Faceville sandy loam, 5 to 8 percent slopes	PHEL
GoA	Goldsboro loamy sand, 0 to 2 percent slopes	NHEL
GrA	Grady clay loam, 0 to 2 percent slopes, frequently ponded	NHEL
GsA	Greenville sandy clay loam, 0 to 2 percent slopes	NHEL
GsB	Greenville sandy clay loam, 2 to 5 percent slopes	PHEL
GsC	Greenville sandy clay loam, 5 to 8 percent slopes	HEL
GsD2	Greenville clay loam, 8 to 15 percent slopes, eroded	HEL
HnC	Henderson gravelly sandy loam, 2 to 8 percent slopes	PHEL
HnD	Henderson gravelly sandy loam, 8 to 15 percent slopes	HEL
KBA	Kinston and Bibb soils, 0 to 1 percent slopes, frequently flooded	NHEL
KBA	Kinston and Bibb soils, 0 to 1 percent slopes, frequently flooded	NHEL
LkC	Lakeland sand, 0 to 8 percent slopes	NHEL
LkD	Lakeland sand, 8 to 17 percent slopes	PHEL
LmB	Lucy loamy sand, 0 to 5 percent slopes	NHEL
LmC	Lucy loamy sand, 5 to 8 percent slopes	PHEL
LmD	Lucy loamy sand, 8 to 15 percent slopes	HEL
MaA	Marlboro sandy loam, 0 to 2 percent slopes	NHEL
MaB	Marlboro sandy loam, 2 to 5 percent slopes	PHEL
NcB	Nankin-Cowarts complex, 2 to 5 percent slopes	PHEL
NcD	Nankin-Cowarts complex, 5 to 15 percent slopes	HEL
NcF	Nankin-Cowarts complex, 15 to 35 percent slopes	HEL
NoA	Norfolk loamy sand, 0 to 2 percent slopes	NHEL
NoB	Norfolk loamy sand, 2 to 5 percent slopes	NHEL
OeA	Orangeburg loamy sand, 0 to 2 percent slopes	NHEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

Technical Guide – Section II Correlation Date: October 2002 HEL List Amended: May 1, 2017

HIGHLY ERODIBLE LAND Randolph County, Georgia

Map	Man Huit Name	HEL			
Symbol	Map Unit Name				
OeB	Orangeburg loamy sand, 2 to 5 percent slopes	NHEL			
OeC2	Orangeburg sandy loam, 5 to 8 percent slopes, eroded	HEL			
OeD2	Orangeburg sandy loam, 8 to 15 percent slopes, eroded	HEL			
Pt	Pits				
ReA	Red Bay loamy sand, 0 to 2 percent slopes	NHEL			
ReB	Red Bay loamy sand, 2 to 5 percent slopes	NHEL			
ReC2	Red Bay sandy loam, 5 to 8 percent slopes, eroded	HEL			
ReD2	Red Bay sandy loam, 8 to 15 percent slopes, eroded	HEL			
TrB	Troup loamy sand, 0 to 5 percent slopes	NHEL			
TrC	Troup loamy sand, 5 to 8 percent slopes	NHEL			
TrD	Troup loamy sand, 8 to 15 percent slopes	PHEL			
W	Water				

HEL Highly Erodible Land

PHEL Potentially Highly Erodible Land

NHEL Not Highly Erodible Land

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:

Correlation Date: October 2002 HEL List Amended: May 1, 2017

Technical Guide - Section II

HIGHLY ERODIBLE LAND Randolph County, Georgia

R Factor = 350

	Mapunit	Component									
Мар	.,,,		% of				Min	Max	8T/	HEL	
Sym	Name	Name	MU	Slope	Т	K	LS	LS	RK	Class	
AeB	Ailey loamy sand, 2 to 5 percent slopes	Ailey	85	2-5	4	.15	0.23	0.59	0.61	NHEL	
AeC	Ailey loamy sand, 5 to 8 percent slopes	Ailey	85	5-8	4	.15	0.59	0.99	0.61	PHEL	
AoE	Ailey-Cowarts complex, 8	Ailey	60	8-25	4	.15	0.99	4.56	0.61	HEL	
	to 25 percent slopes	Cowarts	30	8-25	3	.15	0.99	4.56	0.46	HEL	
ВеВ	Benevolence loamy sand, 0 to 5 percent slopes	Benevolence	85	0-5	5	.1	0.11	0.59	1.14	NHEL	
ВоВ	Bonneau loamy sand, 0 to 5 percent slopes	Bonneau	85	0-5	5	.15	0.11	0.59	0.76	NHEL	
CaB2	Carnegie sandy loam, 2 to 5 percent slopes, moderately eroded	Carnegie	80	2-5	3	.28	0.23	0.59	0.24	PHEL	
CkC2	Carnegie-Nankin complex,	Carnegie	80	5-8	3	.28	0.59	0.99	0.24	HEL	
	5 to 8 percent slopes, eroded	Nankin	15	5-8	3	.17	0.59	0.99	0.40	HEL	
CkD2	Carnegie-Nankin complex,	Carnegie	80	8-15	3	.28	0.99	1.61	0.24	HEL	
	8 to 15 percent slopes, eroded	Nankin	15	8-15	3	.17	0.99	1.99	0.40	HEL	
CnA	Clarendon sandy loam, 0 to 2 percent slopes	Clarendon	80	0-2	5	.2	0.11	0.23	0.57	NHEL	
СоВ	Cowarts loamy sand, 2 to 5 percent slopes	Cowarts	80	2-5	3	.15	0.23	0.59	0.46	PHEL	
CoC	Cowarts loamy sand, 5 to 8 percent slopes	Cowarts	80	5-8	3	.15	0.59	0.99	0.46	HEL	
FeA	Faceville sandy loam, 0 to 2 percent slopes	Faceville	85	0-2	5	.17	0.11	0.23	0.67	NHEL	
FeB	Faceville sandy loam, 2 to 5 percent slopes	Faceville	75	2-5	5	.17	0.23	0.59	0.67	NHEL	
FeC	Faceville sandy loam, 5 to 8 percent slopes	Faceville	75	5-8	5	.17	0.59	0.99	0.67	PHEL	
GoA	Goldsboro loamy sand, 0 to 2 percent slopes	Goldsboro	85	0-2	5	.17	0.11	0.23	0.67	NHEL	
GrA	Grady clay loam, 0 to 2 percent slopes, frequently ponded	Grady	85	0-2	5	.24	0.11	0.23	0.48	NHEL	
GsA	Greenville sandy clay loam, 0 to 2 percent slopes	Greenville	90	0-2	5	.24	0.11	0.23	0.48	NHEL	

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:

Technical Guide – Section II Correlation Date: October 2002 HEL List Amended: May 1, 2017

HIGHLY ERODIBLE LAND Randolph County, Georgia

R Factor = 350

	Mapunit	Component								
Мар			% of				Min	Max	8T/	HEL
Sym	Name	Name	MU	Slope	Т	K	LS	LS	RK	Class
GsB	Greenville sandy clay	Greenville	85	2-5	5	.24	0.23	0.59	0.48	PHEL
	loam, 2 to 5 percent									
	slopes									
GsC	Greenville sandy clay	Greenville	85	5-8	5	.24	0.59	0.99	0.48	HEL
	loam, 5 to 8 percent slopes									
GsD2	Greenville clay loam, 8 to	Greenville	85	8-15	5	.24	0.99	1.99	0.48	HEL
GSDZ	15 percent slopes, eroded	Greenvine		0 13		.27	0.55	1.55	0.40	1122
HnC	Henderson gravelly sandy	Henderson	70	2-8	4	.2	0.23	0.99	0.46	PHEL
	loam, 2 to 8 percent									
	slopes									
HnD	Henderson gravelly sandy	Henderson	70	8-15	4	.2	0.99	1.99	0.46	HEL
	loam, 8 to 15 percent									
L/D A	slopes	10' 1	45	0.4	_	27	0.44	0.45	0.24	NULEI
KBA	Kinston and Bibb soils, 0 to 1 percent slopes,	Kinston	45	0-1	5	.37	0.11	0.15	0.31	NHEL
	frequently flooded	Bibb	35	0-1	5	.2	0.11	0.15	0.57	NHEL
LkC	Lakeland sand, 0 to 8	Lakeland	80	0-8	5	.1	0.11	0.99	1.14	NHEL
	percent slopes									
LkD	Lakeland sand, 8 to 17	Lakeland	80	8-17	5	.1	0.99	2.43	1.14	PHEL
	percent slopes									
LmB	Lucy loamy sand, 0 to 5	Lucy	85	0-5	5	.15	0.11	0.59	0.76	NHEL
	percent slopes				<u> </u>			0.00	0 = 0	5
LmC	Lucy loamy sand, 5 to 8	Lucy	85	5-8	5	.15	0.59	0.99	0.76	PHEL
LmD	percent slopes Lucy loamy sand, 8 to 15	Lucy	85	8-15	5	.15	0.99	1.99	0.76	HEL
LIIID	percent slopes	Lucy	83	0-13	٥	.13	0.55	1.99	0.76	HEL
MaA	Marlboro sandy loam, 0 to	Marlboro	80	0-2	5	.2	0.11	0.23	0.57	NHEL
	2 percent slopes									
MaB	Marlboro sandy loam, 2 to	Marlboro	80	2-5	5	.2	0.23	0.59	0.57	PHEL
	5 percent slopes									
NcB	Nankin-Cowarts complex,	Nankin	60	2-5	3	.17	0.23	0.59	0.40	PHEL
	2 to 5 percent slopes	Cowarts	25	2-5	3	.15	0.23	0.59	0.46	PHEL
NcD	Nankin-Cowarts complex,	Nankin	60	5-15	3	.17	0.59	1.99	0.40	HEL
	5 to 15 percent slopes	Cowarts	25	5-15	3	.15	0.59	1.99	0.46	HEL
NcF	Nankin-Cowarts complex,	Nankin	60	15-35	3	.17	1.99	7.32	0.40	HEL
	15 to 35 percent slopes	Cowarts	38	15-35	3	.15	1.99	7.32	0.46	HEL
NoA	Norfolk loamy sand, 0 to 2	Norfolk	85	0-2	5	.17	0.11	0.23	0.67	NHEL
	percent slopes									

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:

Technical Guide – Section II Correlation Date: October 2002 HEL List Amended: May 1, 2017

HIGHLY ERODIBLE LAND Randolph County, Georgia

R Factor = 350

Mapunit		Component								
Map			% of				Min	Max	8T/	HEL
Sym	Name	Name	MU	Slope	Т	K	LS	LS	RK	Class
NoB	Norfolk loamy sand, 2 to 5 percent slopes	Norfolk	85	2-5	5	.17	0.23	0.59	0.67	NHEL
OeA	Orangeburg loamy sand, 0 to 2 percent slopes	Orangeburg	80	0-2	5	.1	0.11	0.23	1.14	NHEL
OeB	Orangeburg loamy sand, 2 to 5 percent slopes	Orangeburg	80	2-5	5	.1	0.23	0.59	1.14	NHEL
OeC2	Orangeburg sandy loam, 5 to 8 percent slopes, eroded	Orangeburg	80	5-8	5	.2	0.59	0.99	0.57	HEL
OeD2	Orangeburg sandy loam, 8 to 15 percent slopes, eroded	Orangeburg	80	8-15	5	.2	0.99	1.99	0.57	HEL
Pt	Pits	Pits	100		1					
ReA	Red Bay loamy sand, 0 to 2 percent slopes	Red Bay	90	0-2	5	.1	0.11	0.23	1.14	NHEL
ReB	Red Bay loamy sand, 2 to 5 percent slopes	Red Bay	85	2-5	5	.1	0.23	0.59	1.14	NHEL
ReC2	Red Bay sandy loam, 5 to 8 percent slopes, eroded	Red Bay	85	5-8	5	.2	0.59	0.99	0.57	HEL
ReD2	Red Bay sandy loam, 8 to 15 percent slopes, eroded	Red Bay	80	8-15	5	.2	0.99	1.99	0.57	HEL
TrB	Troup loamy sand, 0 to 5 percent slopes	Troup	85	0-5	5	.1	0.11	0.59	1.14	NHEL
TrC	Troup loamy sand, 5 to 8 percent slopes	Troup	85	5-8	5	.1	0.59	0.99	1.14	NHEL
TrD	Troup loamy sand, 8 to 15 percent slopes	Troup	80	8-15	5	.1	0.99	1.99	1.14	PHEL
W	Water	Water	100		-					

HEL Highly Erodible Land

PHEL Potentially Highly Erodible Land

NHEL Not Highly Erodible Land

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.