Mar 19 16:18 1987 Davis County Erodible Land List (Water Erosion) Bloomfield Field Office
Erosion Index (EI) = 8 Rainfall Factor (R) = 175

Archived list - retain

Erosion Categories 1 = Highly Erodible Land
2 = Potentially Highly Erodible Land
3 = Not Highly Erodible Land

132B

Erosion Category	SMS	Soil Name	Acres	Min LS
1	131C2	Pershing silty clay loam, 5 to 9 percent slopes, moderately eroded	-	0.37
1	132C	Weller silt loam, 5 to 9 percent slopes	-	0.32
1	132C2	Weller silty clay loam, 5 to 9 percent slopes, moderately eroded	-	0.32
1	179D2	Gara loam, 9 to 14 percent slopes, moderately eroded	-	0.82
1	179E	Gara loam, 14 to 18 percent slopes	-	0.82
1	179E2	Gara loam, 14 to 18 percent slopes, moderately eroded	-	0.82
1	179E3	Gara clay loam, 14 to 18 percent slopes, severely eroded	-	0.57
1	179F	Gara loam, 18 to 25 percent slopes	-	0.82
1	179F2	Gara loam, 18 to 28 percent slopes, moderately eroded	-	0.82
1	179F3	Gara clay loam, 18 to 25 percent slopes, moderately eroded	-	0.57
1	192C2	Adair loam, 5 to 9 percent slopes, moderately eroded	-	0.43
1	192D2	Adair loam, 9 to 14 percent slopes, moderately eroded	-	0.43
1	222C2	Clarinda silty clay loam, 5 to 9 percent slopes, moderately eroded	-	0.37
1	222C3	Clarinda silty clay loam, 5 to 9 percent slopes, severely eroded	-	0.25
1	223C2	Rinda silty clay loam, 5 to 9 percent slopes, moderately eroded	-	0.32
1	223C3	Rinda silty clay loam, 5 to 9 percent slopes, severely eroded	-	0.21
1	24D2	Shelby loam, 9 to 14 percent slopes, moderaterly eroded	-	0.82
1	24E2	Shelby loam, 14 to 18 percent slopes, moderately eroded	-	0.82
1	312B2	Seymour silt loam, 2 to 5 percent slopes, moderately eroded	-	0.37
1	313E2	Gosport silt loam, 9 to 18 percent slopes, moderately eroded	-	0.32
1	313F	Gosport silt loam, 18 to 40 percent slopes	-	0.32
1	313F2	Gosport silt loam, 18 to 40 percent slopes, moderately eroded	-	0.32
1	423D2	Bucknell silty clay loam, 9 to 14 percent slopes, moderately eroded	-	0.43
1	423D3	Bucknell silty clay, 9 to 14 percent slopes, severely eroded	-	0.29
1	424D2	Lindley-Keswick loam, 9 to 14 percent slopes, moderately eroded	-	0.37
1	424E2	Lindley-Keswick loam, 14 to 18 percent slopes, moderately eroded	-	0.37
1	425C	Keswick loam, 5 to 9 percent slopes	-	0.37
1	425C2	Keswick loam, 5 to 9 percent slopes, moderately eroded	-	0.37
1	425D	Keswick loam, 9 to 14 percent slopes	-	0.37
1	425D2	Keswick loam, 9 to 14 percent slopes, moderately eroded	-	0.37
1	451D2	Caleb loam, 9 to 14 percent slopes, moderately eroded	-	0.82
1	452C2	Lineville silt loam, 5 to 9 percent slopes, moderately eroded	-	0.37
1	531C	Kniffin silt loam, 5 to 9 percent slopes	-	0.37
1	531C2	Kniffin silt loam, 5 to 9 percent slopes, moderately eroded	-	0.37
1	532B	Rathbun silt loam, 2 to 5 percent slopes	-	0.32
1	532C	Rathbun silt loam, 5 to 9 percent slopes	-	0.32
1	532C2	Rathbun silty loam, 5 to 9 percent slopes, moderately eroded	-	0.32
1	58D2	Douds loam, 9 to 14 percent slopes, moderately eroded	-	0.71
1	592C2	Mystic silt loam, 5 to 9 percent slopes, moderately eroded	-	0.37
1	592D2	Mystic silt loam, 9 to 14 percent slopes, moderately eroded	-	0.37
1	592D3	Mystic clay loam, 9 to 14 percent slopes, severely eroded	-	0.25
1	594C2	Galland loam, 5 to 9 percent slopes, moderately eroded	-	0.37
1	594D	Galland loam, 9 to 14 percent slopes	-	0.37
1	594D2	Galland loam, 9 to 14 percent slopes, moderately eroded	-	0.37
1	65E	Lindley loam, 14 to 18 percent slopes	-	0.71
1	65E2	Lindley loam, 14 to 18 percent slopes, moderately eroded	-	0.71
1	65F	Lindley loam, 18 to 25 percent slopes	-	0.71
1	65F2	Lindley loam, 18 to 25 percent slopes, moderately eroded	-	0.71

Mar 19 16:18 1987 Davis County Erodible Land List (Water Erosion) Bloomfield Field Office
Erosion Index (EI) = 8 Rainfall Factor (R) = 175

Erosion Categories 1 = Highly Erodible Land
2 = Potentially Highly Erodible Land
3 = Not Highly Erodible Land

Erosion Category	SMS	Soil Name	Acres	Min LS
1	792C	Armstrong loam, 5 to 9 percent slopes	-	0.43
1	792C2	Armstrong loam, 5 to 9 percent slopes, moderately eroded	-	0.43
1	792C3	Armstrong clay loam, 5 to 9 percent slopes, severely eroded	-	0.29
1	792D	Armstrong loam, 9 to 14 percent slopes	-	0.43
1	792D2	Armstrong loam, 9 to 14 percent slopes, moderately eroded	-	0.43
1	80C	Clinton silt loam, 5 to 9 percent slopes	-	0.62
1	80C2	Clinton silt loam, 5 to 9 percent slopes, moderately eroded	-	0.62
1	822D2	Lamoni silty clay loam, 9 to 14 percent slopes, moderately eroded	-	0.43
1	831C2	Pershing silty clay loam, benches, 5 to 9 percent slopes, moderately eroded	-	0.37
1	832C2	Weller silty clay loam, benches, 5 to 9 percent slopes, moderately eroded	-	0.32
1	93D2	Adair-Shelby loam, 9 to 14 percent slopes, moderately eroded	-	0.43
1	94E2	Mystic-Caleb complex, 14 to 18 percent slopes, moderately eroded	-	0.37
1	993D2	Gara-Armstrong loam, 9 to 14 percent slopes, moderately eroded	-	0.43
1	993D3	Gara-Armstrong clay loam, 9 to 14 percent slopes, severely eroded	-	0.29
1	994E2	Galland-Douds loam, 14 to 18 percent slopes, moderately eroded	-	0.43
2	131B	Pershing silt loam, 2 to 5 percent slopes	-	0.37
1 ~~2~~	132B	Weller silt loam, 2 to 5 percent slopes	-	0.32
2	312B	Seymour silt loam, 2 to 5 percent slopes	-	0.37
2	364B	Grundy silt loam, 2 to 5 percent slopes	-	0.37
2	531B	Kniffin silt loam, 2 to 5 percent slopes	-	0.37
2	831B	Pershing silt loam, benches, 2 to 5 percent slopes	-	0.37
2	832B	Weller silt loam, benches, 2 to 5 percent slopes	-	0.32
, 1130 3	1139	Perks loamy sand variant, 0 to 2 percent slopes	-	1.52
, 1260 3	130	Belinda silt loam, 0 to 2 percent slopes	-	0.62
3	13B	Olmitz-Vesser-Zook complex, 2 to 5 percent slopes	-	0.71
3	1715	Nodaway-Lawson-Ackmore silt loam, 0 to 2 percent slopes	-	0.62
3	1977	Richwood variant loam, 1 to 3 percent slopes	-	0.71
3	211	Edina silt loam, 0 to 1 percent slopes	-	0.49
3	260	Beckwith silt loam, 0 to 2 percent slopes	-	0.62
3	261	Appanoose silt loam, 0 to 2 percent slopes	-	0.71
3	263	Okaw silt loam, 0 to 2 percent slopes	-	0.32
3	269	Humeston silt loam, 0 to 2 percent slopes	-	0.57
3	273B	Olmitz loam, 2 to 5 percent slopes	-	0.82
3	362	Haig silt loam, 0 to 2 percent slopes	-	0.62
3	405	Klum fine sandy loam variant, 0 to 2 percent slopes	-	1.14
3	430	Ackmore silt loam, 0 to 2 percent slopes	-	0.62
3	453	Tuskeego silt loam, 0 to 2 percent slopes	-	0.43
3	484	Lawson silt loam, 0 to 2 percent slopes	-	0.82
3	51	Vesser silt loam, 0 to 2 percent slopes	-	0.71
3	51A+	Vesser silt loam, overwash, 0 to 2 percent slopes	-	0.71
3	51B	Vesser silt loam, 2 to 5 percent slopes	-	0.71
3	51B+	Vesser silt loam, overwash, 2 to 5 percent slopes	-	0.71
3	520	Coppock silt loam, 0 to 2 percent slopes	-	0.71
3	520B	Coppock silt loam, 2 to 5 percent slopes	-	0.71
3	54	Zook silty clay loam, 0 to 2 percent slopes	-	0.82
3	54+	Zook silt loam, overwash, 0 to 2 percent slopes	-	0.82
3	56B	Cantril loam, 2 to 5 percent slopes	-	0.71
3	587	Chequest silty clay loam, 0 to 2 percent slopes	-	0.82

Mar 19 16:18 1987 Davis County Erodible Land List (Water Erosion) Bloomfield Field Office
Erosion Index (EI) = 8 Rainfall Factor (R) = 175

Erosion Categories 1 = Highly Erodible Land
2 = Potentially Highly Erodible Land
3 = Not Highly Erodible Land

Erosion Category	SMS	Soil Name	Acres	Min LS
3	715	Nodaway-Amana silt loam, 0 to 2 percent slopes	-	0.62
3	730B	Nodaway-Cantril complex, 2 to 5 percent slopes	-	0.62
3	80B	Clinton silt loam, 2 to 5 percent slopes	-	0.62

Subtotal of Acres by Erosion Category

Erosion Category	Total Acres
1	0
2	0
3	0