

Drainage Water Management Plan Criteria Practice/Activity Code (130) (No.)

1. Definition

The objective of a Drainage Water Management (DWM) is to manage field water table elevations and the timing of water discharges from subsurface or surface agricultural drainage systems for the following purposes:

- Improve water quality.
- Improve the soil environment for vegetative growth.
- Reduce the rate of oxidation of organic soils.
- Prevent wind erosion.
- Enable seasonal shallow flooding or surface watercourse flows for fish and wildlife habitat.

The objective of a Drainage Water Management Plan (DWMP) is to provide the producer a framework for the implementation of DWM on existing artificially drained land. The desirability and potential benefits of a DWM system can be effectively determined by interviewing the producer, identifying field boundaries and soil types, obtaining a drain map, developing a topographic map, and then combining these components to produce a DWM Plan for the field or farm.

2. DWMP Technical Criteria

This section establishes the minimum criteria to be addressed in the development of DWMP.

A. General Criteria:

1. An Environmental Evaluation (EE) (CPA 52) is to be prepared for all activity plans to demonstrate NRCS compliance with the National Environmental Policy Act, National Historic Preservation Act, Endangered Species Act, Environmental Justice, Air Quality, and other designated environmental concerns and environmental laws. The environmental effects from the activity plans on environmental resource concerns should be clearly documented on the EE (CPA-52 form). The following is abbreviated guidance for preparation of the EE:
 - a. Planners and TSPs should follow the EE guidance delineated in the National Environmental Compliance Handbook.
 - b. The EE describes the existing conditions for all applicable resource concerns.
 - c. The EE will assess the resources potentially impacted by the no action, proposed action and any reasonable alternatives.
 - d. Guide sheets will accompany the EE, as needed, to provide information on how to assess and deal with special environmental concerns.

- e. The findings section of the EE is to identify whether NRCS has determined based on the analysis of the EE: (1) that a site specific environmental assessment (EA) or an environmental impact statement (EIS) should be prepared based on the significance of potential impacts, or (2) the EE can be tiered to a State, regional, or national programmatic EA or EIS because the proposed effects have been sufficiently analyzed in a state, regional, national programmatic EA or EIS.
 2. TSP and planners are required to complete NRCS' Level I Environmental Compliance training prior to prepare any EE CPA 52A DWMP shall be developed by certified Technical Service Providers (TSPs). In accordance with Section 1240 (A), the Environmental Quality Incentive Program (EQIP) program provides funding support through contracts with eligible producers to obtain services of certified TSPs for development of DWMP. The specific TSP criteria required for DWMP development is located on the TSP registry (TechReg) web site at: <http://techreg.usda.gov/>.
- B. DWMP Specific Element Criteria. The DWMP should include, but not be limited to, the following components:
1. Farm and field information:
 - a. Name of producer.
 - b. Farm number.
 - c. Tract number.
 - d. Crops grown.
 - e. Name of employee or contractor developing plan.
 - f. Date of plan development.
 2. The objectives of the producer, which should involve one of the purposes listed in Conservation Practice Standard (CPS) 554, Drainage Water Management.
 3. A map that includes field boundaries, and a soils map with the predominant soils listed and area quantified. If the qualifying acres for the plan are a subset of field(s), the boundaries of the DWMP acreage should also be delineated.
 4. A Drainage System Map that includes the materials, diameters or dimensions, and locations of the laterals and mains (depth and grade of tile or ditches not required for the DWMP).
 5. A delineation of the area within the field drained by the system. The definition of the drained area is taken from the lateral spacing recommendations of the soil, as specified in the State Drainage Guide. The outer boundary of the drained area is delineated by a line around the drained area (tiled or ditched), at a distance of one-half of the tile or ditch lateral spacing.
 6. A wetland delineation map, if applicable.

7. A Topographic Map on a maximum of 120-foot grid that shows elevation contours on a 6-inch increment (drainage system map and topographic map need to be the same scale). The topographic map should include, at a minimum, all of the drained area as defined above.
8. An overlay of the above maps (e.g., field boundaries, drain locations, contour map) with the location, size, and impacted area identified for each planned control structure.
 - If the control structures are set on a 2-foot elevation interval, the impacted area is defined as the drained area (from item 5) contained within the 2-foot contour above the control elevation.
 - If the control structures are set at an elevation interval less than 2 feet, then the impacted area is the drained area contained within the control elevation interval at which the control structures are set.
 - If the control structures are set at an elevation interval greater than 2 feet, then the impacted area is the drained area contained within the 2-foot contour above the control elevation.
 - The control elevation is the elevation of the soil surface at the lowest spot in the area of the field impacted by the operation of the water control structure.
9. The management instructions should follow the Operation and Maintenance section of Form CPS 554, which states that to reduce soil oxidation and to minimize wind erosion and nitrate transport, the outlet elevation at the water control structure shall be set to allow the water table to rise to within 6 inches or less of the ground surface at the designated control elevation during fallow periods and when practical. The DWMP also must include the following instructions:
 - a. The time after harvest to replace boards and the designated outlet elevation during the winter months (or fallow season).
 - b. The time in the spring to release water (this will vary depending on the crop: e.g. March for corn and April for soybeans).
 - c. Guidelines for the control of drainage and the management of the water table during the growing season (see Form CPS 554).
 - d. Evaluation of the DWMP's effect on wetlands and compliance with the National Food Security Act.
10. A summary sheet that lists the pipe diameter or dimensions of each water control structure and the area impacted by each structure.
11. A signature page, with names, dates and signatures of all contract holders and the person who prepared the plan. The signature page should also contain a space for approval by NRCS.

12. A District Conservationist checklist, covering each component of this statement of work, should also be included.
13. The DWMP should be packaged as one plan.

A template of a DWMP is available on the Illinois Drainage Guide (Online), on the webpage “Related Information”, <http://www.wq.uiuc.edu/dg/>.

C. Associated Practice Standards. The DWMP should address the resource concerns identified, and the conservation practices needed to comprise a conservation system for DWM. In addition to the water control structures as described in Conservation Practice Standard (CPS) 554, Drainage Water Management, existing drainage systems may require augmentation, modification, or replacement of existing components. NRCS Conservation Practice Standards to be incorporated in a DWMP could include:

- Drainage Water Management (554).
- Subsurface Drain (606).
- Surface Drain, Field Ditch (607).
- Surface Drainage, Main or Lateral (608).
- Wetland Creation (658).
- Wetland Enhancement (659).
- Wetland Restoration (657).
- Nutrient Management (590).
- Waste Utilization (633).
- Shallow Water Development and Management (646).
- Wetland Wildlife Habitat Management (644)

D. References:

NRCS National Engineering Handbook, Part 624, Section 16, Drainage.

NRCS National Engineering Handbook, Part 650, Engineering Field Handbook, Chapter 14, Water Management (Drainage).

3. Deliverables for the Client – a hardcopy of the plan that includes:

- Cover page – name, address, phone of client and TSP; Total Acres of the Plan, signature blocks for the TSP, producer, and a signature block for the NRCS acceptance.
- Soils map and appropriate soil descriptions.
- Resource assessment results (wind and water erosion, water availability, soil fertility, and others that may be needed).

- For management practices. The planned practices and the site specific specifications on how each practice will be applied; when the practice will be applied, and the extent (acres or number) that will be applied.
- For engineering/structural practices. The planned practice when it will be applied and extent, and located on the conservation plan map.

4. Deliverables for NRCS Field Office:

- Electronic copy of the client's plan (MS-Word copy).
- Digital Conservation Plan Map with fields, features, and structural practices located.
- Digital Soils Map.
- Completed CPA 52 and appropriate worksheets.