Mar 19 16:44 1987 Worth County Erodible Land List (Water Erosion) Northwood Field Office
Erosion Index (EI) = 8 Rainfall Factor (R) = 150

Erosion Categories 1 = Highly Erodible Land
2 = Potentially Highly Erodible Land
3 = Not Highly Erodible Land

Erosion Category	SMS	Soil Name	Acres	Min LS
1	138C2	CLARION LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	2930	0.95
1	177C	SAUDE LOAM, 5 TO 9 PERCENT SLOPES	495	0.76
1	236C	LESTER LOAM, 5 TO 9 PERCENT SLOPES	785	0.95
1	236C2	LESTER LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	3215	0.95
1	236D2	LESTER LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	860	0.95
1	236E2	LESTER LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	465	0.95
1	236F	LESTER LOAM, 18 TO 25 PERCENT SLOPES	260	0.95
1	62D3	STORDEN LOAM, 5 TO 14 PERCENT SLOPES, SEVERELY ERODED	530	0.67
1	62E3	STORDEN LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	200	0.76
1	638C2	CLARION-STORDEN LOAMS, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	1030	0.95
1	73D	SALIDA SANDY LOAM, 9 TO 14 PERCENT SLOPES	495	1.60
1	73F	SALIDA SANDY LOAM, 14 TO 30 PERCENT SLOPES	265	1.60
1	777C2	Wapsie Loam, 5 to 9 percent slopes, moderately eroded	490	0.76
1	782C2	DONNAN SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	200	0.76
1	836C2	KILKENNY SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	1815	0.95
1	836D2	KILKENNY SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	515	0.95
1	83C2	KENYON LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	455	0.95
2	171B	BASSETT LOAM, 2 TO 5 PERCENT SLOPES	1650	0.95
2	175C	DICKINSON FINE SANDY LOAM, 5 TO 9 PERCENT SLOPES	215	1.07
2	213B	ROCKTON LOAM, DEEP, 2 TO 5 PERCENT SLOPES	250	0.76
2	214B	ROCKTON LOAM, MODERATELY DEEP, 2 TO 5 PERCENT SLOPES	580	0.57
2	41C	SPARTA LOAMY FINE SAND, 5 TO 9 PERCENT SLOPES	315	1.57
2	706B	DONNAN SILT LOAM, DARK VARIANT, 2 TO 5 PERCENT SLOPES	465	0.76
2	73C	SALIDA SANDY LOAM, 2 TO 9 PERCENT SLOPES	1335	1.60
2	782B	DONNAN SILT LOAM, 2 TO 5 PERCENT SLOPES	1170	0.76
3 ~~2~~	83B	KENYON LOAM, 2 TO 5 PERCENT SLOPES	2820	0.95
3	107	WEBSTER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	14074	1.11
3	135	COLAND SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	1725	0.95
3	138	CLARION LOAM, 0 TO 2 PERCENT SLOPES	405	0.95
3	138B	CLARION LOAM, 2 TO 5 PERCENT SLOPES	13655	0.95
3	151	MARSHAN CLAY LOAM, MODERATELY DEEP, 0 TO 2 PERCENT SLOPES	2525	0.76
3	152	MARSHAN CLAY LOAM, DEEP, 0 TO 2 PERCENT SLOPES	9935	0.76
3	153	MARSHAN CLAY LOAM, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES	355	1.11
3	169B	CLARION LOAM, 2 TO 5 PERCENT LONG SLOPES	4705	0.95
3	171	BASSETT LOAM, 0 TO 2 PERCENT SLOPES	390	0.95
3	173	HOOPESTON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	305	1.07
3	174	BOLAN LOAM, 0 TO 2 PERCENT SLOPES	755	0.76
3	174B	BOLAN LOAM, 2 TO 5 PERCENT SLOPES	2005	0.76
3	175	DICKINSON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	470	1.07
3	175B	DICKINSON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	1280	1.07
3	177	SAUDE LOAM, 0 TO 2 PERCENT SLOPES	7290	0.76
3	177B	SAUDE LOAM, 2 TO 5 PERCENT SLOPES	3190	0.76
3	178	WAUKEE LOAM, 0 TO 2 PERCENT SLOPES	3350	0.89
3	178B	WAUKEE LOAM, 2 TO 5 PERCENT SLOPES	590	0.89
3	184	KLINGER SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	13340	0.83
3	188	KENSETT SILT LOAM, 0 TO 2 PERCENT SLOPES	1045	0.57
3	198	FLOYD LOAM, 1 TO 3 PERCENT SLOPES	3395	1.11
3	213	ROCKTON LOAM, DEEP, 0 TO 2 PERCENT SLOPES	325	0.76

Mar 19 16:44 1987 Worth County Erodible Land List (Water Erosion) Northwood Field Office
Erosion Index (EI) = 8 Rainfall Factor (R) = 150

Erosion Categories 1 = Highly Erodible Land
2 = Potentially Highly Erodible Land
3 = Not Highly Erodible Land

Erosion Category	SMS	Soil Name	Acres	Min LS
3	214	ROCKTON LOAM, MODERATELY DEEP, 0 TO 2 PERCENT SLOPES	950	0.57
3	225	LAWLER LOAM, MODERATELY DEEP, 0 TO 2 PERCENT SLOPES	3255	0.76
3	226	LAWLER LOAM, DEEP, 0 TO 2 PERCENT SLOPES	4910	0.76
3	235	COLAND-TURLIN COMPLEX, 0 TO 2 PERCENT SLOPES	945	0.95
3	236B	LESTER LOAM, 2 TO 5 PERCENT SLOPES	7955	0.95
3	236B2	LESTER LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	1095	0.95
3	274	ROLFE SILT LOAM, 0 TO 1 PERCENT SLOPES	450	0.95
3	27B	TERRIL LOAM, 2 TO 5 PERCENT SLOPES	770	1.11
3	284	FLAGLER SANDY LOAM, 0 TO 2 PERCENT SLOPES	115	1.07
3	284B	FLAGLER SANDY LOAM, 2 TO 5 PERCENT SLOPES	400	1.07
3	29	CLARION-NICOLLET LOAMS, 1 TO 3 PERCENT SLOPES	1570	0.95
3	325	LE SUEUR LOAM, 1 TO 3 PERCENT SLOPES	1100	1.11
3	329	WEBSTER-NICOLLET COMPLEX, 1 TO 3 PERCENT SLOPES	7065	1.11
3	335	HARCOT LOAM, 0 TO 2 PERCENT SLOPES	4680	0.76
3	377	DINSDALE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	610	0.83
3	377B	DINSDALE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	3515	0.83
3	382	MAXFIELD SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	18555	1.11
3	399	READLYN LOAM, 1 TO 3 PERCENT SLOPES	3355	1.11
3	407	SCHLEY SILT LOAM, 1 TO 3 PERCENT SLOPES	840	0.83
3	41B	SPARTA LOAMY FINE SAND, 2 TO 5 PERCENT SLOPES	325	1.57
3	471	ORAN SILT LOAM, 1 TO 3 PERCENT SLOPES	3675	0.95
3	507	CANISTEO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	4790	0.83
3	55	NICOLLET LOAM, 1 TO 3 PERCENT SLOPES	9345	1.11
3	558	TALCOT CLAY LOAM, MODERATELY DEEP, 0 TO 2 PERCENT SLOPES	930	0.76
3	559	TALCOT CLAY LOAM, DEEP, 0 TO 2 PERCENT SLOPES	5230	0.76
3	583	MINNETONKA SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	1855	0.95
3	6	OKOBOJI SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	2490	0.72
3	638B2	CLARION-STORDEN LOAMS, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	220	0.95
3	651	FAXON SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	1155	0.76
3	695	TILFER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	1030	0.76
3	706	DONNAN SILT LOAM, DARK VARIANT, 0 TO 2 PERCENT SLOPES	160	0.76
3	725	HAYFIELD LOAM, MODERATELY DEEP, 0 TO 2 PERCENT SLOPES	1065	0.83
3	726	HAYFIELD LOAM, DEEP, 0 TO 2 PERCENT SLOPES	960	0.83
3	733	CALCO SILTY CLAY LOAM, LOAMY SUBSTRATUM, 0 TO 2 PERCENT SLOPES	760	0.95
3	755	NICOLLET LOAM, 1 TO 3 PERCENT LONG SLOPES	2275	1.11
3	761	FRANKLIN SILT LOAM, 1 TO 3 PERCENT SLOPES	4525	0.83
3	777	WAPSIE LOAM, 0 TO 2 PERCENT SLOPES	950	0.76
3	777B	WAPSIE LOAM, 2 TO 5 PERCENT SLOPES	3565	0.76
3	782	Donnan Silt Loam, 0 to 2 percent slopes	1455	0.76
3	83	KENYON LOAM, 0 TO 2 PERCENT SLOPES	595	0.95
3	836B	KILKENNY SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	2995	0.95
3	836B2	KILKENNY SILTY CLAY LOAME 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	530	0.95
3	84	CLYDE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	8140	0.95
3	855	SHOREWOOD SILTY CLAY LOAM, 1-3 PERCENT SLOPES	1140	0.58
3	95	HARPS LOAM, 1 TO 3 PERCENT SLOPES	4235	1.11
3	956	OKOBOJI-HARPS COMPLEX, 0-3 PERCENT SLOPES	6800	0.72
3	977	RICHMOND SILT LOAM, 0-2 PERCENT SLOPES	430	0.95
3	C315	MIXED ALLUVIAL LAND, CHANNELED	820	0.95

83B Kenyon

Mar 19 16:44 1987 Worth County Erodible Land List (Water Erosion) Northwood Field Office
Erosion Index (EI) = 8 Rainfall Factor (R) = 150

Erosion Categories 1 = Highly Erodible Land
2 = Potentially Highly Erodible Land
3 = Not Highly Erodible Land

Erosion Category	SMS	Soil Name	Acres	Min LS
3	T506	WACOUSTA SILT LOAM, BENCHES, 0 TO 2 PERCENT SLOPES	655	0.95

Subtotal of Acres by Erosion Category

Erosion Category	Total Acres
1	15,005
2	8,800
3	220,344