



**Natural Resources Conservation Service
CONSERVATION PRACTICE STANDARD
ANIMAL MORTALITY FACILITY**

Code 316

(No.)

DEFINITION

An on-farm facility for the treatment or disposal of animal carcasses due to routine mortality.

PURPOSE

This practice may be applied to achieve one or more of the following purposes:

- reduce pollution impacts to surface water and groundwater resources
- reduce the impact of odors
- decrease the spread of pathogens

CONDITIONS WHERE PRACTICE APPLIES

This standard applies to livestock and poultry operations where routine animal carcass storage, treatment, or disposal is needed. .

This standard does not apply to catastrophic animal mortality. In cases of catastrophic animal mortality, use NRCS Conservation Practice Standard (CPS) Code 368, Emergency Animal Mortality Management.

CRITERIA

General Criteria Applicable to All Purposes

Include the facility in the waste management system plan for the operation.

Meet the structural and foundational requirements of NRCS CPS Code 313, Waste Storage Facility, when designing slabs, walls, and support structures.

Use NRCS CPS Code 367, Roofs and Covers, for animal mortality facility covers and roofs.

Use NRCS CPS Code 342, Critical Area Planting, to revegetate all non-crop areas disturbed by construction.

Use NRCS CPS Code 561, Heavy Use Area Protection, for the area used for vehicular traffic for turning or movement of the compost.

Use NRCS CPS Code 560, Access Road for all weather access to the facility, if required. Include provisions for closing and/or removing the facility where required.

The installation and operation of a facility for animal mortalities must specifically comply with **Illinois Administrative Code Title 8, Part 90, Section 90.110 “On Farm Disposal (of Dead Animals)” and 225**

Conservation practice standards are reviewed periodically and updated if needed. To obtain the current version of this standard, contact your Natural Resources Conservation Service [State office](#) or visit the [Field Office Technical Guide](#).

NRCS, Illinois
May, 2016

ILCS 610 Illinois Dead Animal Disposal Act. The Illinois Administrative Code listed above has very specific requirements for design, setbacks distances from nonfarm residences and operation of composting facilities and should be reviewed and followed in detail. Where there is a conflict between NRCS policy and the Illinois regulations, the more conservative interpretation will be used.

Safety. Provide warning signs, fences, refrigeration unit locks, and other devices as appropriate, to ensure the safety of humans and livestock.

Address biosecurity concerns in all aspects of planning, installation, operation, and maintenance of an animal mortality facility.

Utilities and Permits. Notify landowner and/or contractor of responsibility to locate all buried utilities in the project area, including drainage tile and other structural measures. The landowner is also required to obtain all necessary permits for project installation prior to construction.

Location. Locate the facility so that prevailing winds and landscape elements minimize odors and protect visual resources.

Locate the animal mortality facility above the 100-year floodplain elevation unless site restrictions require location within the floodplain. If located in the floodplain, protect the facility from inundation or damage from a 25-year flood event.

Locate the facility down-gradient from springs or wells where possible or take steps necessary to prevent contamination of groundwater supply sources. Investigate and mitigate hydrogeological conditions.

Direct surface runoff away from the animal mortality facility. Direct contaminated runoff from the animal mortality facility to an appropriate storage or treatment facility for further management.

Select a location for the animal mortality facility that is consistent with the overall site plan for the livestock or poultry operation. Locate the onsite mortality facility for acceptable ingress and egress and where it will not interfere with other travel patterns on the farm, such as livestock pathways and feed lanes.

Locate the facility as close to the source of mortality as practical, considering biosecurity issues and the need to keep the facility out of sight of the general public.

Seepage Control. Where seepage will create a potential water quality problem, provide a liner which meets the requirements of the National Engineering Handbook (NEH), Part 651, Agricultural Waste Management Field Handbook (AWMFH), Appendix 10D, for clay liner design criteria or other acceptable liner technology.

Temporary Storage. Where the mortality management system depends on periodic or cyclic operation (including, but not limited to, offsite disposal such as rendering), provide a facility or location with adequate capacity for temporary storage of carcasses until they can be processed or picked up. The temporary storage may be implemented as a pad or bin, a refrigeration unit, or other.

Additional Criteria Applicable to Composters

Location. Locate the composting facility on a base of low-permeability soil, concrete, or other liner material that will not allow contamination of groundwater. The floor of the composting facility must be at least 2 feet above the seasonal high water table.

Locate so that water is available to the facility during dry periods to ensure proper moisture and acceptable curing times to meet the management goals.

Facility Type. Base the selection of the composting facility/method on availability of raw material, desired quality of final compost, equipment, labor, time, and land available.

Facility Size. Size the compost facility to accommodate the amount of raw material planned for active composting plus space required for curing. Base the size of the facility on normal mortality loss records for the operation. If these data are not available, use locally established mortality rates for the type of operation. Ensure that the final product of the composting process has no visible pieces of soft tissue remaining.

Provide the facility with the capacity to maintain the compost temperature greater than 130° F for at least 5 days as an average throughout the compost mass followed by a compatible time for secondary composting. For a windrow system, the temperature of the compost must be above 130° F for 15 days with a minimum of 5 turnings of the compost.

Size the animal mortality composting facility using one of the methods provided in the NEH, Part 637, Chapter 2, Composting; and NEH, Part 651, Chapter 10, Section 651.1007, Mortality Management; or comparable extension publication or State rules. Select dimensions for elements of the compost facility to accommodate equipment used for loading, unloading, and aeration, as applicable.

Use of Finished Compost. Spread finished compost according to NRCS CPS Code 590, Nutrient Management, or provide for other acceptable means of disposal.

Up to 50% of the total volume of needed carbonaceous material for composting may consist of the finished compost material. If this is done, adequate blending of the carbonaceous material and the finished compost is required.

Additional Criteria Applicable to Incinerators and Gasifiers

General. Use a Type 4 (human and animal remains as defined by the Incinerator Institute of America) incinerator that has been approved for use within the state and is compliant with the Illinois Environmental Protection Act (415 ILCS 5). Gasification, which is a high temperature method of vaporizing the biomass with no direct flame with oxidation of the fumes in an after-burning chamber, gasifiers shall meet all applicable state air quality/emissions requirements.

Capacity. Size the incinerator/gasifier to handle the average maximum daily animal mortality during a growing cycle. Refrigeration units may be used in conjunction with the incinerator/gasifier to improve the loading cycle and fuel use efficiency of the incineration/gasification unit.

Ashes. Remove ashes daily or according to manufacturer recommendations. Spread ash according to NRCS conservation practice standard CPS Code 590, Nutrient Management, or provide for other acceptable means of disposal.

Location. Locate the incinerator/gasifier a minimum of 20 feet from any structure. Place the unit on a concrete pad with the fuel source as distant as practical. If the incinerator/gasifier is covered with a roof, provide a minimum air space between the chimney and any combustible roof part of at least 6 inches, or as recommended by the manufacturer, whichever is greater.

Additional Criteria Applicable to Refrigeration Units

General. Refrigeration units used must be compatible with the emptying mechanism. Protect the refrigeration unit from precipitation and direct sun as deemed appropriate.

Unit design, construction, power source, and installation must be in accordance with manufacturer's recommendations and all applicable building and electrical codes. Refrigeration units must be

constructed of durable material, be leak proof, and have a life expectancy compatible with other aspects of the waste management system.

Place the refrigeration units on a pad of suitable strength to withstand loads imposed by vehicular traffic used to load or remove the box or tray.

Temperature. The refrigeration units will be self-contained units designed to freeze animal carcasses before decomposition occurs. Carcasses to be rendered should be maintained between 22° and 26°F. Carcasses that will be composted, incinerated, or gasified should be stored a few degrees above freezing in order to facilitate burning and to reduce the composting time or amount of fuel needed to incinerate or gasify the carcasses.

Capacity. Size the refrigeration units to accommodate the normal maximum volume of mortality to be expected in the interval between emptying cycles. When calculating the volume required, include the expected daily mortality rate of the animal, the period of time between emptying, the average weight of the animal, and a conversion factor for weight to volume. Use a weight to volume conversion of 45 pounds per cubic foot unless a local volume conversion factor has been documented.

Power Source. Provide an alternative source of power, where available, to maintain the integrity of the freezing process during power outages. Where an alternative power source is not available, identify the contingencies for disposal of the animal carcasses in the Operation and Maintenance Plan.

Additional Criteria Applicable to Burial

General. Bury the mortalities on the premises owned or operated by the owner of the dead animals. At least 6 inches of compacted soil cover is needed over the uppermost part of the carcass. Do not allow the final covering or settling to be more than 5% slope differential from the normal gradient of the surroundings. Take precautions to minimize soil erosion, disease, and nuisance vectors.

Puncture the abdominal cavity of large carcasses to allow putrefactive gases to escape. Do not apply lime or other chemical agents that would prevent decomposition.

Location. Dead animals will not be buried less than 200 feet from any stream, private potable water supply source or any other potable water supply source. A 400-foot setback is required from any existing community water supply.

A 200-foot setback is needed from any existing residence not owned or occupied by the owner of the animal.

All weather access to the burial site is required.

Capacity. Buried mortality areas will have a maximum ratio of 1 pound of dead animals per 1 square foot of surface area on an annual basis. A site cannot have more than 3,000 pounds of mortalities buried. The same site cannot be used more frequently than once every 2 years for burial purposes. There must be no more than 3 sites located within a radius of 120 feet.

CONSIDERATIONS

Major considerations in planning animal mortality management are the:

- Management capabilities of the operator,
- Available equipment and land application area at the operation,
- Economics of available alternatives,
- Degree of pollution control required by state and local agencies,
- Effect on wildlife and domestic animals.

Take measures to maintain appropriate visual resources, reduce odor, and provide dust control. Vegetative screens and topography can be used to shield the animal mortality facility from public view, **to reduce odors, and to minimize visual impact.**

For facilities that are on organic operations or that sell compost to organic producers, ensure that any treated lumber used in the facility meets the requirements for organic production. It may be best to have the producer consult with the organic certifier as to the use and acceptability of treated lumber.

Additional Considerations for Composting.

Initial planning of site suitability should include referring to the web Soil Survey's soil interpretations for "composting facility" <http://websoilsurvey.nrcs.usda.gov/>.

Composting of any mortality will be hindered if the carcasses are allowed to freeze. Dead animals or birds should be placed in the compost mix as quickly as practical or kept in a dry, nonfreezing environment until added to the compost mix. Composting frozen carcasses will lengthen the amount of time needed for composting to occur and will likely require added management to ensure that proper composting temperatures are reached.

Poultry operations often experience higher rates of mortality as the birds reach maturity.

To reduce offensive odors increase the carbon nitrogen ratio. A carbon nitrogen ratio of 30:1 in the initial mix should have minimal odors.

Minimize odors and nitrogen loss by selecting carbonaceous material that, when blended with the nitrogenous material, provides a balance of nutrients and porous texture for aeration. A chemical neutralizing or other additive agent should be used if structural components do not provide adequate odor reduction.

Maximize solar warming by aligning piles north to south, configured with moderate side slopes.

Orient windrows to prevent ponding of surface runoff.

Protect compost facilities from the wind in cold or dry climates. Wind protection may help prevent excess drying of the compost.

Minimize blown-in rain by providing roof overhang.

PLANS AND SPECIFICATIONS

Prepare plans and specifications for animal mortality facilities that describe the requirements for applying the practice according to this standard. As a minimum the plans and specifications must include:

- A plan view showing the location and extent of the practice
- Pertinent elevations of the facility, if applicable
- Location of electrical lines, gas lines, water supply and other utilities
- Requirements for burial (if applicable)
- Quality of materials
- Drainage/grading plan, if needed
- Structural details of all components
- Temporary erosion control measures during construction
- Vegetative requirements
- Safety requirements for the facility

At minimum, include in the supporting documentation:

- Description of facility
- Size, type and number of animals that will be the feedstock
- Computations documenting the volume requirements for the facility
- Soil and foundation findings, interpretations, and reports

OPERATION AND MAINTENANCE

The Operation and Maintenance (O&M) Plan developed for the animal mortality facility will become part of the overall CNMP. The plan should document needed actions to ensure that the practice performs adequately throughout the expected life.

As a minimum, include the following information in the O&M plan:

- Method and procedures of mortality disposal for normal losses
- Odor management or minimization requirements
- Biosecurity protocols
- Safety measures and procedures
- Periodic inspections
- Need for prompt repair or replacement of damaged components
- Site references and/or manufacturer or installer for trouble shooting

Additional O&M for Composters

Compost Recipe. Include a recipe of ingredients which gives the ingredient quantities and layering/mixing sequence.

Carbon-Nitrogen Ratio. The initial compost mix must result in a carbon-to-nitrogen (C:N) ratio between 25:1 and 40:1. Compost with a lesser C:N ratio can be used if nitrogen mobilization is not a concern.

Carbon Source. Store a dependable source of carbonaceous material with a high C: N ratio to mix with nitrogen-rich waste materials. Up to 50% of the carbonaceous material may consist of the finished compost material. If this is done, adequate blending of the carbonaceous material and the finished compost is required. Include information about recycling of finished compost as carbonaceous material if applicable for the site.

Provide an estimate of the volume of carbon source needed for proper operation of the composter as a volume per unit time to assist the producer in determining storage needs. Also include information about the carbon source requirements between floors, walls and other mortalities.

Bulking Materials. Add bulking materials to the mix as necessary to enhance aeration. The bulking material may be the carbonaceous material used in the mix or a nonbiodegradable material that is salvaged at the end of the compost period. Make provision for the salvage of any nonbiodegradable material used in the composting process.

Compost Mix. Develop a compost mix that encourages aerobic microbial decomposition and avoids nuisance odors.

Moisture Level. Maintain adequate moisture in the compost mix throughout the compost period within the range of 40 to 65 % (wet basis). Prevent excess moisture from accumulating in the compost in high precipitation climatic regions. This may require the facility to be covered.

Temperature of Compost Mix. Closely monitor temperatures above 165°F. Take action immediately to cool piles that have reached temperatures above 185°F. If the pile is too hot, turn it to aerate the pile and release heat build-up.

Turning/Aeration. The frequency of turning/aeration shall be appropriate for the composting method used, and to attain the desired amount of moisture removal and temperature control while maintaining aerobic degradation.

Monitoring. The operation and maintenance plan must state that composting is a biological process that needs monitoring and management throughout the composting period to ensure proper composting processes. The operation may need to undergo some trial and error in the start-up of a new mortality composting facility. Manage the compost piles for temperature, odors, moisture, and oxygen, as appropriate. Test the finished compost as appropriate to assure that the required decomposition has been reached. Include the method, procedure, and record -keeping requirements for proper utilization of compost.

Scheduling. Provide a management table to assist the producer in using the appropriate bins when needed. The management table should show the days a bin is filled, in use, and emptied.

Additional O&M for Incinerators and Gasifiers

- Use the incinerator and gasifier only for the disposal of animal carcasses.
- Operate the unit properly to maximize equipment life and minimize emission problems.
- Load the unit according to the manufacturer's recommendations.
- Remove ashes frequently to maximize combustion and prevent damage to equipment. Include methods for collecting and disposing of the ash material remaining after incineration.
- Inspect the unit periodically to ensure that all components are operating as planned and in accordance with the manufacturer's recommendations.

Additional O&M for Refrigeration Units

- Operate the refrigeration unit properly to maximize equipment life and minimize potential problems.
- Load the refrigeration unit according to manufacturer's recommendations and do not exceed the design capacity.
- Use the refrigeration unit only for the dead animals associated with the planned operation.
- Inspect the refrigeration unit periodically for leaks, structural integrity, and temperature.

Additional O&M for Burial

Keep an aerial view or map showing the locations of all burial sites. Burial sites need to be properly identified to coincide with mortality records. Map will need a scale, north arrow, and any setbacks required for proper burial placement.

Record keeping requires a list of burial sites with the date the site was used, mortalities buried and location. Burial sites need to be adequately identified to coincide with aerial view or map.

REFERENCES

Nutsch, A., J. McClaskey, and J. Kastner, Eds., 2004. Carcass disposal: a comprehensive review, National Agricultural Biosecurity Center, Kansas State University, Manhattan, Kansas.

USDA, NRCS. National Engineering Handbook, Part 651, Agricultural Waste Management Field Handbook. Washington, D.C.

USDA, NRCS. National Engineering Handbook, Part 637, Chapter 2, Composting. Washington, D.C.

State of Illinois Administrative Code, Title 8: Agriculture and Animals, Part 90 Illinois Dead Animal Disposal Act, Chapter I: Department of Agriculture, Section 90.110
<http://www.ilga.gov/commission/jcar/admincode/008/00800090sections.html>