

UNITED STATES DEPARTMENT OF AGRICULTURE
NATURAL RESOURCES CONSERVATION SERVICE

MLRA REGION 11, INDIANAPOLIS, INDIANA

SECOND AMENDMENT TO THE
CLASSIFICATION AND
CORRELATION OF THE SOILS IN
CLARK COUNTY, ILLINOIS
(A SUBSET OF MLRAs 108A, 113, and 115A)

AMENDMENT NO. 2

February 26, 2009

The following changes need to be made to the "Classification and Correlation of the Soils in Clark County, Illinois" document issued in September 2006:

Page 8:

431	Genesee silt loam	3431A	Genesee silt loam, 0 to 2 percent slopes,
3431A	Genesee silt loam, 0 to 2 percent slopes, frequently flooded		
431	Genesee silt loam	3431A	Genesee silt loam, 0 to 2 percent slopes, frequently flooded
3431A	Genesee silt loam, 0 to 2 percent slopes, frequently flooded		

Add "frequently flooded" to Genesee in the right hand column.

Replace the pages 14 and 15 "Soil Identification According to Alphabetical Sequence" with the attached pages.

NASIS legend database was correct as was the correlation. Only the printed correlation document needs amendment.

Approval Signatures and Date


TRAVIS NEELY
MLRA Region 11 Team Leader
Indianapolis, Indiana

2/4/09
Date


WILLIAM J. GRADLE
State Conservationist
Champaign, Illinois

2/26/09
Date

Soil Identification Legend According to Alphabetical Sequence

Map symbol	Approved map unit name
7098B	Ade loamy sand, 2 to 5 percent slopes, rarely flooded
131B	Alvin fine sandy loam, 2 to 5 percent slopes
7131B	Alvin fine sandy loam, 2 to 5 percent slopes, rarely flooded
131C2	Alvin fine sandy loam, 5 to 10 percent slopes, eroded
3302A	Ambraw clay loam, 0 to 2 percent slopes, frequently flooded
3597A	Armiesburg silty clay loam, 0 to 2 percent slopes, frequently flooded
14B	Ava silt loam, 2 to 5 percent slopes
14C2	Ava silt loam, 5 to 10 percent slopes, eroded
927C2	Blair-Atlas silt loams, 5 to 10 percent slopes, eroded
927C3	Blair-Atlas silty clay loams, 5 to 10 percent slopes, severely eroded
13A	Bluford silt loam, 0 to 2 percent slopes
13B2	Bluford silt loam, 2 to 5 percent slopes, eroded
149A	Brenton silt loam, 0 to 2 percent slopes
136A	Brooklyn silt loam, 0 to 2 percent slopes
3450A	Brouillett silt loam, 0 to 2 percent slopes, frequently flooded
134A	Camden silt loam, 0 to 2 percent slopes
134B	Camden silt loam, 2 to 5 percent slopes
134C2	Camden silt loam, 5 to 10 percent slopes, eroded
7286A	Carmi sandy loam, 0 to 2 percent slopes, rarely flooded
315A	Channahon silt loam, 0 to 2 percent slopes
287A	Chauncey silt loam, 0 to 2 percent slopes
2A	Cisne silt loam, 0 to 2 percent slopes
991A	Cisne-Huey silt loams, 0 to 2 percent slopes
122D2	Colp silt loam, 10 to 18 percent slopes, eroded
122B	Colp silt loam, 2 to 5 percent slopes
112A	Cowden silt loam, 0 to 2 percent slopes
3071A	Darwin silty clay, 0 to 2 percent slopes, frequently flooded
7266B	Disco sandy loam, 2 to 5 percent slopes, rarely flooded
152A	Drummer silty clay loam, 0 to 2 percent slopes
48A	Ebbert silt loam, 0 to 2 percent slopes
8431A	Genesee sandy loam, 0 to 2 percent slopes, occasionally flooded
3431A	Genesee silt loam, 0 to 2 percent slopes, frequently flooded
8G	Hickory loam, 35 to 60 percent slopes
8F	Hickory silt loam, 18 to 35 percent slopes
946D3	Hickory-Atlas clay loams, 10 to 18 percent slopes, severely eroded
946D2	Hickory-Atlas silt loams, 10 to 18 percent slopes, eroded
842G	Hickory-Rock outcrop complex, 35 to 60 percent slopes
214B	Hosmer silt loam, 2 to 5 percent slopes
3A	Hoyleton silt loam, 0 to 2 percent slopes
3B	Hoyleton silt loam, 2 to 5 percent slopes
3028A	Jules silt loam, 0 to 2 percent slopes, frequently flooded
175D2	Lamont fine sandy loam, 10 to 18 percent slopes, eroded
7175B	Lamont fine sandy loam, 2 to 5 percent slopes, rarely flooded

Map symbol	Approved map unit name
830B	Landfills
79D2	Menfro silt loam, 10 to 18 percent slopes, eroded
79B	Menfro silt loam, 2 to 5 percent slopes
219A	Millbrook silt loam, 0 to 2 percent slopes
M-W	Miscellaneous water
453A	Muren silt loam, 0 to 2 percent slopes
453B	Muren silt loam, 2 to 5 percent slopes
218A	Newberry silt loam, 0 to 2 percent slopes
113A	Oconee silt loam, 0 to 2 percent slopes
113B	Oconee silt loam, 2 to 5 percent slopes
802D	Orthents, loamy, 2 to 20 percent slopes
3288A	Petrolia silty clay loam, 0 to 2 percent slopes, frequently flooded
31A	Pierron silt loam, 0 to 2 percent slopes
865	Pits, gravel
864	Pits, quarries
109A	Racoon silt loam, 0 to 2 percent slopes
434A	Ridgway silt loam, 0 to 2 percent slopes
434D2	Ridgway silt loam, 10 to 18 percent slopes, eroded
434B	Ridgway silt loam, 2 to 5 percent slopes
7434B	Ridgway silt loam, 2 to 5 percent slopes, rarely flooded
618D3	Senachwine clay loam, 10 to 18 percent slopes, severely eroded
618C3	Senachwine clay loam, 5 to 10 percent slopes, severely eroded
618D2	Senachwine silt loam, 10 to 18 percent slopes, eroded
618C2	Senachwine silt loam, 5 to 10 percent slopes, eroded
208A	Sexton silt loam, 0 to 2 percent slopes
138A	Shiloh silty clay loam, 0 to 2 percent slopes
3424A	Shoals silt loam, 0 to 2 percent slopes, frequently flooded
132A	Starks silt loam, 0 to 2 percent slopes
7155A	Stockland gravelly sandy loam, 0 to 2 percent slopes, rarely flooded
7155B	Stockland gravelly sandy loam, 2 to 5 percent slopes, rarely flooded
7155C	Stockland gravelly sandy loam, 5 to 10 percent slopes, rarely flooded
8665A	Stonelick fine sandy loam, 0 to 2 percent slopes, occasionally flooded
3665A	Stonelick loam, 0 to 2 percent slopes, frequently flooded
164A	Stoy silt loam, 0 to 2 percent slopes
164B	Stoy silt loam, 2 to 5 percent slopes
3284A	Tice silty clay loam, 0 to 2 percent slopes, frequently flooded
50A	Viriden silt loam, 0 to 2 percent slopes
W	Water
165A	Weir silt loam, 0 to 2 percent slopes
7571A	Whitaker loam, 0 to 2 percent slopes, rarely flooded
116A	Whitson silt loam, 0 to 2 percent slopes
3226A	Wirt loam, 0 to 2 percent slopes, frequently flooded
12A	Wynoose silt loam, 0 to 2 percent slopes
291B	Xenia silt loam, 2 to 5 percent slopes