Delaware

- HIGHLY ERODIBLE LAND CLASSES -
1 = HIGHLY ERODIBLE LAND
2 = POTENTIALLY HIGHLY ERODIBLE
3 = NOT HIGHLY ERODIBLE ¦ WIND EROSIION ¦

HIGHLY ERODIBLE AND
POTENTIALLY HIGHLY ERODIBLE
LAND CACULATOR VER 1.1
WATER EROSION

MUID	MAP SYMBOL	SOIL NAME	%	C VALUE	I VALUE	HEL CLASS	R VALUE	K VALUE	T VALUE	SLOPE- MIN.	PERCEN MAX.	SLOPE--LENGTH MIN.	MAX.	LS- VALUE MIN.	MAX.	ST/RK	HEL CLASS
035BLA	BLA	BLOUNT	1 100			ERROR	160	0.43	3	0	2	100	350	0.069	0.292	0.349	3
035BLB	BLB	BLOUNT	1 100			ERROR	160	0.43	3	2	4	100	300	0.201	0.620	0.349	2
035BLB2	BLB2	BLOUNT	1 100			ERROR	160	0.43	3	2	4	50	250	0.163	0.577	0.349	2
035BP	BP	BORROW PITS	1 100			ERROR	160	0.37	3	5	80	50	200	0.378	47.203	0.405	2
035BR	BR	BROOKSTON	1 100			ERROR	160	0.28	5	0	2	100	400	0.069	0.304	0.893	3
035BS	BS	BROOKSTON	1 100			ERROR	160	0.28	5	0	2	100	400	0.069	0.304	0.893	3
035CA	CA	CARLISLE	1 100			ERROR	160	0.01	5	0	1	100	400	0.069	0.19525	.000	3
035CRA	CRA	CROSBY	1 100			ERROR	160	0.43	3	0	2	100	400	0.069	0.304	0.349	3
035CSA	CSA	CROSBY	1 100			ERROR	160	0.37	3	0	2	100	300	0.069	0.279	0.405	3
035FOC2	FOC2	FOX	1 100			ERROR	160	0.37	4	6	12	50	200	0.475	2.551	0.541	2
035FOD2	FOD2	FOX	1 100			ERROR	160	0.37	4	12	18	50	150	1.275	4.205	0.541	1
035FSA	FSA	FOX	1 100			ERROR	160	0.37	4	0	2	100	400	0.069	0.304	0.541	3
035FSB	FSB	FOX	1 100			ERROR	160	0.37	4	2	6	100	400	0.201	1.344	0.541	2
035FXB3	FXB3	FOX	1 100			ERROR	160	0.24	3	2	6	50	300	0.163	1.164	0.625	2
035FXC3	FXC3	FOX	1 100			ERROR	160	0.24	3	6	12	50	2000	0.475	8.066	0.625	2
035GE	GE	GENESEE	1 100			ERROR	160	0.37	5	2	2	100	400	0.201	0.304	0.676	3
035GP	GP	GRAVEL PITS	1 50			ERROR	160	0.24	2	5	100	50	100	0.378	42.244	0.417	2
035GP	GP	STONE QUARRIES	2 50			ERROR	160	0.01	1	5	100	50	100	0.378	42.244	5.000	2
[illegible]E	HEE	HENNEPIN	1 100			ERROR	160	0.32	3	18	50	50	150	2.428	21.829	0.469	1
	KM	KOKOMO	1 100			ERROR	160	0.32	3	0	2	150	400	0.075	0.304	0.469	3
[illegible]	KO	KOKOMO	1 100			ERROR	160	0.32	3	0	2	150	400	0.075	0.304	0.469	3
035LM	LM	LINWOOD	1 100			ERROR	160	0.01	4	0	2	100	400	0.069	0.30420	.000	3
035MA	MA	MADE LAND	1 100			ERROR	160	0.37	3	0	25	50	250	0.060	9.313	0.405	2
035MDC2	MDC2	MARTINSVILLE	1 100			ERROR	160	0.24	5	6	12	50	250	0.475	2.852	1.042	2
035MEA	MEA	MARTINSVILLE	1 100			ERROR	160	0.37	5	0	2	100	300	0.069	0.279	0.676	3
035MEB	MEB	MARTINSVILLE	1 100			ERROR	160	0.37	5	2	6	50	300	0.163	1.164	0.676	2
035MMA	MMA	MIAMI	1 100			ERROR	160	0.37	4	0	2	100	400	0.069	0.304	0.541	3
035MMB2	MMB2	MIAMI	1 100			ERROR	160	0.37	4	2	6	50	350	0.163	1.258	0.541	2
035MMC2	MMC2	MIAMI	1 100			ERROR	160	0.37	4	6	12	50	300	0.475	3.124	0.541	2
035MMD	MMD	MIAMI	1 100			ERROR	160	0.37	4	12	18	50	250	1.275	5.429	0.541	1
035MNA	MNA	MIAMI	1 100			ERROR	160	0.37	5	0	2	100	400	0.069	0.304	0.676	3
035MNB	MNB	MIAMI	1 100			ERROR	160	0.37	5	2	6	50	300	0.163	1.164	0.676	2
035MNC2	MNC2	MIAMI	1 100			ERROR	160	0.37	5	6	12	50	250	0.475	2.852	0.676	2
035MOA	MOA	MIAMI	1 100			ERROR	160	0.37	5	0	2	100	400	0.069	0.304	0.676	3
035MOB	MOB	MIAMI	1 100			ERROR	160	0.37	5	2	6	50	350	0.163	1.258	0.676	2
035MRB2	MRB3	MIAMI BH 8192	1 100			ERROR	160	0.37	3	2	6	50	250	0.163	1.063	0.405	2
035MRC3	MRC3	MIAMI	1 100			ERROR	160	0.37	3	6	12	50	250	0.475	2.852	0.405	1
035MUB	MUB	MORLEY	1 100			ERROR	160	0.43	4	2	6	50	300	0.163	1.164	0.465	2
035MUB2	MUB2	MORLEY	1 100			ERROR	160	0.43	4	2	6	50	300	0.163	1.164	0.465	2
035MUD2	MUD2	MORLEY	1 100			ERROR	160	0.43	4	6	18	50	250	0.475	5.429	0.465	1
035MVB2	MVB2	MORLEY	1 100			ERROR	160	0.43	5	2	6	50	300	0.163	1.164	0.581	2
035MVC2	MVC2	MORLEY	1 100			ERROR	160	0.43	5	6	12	50	250	0.475	2.852	0.581	2
035MWB3	MWB3	MORLEY	1 100			ERROR	160	0.37	3	2	6	50	300	0.163	1.164	0.405	2

035MWC3	MWC3	MORLEY	1	100	ERROR	160	0.37	3	6	12	50	250	0.475	2.852	0.405	1
[illegible]CA	OCA	OCKLEY	1	100	ERROR	160	0.37	5	0	2	100	400	0.069	0.304	0.676	3
[illegible]B	OCB	OCKLEY	1	100	ERROR	160	0.37	5	2	6	100	350	0.201	1.258	0.676	2
[illegible]5PE	PE	PEWAMO	1	100	ERROR	160	0.28	5	0	2	100	400	0.069	0.304	0.893	3
035PF	PF	PEWAMO	1	100	ERROR	160	0.28	5	0	2	100	400	0.069	0.304	0.893	3
035PK	PK	PEWAMO	1	60	ERROR	160	0.24	5	0	2	100	300	0.069	0.279	1.042	3
035PK	PK	BROOKSTON	2	35	ERROR	160	0.28	5	0	2	100	300	0.069	0.279	0.893	3
035RC	RC	RENSSELAER	1	100	ERROR	160	0.32	5	0	2	100	400	0.069	0.304	0.781	3
035RO	RO	ROSS	1	100	ERROR	160	0.32	5	0	2	100	350	0.069	0.292	0.781	3
035SE	SE	SEBEWA	1	100	ERROR	160	0.28	4	0	2	100	400	0.069	0.304	0.714	3
035SH	SH	SHOALS	1	100	ERROR	160	0.37	5	0	2	100	400	0.069	0.304	0.676	3
035SN	SN	SLOAN	1	100	ERROR	160	0.28	5	0	2	100	400	0.069	0.304	0.893	3
035WA	WA	WALLKILL	1	100	ERROR	160	0.37	5	0	2	100	250	0.069	0.264	0.676	3