HIGHLY ERODIBLE LAND of Franklin COUNTY, INDIANA

- HIGHLY ERODIBLE LAND CLASSES -
1 = HIGHLY ERODIBLE LAND
2 = POTENTIALLY HIGHLY ERODIBLE
3 = NOT HIGHLY ERODIBLE

HIGHLY ERODIBLE AND POTENTIALLY HIGHLY ERODIBLE LAND CACULATOR VER 1.1

MUID	MAP SYMBOL	SOIL NAME	%	WIND EROSIION C VALUE	I VALUE	HEL CLASS	WATER EROSION R VALUE	K VALUE	T VALUE	SLOPE-PERCEN MIN.	MAX.	SLOPE--LENGTH MIN.	MAX.	LS-VALUE MIN.	MAX.	8T/RK	HEL CLASS
047ALA	ALA	ALVIN	1 100			ERROR	180	0.24	5	0	2	100	200	0.069	0.247	0.926	3
047ALB	ALB	ALVIN	1 100			ERROR	180	0.24	5	2	6	50	250	0.163	1.063	0.926	2
047AVA	AVA	AVONBURG	1 100			ERROR	180	0.43	4	0	2	100	600	0.069	0.344	0.413	3
047BNF	BNF	BONNELL	1 100			ERROR	180	0.43	4	25	50	50	200	4.165	25.206	0.413	1
047BOC2	BOC2	BONNELL	1 100			ERROR	180	0.43	4	6	12	50	250	0.475	2.852	0.413	1
047BOD2	BOD2	BONNELL	1 100			ERROR	180	0.43	4	12	18	50	250	1.275	5.429	0.413	1
047BOE2	BOE2	BONNELL	1 100			ERROR	180	0.43	4	18	25	50	250	2.428	9.313	0.413	1
047BPD3	BPD3	BONNELL	1 100			ERROR	180	0.43	3	12	18	50	250	1.275	5.429	0.310	1
047BRC3	BRC3	BONNELL	1 100			ERROR	180	0.43	3	6	12	50	200	0.475	2.551	0.310	1
047CBC2	CBC2	CARMEL	1 100			ERROR	180	0.43	3	6	12	50	150	0.475	2.209	0.310	1
047CKB2	CKB2	CINCINNATI	1 100			ERROR	180	0.43	4	2	6	50	200	0.163	0.951	0.413	2
047CKC2	CKC2	CINCINNATI	1 100			ERROR	180	0.43	4	6	12	50	150	0.475	2.209	0.413	1
047CKC3	CKC3	CINCINNATI	1 100			ERROR	180	0.43	3	6	12	50	200	0.475	2.551	0.310	1
047CM	CM	COBBSFORK	1 100			ERROR	180	0.37	4	0	1	100	600	0.069	0.221	0.480	3
047COG	COG	CORYDON	1 100			ERROR	180	0.32	2	18	50	50	400	2.428	35.646	0.278	1
047CY	CY	CYCLONE	1 100			ERROR	180	0.28	5	0	2	100	400	0.069	0.304	0.794	3
047DB	DB	DEARBORN	1 100			ERROR	180	0.37	3	0	2	50	150	0.060	0.227	0.360	3
047EBE2	EBE2	EDEN	1 100			ERROR	180	0.17	3	15	25	50	300	1.810	10.202	0.784	1
047EDG	EDG	EDEN	1 100			ERROR	180	0.17	3	35	60	200	300	14.456	40.098	0.784	1
047EED2	EED2	EDENTON	1 100			ERROR	180	0.43	3	12	18	50	300	1.275	5.947	0.310	1
[illegible]ELA	ELA	ELDEAN	1 100			ERROR	180	0.37	4	0	2	50	400	0.060	0.304	0.480	3
[illegible]LB	ELB	ELDEAN	1 100			ERROR	180	0.37	4	2	6	50	150	0.163	0.823	0.480	2
[illegible]CB	FCB	FINCASTLE	1 100			ERROR	180	0.37	5	1	3	100	500	0.129	0.465	0.601	3
047FFA	FFA	FINCASTLE	1 60			ERROR	180	0.37	5	0	1	100	500	0.069	0.209	0.601	3
047FFA	FFA	REESVILLE	2 30			ERROR	180	0.37	5	0	1	100	500	0.069	0.209	0.601	3
047FXC3	FXC3	FOX	1 60			ERROR	180	0.24	3	8	15	50	150	0.701	3.135	0.556	1
047FXC3	FXC3	FOX	2 20			ERROR	180	0.37	4	8	15	50	150	0.701	3.135	0.480	1
047GD	GD	GESSIE	1 100			ERROR	180	0.32	5	0	2	50	250	0.060	0.264	0.694	3
047GE	GE	GESSIE	1 100			ERROR	180	0.32	5	0	2	50	250	0.060	0.264	0.694	3
047HEG	HEG	HENNEPIN	1 100			ERROR	180	0.32	3	25	60	75	300	5.101	40.098	0.417	1
047HT	HT	HOLTON	1 100			ERROR	180	0.37	5	0	2	50	150	0.060	0.227	0.601	3
047MMB2	MMB2	MIAMI	1 100			ERROR	180	0.37	4	2	6	50	300	0.163	1.164	0.480	2
047MMC2	MMC2	MIAMI	1 100			ERROR	180	0.37	4	6	12	60	400	0.521	3.607	0.480	1
047MMD2	MMD2	MIAMI	1 100			ERROR	180	0.37	4	12	18	50	200	1.275	4.856	0.480	1
047MOC3	MOC3	MIAMI	1 100			ERROR	180	0.37	3	6	12	60	400	0.521	3.607	0.360	1
047MOD3	MOD3	MIAMI	1 100			ERROR	180	0.37	3	12	18	50	200	1.275	4.856	0.360	1
047MR	MR	MILFORD	1 100			ERROR	180	0.28	5	0	2	50	150	0.060	0.227	0.794	3
047MT	MT	MOUNDHAVEN	1 100			ERROR	180	0.24	5	0	2	50	300	0.060	0.279	0.926	3
047MX	MX	MOUNDHAVEN	1 100			ERROR	180	0.24	5	0	2	50	300	0.060	0.279	0.926	3
047OCA	OCA	OCKLEY	1 100			ERROR	180	0.37	5	0	2	50	400	0.060	0.304	0.601	3
047OCB2	OCB2	OCKLEY	1 100			ERROR	180	0.37	5	2	6	50	150	0.163	0.823	0.601	2
047OG	OG	OLDENBURG	1 100			ERROR	180	0.37	5	0	2	50	100	0.060	0.201	0.601	3
047PG	PG	PITS	1 100			ERROR	180	0.01	5	0	60	10	150	0.044	28.353	22.222	2

047PH	PH	PITS	1	100	ERROR	180	0.01	5	0	60	10	150	0.044	28.35	322.222	2
047PRC	PRC	PRINCETON	1	100	ERROR	180	0.24	5	4	12	80	400	0.366	3.607	0.926	2
[illegible]RKF	RKF	RODMAN	1	100	ERROR	180	0.15	3	35	60	100	300	10.222	40.098	0.889	1
[illegible]M	RM	ROSS	1	100	ERROR	180	0.32	5	0	2	50	200	0.060	0.247	0.694	3
047RSA	RSA	ROSSMOYNE	1	100	ERROR	180	0.43	4	0	2	100	200	0.069	0.247	0.413	3
047RSB2	RSB2	ROSSMOYNE	1	100	ERROR	180	0.43	4	2	6	50	150	0.163	0.823	0.413	2
047RUB2	RUB2	RUSSELL	1	100	ERROR	180	0.37	5	2	6	50	150	0.163	0.823	0.601	2
047RVA	RVA	RUSSELL	1	100	ERROR	180	0.37	3	0	2	100	400	0.069	0.304	0.360	3
047RVB	RVB	RUSSELL	1	100	ERROR	180	0.37	3	2	6	50	250	0.163	1.063	0.360	2
047SDB	SDB	SIDELL	1	100	ERROR	180	0.32	5	1	4	100	400	0.129	0.696	0.694	2
047UAB	UAB	UNIONTOWN	1	100	ERROR	180	0.43	5	2	8	50	250	0.163	1.567	0.517	2
047UND2	UND2	UNIONTOWN	1	100	ERROR	180	0.43	4	15	20	50	150	1.810	4.995	0.413	1
047WEB2	WEB2	WEISBURG	1	100	ERROR	180	0.37	3	2	6	50	200	0.163	0.951	0.360	2
047WMB	WMB	WILLIAMSTOWN	1	100	ERROR	180	0.37	4	1	4	40	150	0.098	0.470	0.480	3
047WN	WN	WIRT	1	100	ERROR	180	0.37	5	0	2	50	200	0.060	0.247	0.601	3
047WOB	WOB	WOOLPER	1	100	ERROR	180	0.37	3	1	6	100	300	0.129	1.164	0.360	2
047WRB	WRB	WYNN	1	100	ERROR	180	0.37	4	2	6	75	250	0.184	1.063	0.480	2
047WRC2	WRC2	WYNN	1	100	ERROR	180	0.37	4	6	12	75	350	0.582	3.374	0.480	1
047WYC3	WYC3	WYNN	1	100	ERROR	180	0.37	3	6	12	75	400	0.582	3.607	0.360	1
047XNA	XNA	XENIA	1	100	ERROR	180	0.37	5	0	2	50	200	0.060	0.247	0.601	3
047XNB2	XNB2	XENIA	1	100	ERROR	180	0.37	5	2	6	50	400	0.163	1.344	0.601	2