Greene

- HIGHLY ERODIBLE LAND CLASSES -
1 = HIGHLY ERODIBLE LAND
2 = POTENTIALLY HIGHLY ERODIBLE
3 = NOT HIGHLY ERODIBLE

HIGHLY ERODIBLE AND
POTENTIALLY HIGHLY ERODIBLE
LAND CACULATOR VER 1.1

MUID	MAP SYMBOL	SOIL NAME	%	C VALUE	I VALUE	WIND EROSIION HEL CLASS	R VALUE	K VALUE	T VALUE	WATER EROSION SLOPE- PERCEN MIN.	MAX.	SLOPE--LENGTH MIN.	MAX.	LS- VALUE MIN.	MAX.	8T/RK	HEL CLASS
********	******	**********	*	***	*****	****** *****	******	******	*****	******	*****	******	******	*****	*****	*****	****
055ALB2	ALB2	ALFORD	1	100		56ERROR	200	0.37	5	2	6	100	400	0.201	1.344	0.541	2
055ALC2	ALC2	ALFORD	1	100		56ERROR	200	0.37	5	6	12	75	300	0.582	3.124	0.541	1
055ANB	ANB	ALVIN	1	60		134ERROR	200	0.17	5	2	6	50	250	0.163	1.063	1.176	3
055ANB	ANB	BLOOMFIELD	2	40		310ERROR	200	0.15	5	2	6	50	250	0.163	1.063	1.333	3
055ANC	ANC	ALVIN	1	55		134ERROR	200	0.17	5	6	12	50	200	0.475	2.551	1.176	2
055ANC	ANC	BLOOMFIELD	2	45		310ERROR	200	0.15	5	6	12	50	200	0.475	2.551	1.333	2
055AO	AO	AMBRAW	1	100		56ERROR	200	0.28	5	0	2	25	400	0.053	0.304	0.714	3
055AR	AR	ARMIESBURG	1	100		48ERROR	200	0.28	5	0	2	25	400	0.053	0.304	0.714	3
055AVB2	AVB2	AVA	1	100		48ERROR	200	0.43	4	2	6	100	300	0.201	1.164	0.372	2
055AY	AY	AYRSHIRE	1	100		86ERROR	200	0.24	5	0	2	25	400	0.053	0.304	0.833	3
055BB	BB	BARTLE	1	100		56ERROR	200	0.43	4	0	2	25	400	0.053	0.304	0.372	3
055BCF	BCF	BERKS	1	65		ERROR	200	0.17	3	15	60	25	200	1.280	32.740	0.706	1
055BCF	BCF	EBAL	2	35		56ERROR	200	0.37	3	15	60	25	200	1.280	32.740	0.324	1
055BFG	BFG	BERKS	1	75		ERROR	200	0.17	3	45	70	30	200	8.325	40.151	0.706	1
055BFG	BFG	ROCK OUTCROP	2	25		ERROR	200	0.10	2	0	0	30	200	0.054	0.080	0.800	3
055BLE	BLE	BLOOMFIELD	1	100		134ERROR	200	0.15	5	15	25	25	200	1.280	8.330	1.333	2
055BLG	BLG	BLOOMFIELD	1	100		134ERROR	200	0.15	5	35	60	25	200	5.111	32.740	1.333	1
055BO	BO	BONNIE	1	100		48ERROR	200	0.43	5	0	2	25	400	0.053	0.304	0.465	3
055BR	BR	BOOKER	1	100		86ERROR	200	0.28	5	0	2	25	400	0.053	0.304	0.714	3
055BS	BS	BOOKER	1	100		86ERROR	200	0.28	5	0	2	25	400	0.053	0.304	0.714	3
055CCE2	CCE2	CHETWYND	1	100		56ERROR	200	0.32	5	18	25	25	150	1.717	7.214	0.625	1
055CCF	CCF	CHETWYND	1	100		56ERROR	200	0.32	5	25	60	25	200	2.945	32.740	0.625	1
055CFC2	CFC2	CINCINNATI	1	100		48ERROR	200	0.43	4	6	12	25	250	0.336	2.852	0.372	2
055CFC3	CFC3	CINCINNATI	1	100		48ERROR	200	0.43	3	6	12	25	250	0.336	2.852	0.279	1
055CFD2	CFD2	CINCINNATI	1	100		48ERROR	200	0.43	4	12	18	25	150	0.902	4.205	0.372	1
055CFD3	CFD3	CINCINNATI	1	100		48ERROR	200	0.43	3	12	18	10	250	0.570	5.429	0.279	1
055CHC2	CHC2	CINCINNATI	1	100		48ERROR	200	0.43	4	6	12	25	250	0.336	2.852	0.372	2
055CU	CU	CUBA	1	100		56ERROR	200	0.37	5	0	2	25	400	0.053	0.304	0.541	3
055ECD	ECD	EBAL	1	70		56ERROR	200	0.37	3	12	18	25	200	0.902	4.856	0.324	1
055ECD	ECD	GILPIN	2	30		ERROR	200	0.32	3	12	18	25	200	0.902	4.856	0.375	1
055EFD2	EFD2	EBAL	1	60		56ERROR	200	0.37	3	10	18	25	200	0.684	4.856	0.324	1
055EFD2	EFD2	WELLSTON	2	40		48ERROR	200	0.37	4	10	18	25	200	0.684	4.856	0.432	1
055ENA	ENA	ELSTON	1	100		56ERROR	200	0.28	4	0	2	25	400	0.053	0.304	0.571	3
055EV	EV	EVANSVILLE	1	100		56ERROR	200	0.37	5	0	2	25	400	0.053	0.304	0.541	3
055FAB	FAB	FAIRPOINT	1	100		48ERROR	200	0.43	3	2	6	25	400	0.132	1.344	0.279	2
055FCC	FCC	FAIRPOINT	1	100		48ERROR	200	0.37	5	2	12	25	450	0.132	3.826	0.541	2
055FCE	FCE	FAIRPOINT	1	100		48ERROR	200	0.37	5	18	35	25	200	1.717	14.456	0.541	1
055FCG	FCG	FAIRPOINT	1	100		48ERROR	200	0.37	5	35	90	30	200	5.599	53.755	0.541	1
0556CE2	GCE2	GILPIN	1	100		ERROR	200	0.32	3	18	25	25	200	1.717	8.330	0.375	1
0556FF	GFF	GILPIN	1	60		ERROR	200	0.32	3	30	60	25	200	3.976	32.740	0.375	1
055GFF	GFF	BERKS	2	40		ERROR	200	0.17	3	30	60	10	200	2.515	32.740	0.706	1
0556GE	GGE	GILPIN	1	60		ERROR	200	0.32	3	18	30	25	200	1.717	11.247	0.375	1
055GGE	GGE	EBAL	2	40		56ERROR	200	0.37	3	18	30	15	200	1.330	11.247	0.324	1

Greene

055GME	GME	GILPIN	1	60	ERROR	200	0.32	3	18	25	25	200	1.717	8.330	0.375	1
055GME	GME	WELLSTON	2	40	48ERROR	200	0.37	4	18	25	15	200	1.330	8.330	0.432	1
055HAE2	HAE2	HAGERSTOWN	1	100	ERROR	200	0.32	4	18	25	25	200	1.717	8.330	0.500	1
055HB	HB	HAYMOND	1	100	56ERROR	200	0.37	5	0	2	25	400	0.053	0.304	0.541	3
055HC	HC	HAYMOND	1	100	56ERROR	200	0.37	5	0	2	25	400	0.053	0.304	0.541	3
055HDA	HDA	HENSHAW	1	100	ERROR	200	0.43	4	1	3	25	400	0.085	0.435	0.372	2
055HED2	HED2	HICKORY	1	100	48ERROR	200	0.37	5	12	18	25	150	0.902	4.205	0.541	1
055HEE	HEE	HICKORY	1	100	48ERROR	200	0.37	5	18	25	25	200	1.717	8.330	0.541	1
055HEG	HEG	HICKORY	1	100	48ERROR	200	0.37	5	30	60	30	200	4.356	32.740	0.541	1
055MBB2	MBB2	MARKLAND	1	100	38ERROR	200	0.43	2	2	6	25	300	0.132	1.164	0.186	2
055MGA	MGA	MCGARY	1	100	56ERROR	200	0.43	3	0	2	25	300	0.053	0.279	0.279	2
055MO	MO	MONTGOMERY	1	100	38ERROR	200	0.37	5	0	2	25	400	0.053	0.304	0.541	3
055MU	MU	MUSKEGO	1	100	134ERROR	200	0.01	2	0	1	25	400	0.053	0.195	8.000	3
055NE	NE	NEWARK	1	100	ERROR	200	0.43	5	0	2	25	400	0.053	0.304	0.465	3
055NO	NO	NOLIN	1	100	ERROR	200	0.43	5	0	2	25	400	0.053	0.304	0.465	3
055NR	NR	NOLIN	1	100	ERROR	200	0.43	5	0	2	25	400	0.053	0.304	0.465	3
055PBC2	PBC2	PARKE	1	100	56ERROR	200	0.37	5	6	12	25	200	0.336	2.551	0.541	2
055PBD2	PBD2	PARKE	1	100	56ERROR	200	0.37	5	12	18	25	150	0.902	4.205	0.541	1
055PC	PC	PATTON	1	100	38ERROR	200	0.28	5	0	2	25	400	0.053	0.304	0.714	3
055PDB2	PDB2	PEKIN	1	100	56ERROR	200	0.43	4	2	6	25	300	0.132	1.164	0.372	2
055PF	PF	PEOGA	1	100	56ERROR	200	0.43	4	0	2	25	400	0.053	0.304	0.372	3
055PG	PG	PIANKESHAW	1	100	56ERROR	200	0.37	5	0	0	25	400	0.053	0.091	0.541	3
055PKB2	PKB2	PIKE	1	100	56ERROR	200	0.37	5	2	6	100	300	0.201	1.164	0.541	2
055PKC2	PKC2	PIKE	1	100	56ERROR	200	0.37	5	6	12	50	250	0.475	2.852	0.541	2
055PRB	PRB	PRINCETON	1	100	86ERROR	200	0.24	5	2	6	50	250	0.163	1.063	0.833	2
055PRC	PRC	PRINCETON	1	100	86ERROR	200	0.24	5	6	12	50	200	0.475	2.551	0.833	2
055RAA	RAA	REESVILLE	1	100	56ERROR	200	0.37	5	0	2	50	400	0.060	0.304	0.541	3
055RB	RB	RENSSELAER	1	100	86ERROR	200	0.24	5	0	2	25	400	0.053	0.304	0.833	3
055RD	RD	RENSSELAER	1	100	56ERROR	200	0.32	5	0	2	25	400	0.053	0.304	0.625	3
055RMA	RMA	ROBY	1	100	86ERROR	200	0.20	4	0	2	25	400	0.053	0.304	0.800	3
055SCA	SCA	SHAKAMAK	1	100	56ERROR	200	0.43	4	1	3	50	400	0.105	0.435	0.372	2
055SO	SO	STEFF	1	100	ERROR	200	0.43	5	0	2	25	400	0.053	0.304	0.465	3
055SR	SR	STEFF	1	100	ERROR	200	0.43	5	0	2	25	400	0.053	0.304	0.465	3
055ST	ST	STENDAL	1	100	56ERROR	200	0.37	5	0	2	25	400	0.053	0.304	0.541	3
055UD	UD	UDORTHENTS	1	100	3	200	0.37	3	0	2	15	250	0.047	0.264	0.324	3
055UNE	UNE	UNIONTOWN	1	100	3	200	0.43	4	18	30	25	200	1.717	11.247	0.372	1
055VGA	VGA	VIGO	1	100	56ERROR	200	0.43	3	0	2	25	400	0.053	0.304	0.279	2
055WCA	WCA	WAUPECAN	1	100	48ERROR	200	0.32	4	0	2	25	400	0.053	0.304	0.500	3
055WED2	WED2	WELLSTON	1	100	48ERROR	200	0.37	4	12	18	25	150	0.902	4.205	0.432	1
055WED3	WED3	WELLSTON	1	100	48ERROR	200	0.37	4	12	18	25	150	0.902	4.205	0.432	1
055WGD2	WGD2	WELLSTON	1	100	48ERROR	200	0.37	4	6	18	25	150	0.336	4.205	0.432	2
055WM	WM	WILHITE	1	100	86ERROR	200	0.32	5	0	2	25	400	0.053	0.304	0.625	3
055WT	WT	WIRT	1	100	86ERROR	200	0.24	5	0	2	25	400	0.053	0.304	0.833	3
055ZAA	ZAA	ZANESVILLE	1	100	ERROR	200	0.43	3	1	2	50	300	0.105	0.279	0.279	2
055ZAB2	ZAB2	ZANESVILLE	1	100	ERROR	200	0.43	3	2	6	100	300	0.201	1.164	0.279	2
055ZAC2	ZAC2	ZANESVILLE	1	100	ERROR	200	0.43	3	6	12	50	250	0.475	2.852	0.279	1
055ZAC3	ZAC3	ZANESVILLE	1	100	ERROR	200	0.43	3	6	12	50	250	0.475	2.852	0.279	1
055ZP	ZP	ZIPP	1	100	3	200	0.28	5	0	2	50	400	0.060	0.304	0.714	3