Martin

- HIGHLY ERODIBLE LAND CLASSES -
1 = HIGHLY ERODIBLE LAND
2 = POTENTIALLY HIGHLY ERODIBLE
3 = NOT HIGHLY ERODIBLE

HIGHLY ERODIBLE AND
POTENTIALLY HIGHLY ERODIBLE
LAND CACULATOR VER 1.1

MUID	MAP SYMBOL	SOIL NAME	*	%	C VALUE	I VALUE	WIND EROSIION HEL CLASS	R VALUE	K VALUE	T VALUE	WATER EROSION SLOPE- MIN.	PERCEN MAX.	SLOPE--LENGTH MIN.	MAX.	LS- MIN.	VALUE MAX.	8T/RK	HEL CLASS
101AB	AB	ABSCOTA	1	100		310	ERROR	200	0.17	5	0	2	25	400	0.053	0.304	1.176	3
101AVC2	AVC2	ALVIN	1	65		134	ERROR	200	0.17	5	4	10	25	200	0.230	1.936	1.176	2
101AVC2	AVC2	CHELSEA	2	35		134	ERROR	200	0.17	5	4	10	25	200	0.230	1.936	1.176	2
101AVE	AVE	ALVIN	1	60		134	ERROR	200	0.17	5	15	35	25	150	1.280	12.519	1.176	1
101AVE	AVE	CHELSEA	2	40		134	ERROR	200	0.17	5	15	35	25	150	1.280	12.519	1.176	1
101BA	BA	BARTLE	1	100		56	ERROR	200	0.43	4	0	2	25	400	0.053	0.304	0.372	3
101BK	BK	BIRDS	1	100		48	ERROR	200	0.43	5	0	2	25	400	0.053	0.304	0.465	3
101BO	BO	BONNIE	1	100		48	ERROR	200	0.43	5	0	2	25	400	0.053	0.304	0.465	3
101BU	BU	BURNSIDE	1	100		56	ERROR	200	0.37	4	0	2	25	400	0.053	0.304	0.432	3
101CAB	CAB	CAMDEN	1	100		48	ERROR	200	0.37	5	1	5	25	200	0.085	0.757	0.541	2
101CNB	CNB	CINCINNATI	1	100		48	ERROR	200	0.43	4	3	10	25	200	0.189	1.936	0.372	2
101CRC	CRC	CRIDER	1	100			ERROR	200	0.32	5	3	10	25	200	0.189	1.936	0.625	2
101FBD	FBD	FAIRPOINT	1	100		48	ERROR	200	0.37	5	12	45	25	150	0.902	18.616	0.541	1
101FCC	FCC	FAIRPOINT	1	100		48	ERROR	200	0.37	5	4	16	25	200	0.230	4.014	0.541	2
101HAD	HAD	HAGERSTOWN	1	100			ERROR	200	0.32	4	12	18	25	150	0.902	4.205	0.500	1
101HD	HD	HAYMOND	1	100		56	ERROR	200	0.37	5	0	2	25	400	0.053	0.304	0.541	3
101HOB	HOB	HOSMER	1	100		56	ERROR	200	0.43	4	2	6	25	200	0.132	0.951	0.372	2
101JOA	JOA	JOHNSBURG	1	100		56	ERROR	200	0.43	3	0	2	25	200	0.053	0.247	0.279	3
101MAB	MAB	MARKLAND	1	100		56	ERROR	200	0.43	3	1	5	25	200	0.085	0.757	0.279	2
101MCC3	MCC3	MARKLAND	1	100		38	ERROR	200	0.43	2	6	12	25	200	0.336	2.551	0.186	1
101MDA	MDA	MARTINSVILLE	1	100		56	ERROR	200	0.37	5	0	2	25	400	0.053	0.304	0.541	3
101MGA	MGA	MCGARY	1	100		38	ERROR	200	0.43	3	0	2	25	300	0.053	0.279	0.279	2
101NEE	NEE	NEGLEY	1	100		56	ERROR	200	0.32	3	18	35	25	150	1.717	12.519	0.375	1
101NM	NM	NEWARK	1	100			ERROR	200	0.43	5	0	2	25	400	0.053	0.304	0.465	3
101NO	NO	NOLIN	1	100			ERROR	200	0.43	5	0	2	25	400	0.053	0.304	0.465	3
101PAC2	PAC2	PARKE	1	100		56	ERROR	200	0.37	5	6	12	25	200	0.336	2.551	0.541	2
101PAD2	PAD2	PARKE	1	100		56	ERROR	200	0.37	5	12	18	25	200	0.902	4.856	0.541	1
101PEB	PEB	PEKIN	1	100		56	ERROR	200	0.43	3	2	6	25	200	0.132	0.951	0.279	2
101PKB	PKB	PIKE	1	100		56	ERROR	200	0.37	5	2	6	25	200	0.132	0.951	0.541	2
101UHD	UHD	UDORTHENTS	1	100			ERROR	200	0.37	5	6	14	25	200	0.336	3.244	0.541	2
101UP	UP	UDORTHENTS	1	60			ERROR	200	0.37	5	5	60	25	50	0.267	16.370	0.541	2
101UP	UP	PITS	2	40			ERROR	200	0.37	5	5	60	25	50	0.267	16.370	0.541	2
101WA	WA	WAKELAND	1	100		56	ERROR	200	0.37	5	0	2	25	400	0.053	0.304	0.541	3
101WEB	WEB	WELLSTON	1	100		48	ERROR	200	0.37	4	2	6	25	200	0.132	0.951	0.432	2
101WEC2	WEC2	WELLSTON	1	100		48	ERROR	200	0.37	4	6	12	25	200	0.336	2.551	0.432	2
101WED2	WED2	WELLSTON	1	100		48	ERROR	200	0.37	4	12	18	25	150	0.902	4.205	0.432	1
101WED3	WED3	WELLSTON	1	100		48	ERROR	200	0.37	4	12	18	25	150	0.902	4.205	0.432	1
101WGG	WGG	WELLSTON	1	47		48	ERROR	200	0.37	4	18	70	25	100	1.717	28.391	0.432	1
101WGG	WGG	BERKS	2	25			ERROR	200	0.17	3	18	70	25	100	1.717	28.391	0.706	1
101WGG	WGG	GILPIN	3	18			ERROR	200	0.32	3	18	70	25	100	1.717	28.391	0.375	1
101WLD	WLD	WELLSTON	1	50		48	ERROR	200	0.37	4	10	18	25	150	0.684	4.205	0.432	1
101WLD	WLD	EBAL	2	40		56	ERROR	200	0.37	3	10	18	25	150	0.684	4.205	0.324	1
101WNE	WNE	WELLSTON	1	60		48	ERROR	200	0.37	4	12	30	25	150	0.902	9.740	0.432	1

Martin

101WNE	WNE	GILPIN	2	30	ERROR	200	0.32	3	12	30	25	150	0.902	9.740	0.375	1
101WPD	WPD	WELLSTON	1	55	48ERROR	200	0.37	4	12	18	25	150	0.902	4.205	0.432	1
101WR	WR	WILBUR	1	100	56ERROR	200	0.37	5	0	2	25	400	0.053	0.304	0.541	3
101WT	WT	WIRT	1	100	86ERROR	200	0.24	5	0	2	25	400	0.053	0.304	0.833	3
101ZAB	ZAB	ZANESVILLE	1	100	ERROR	200	0.43	3	2	6	25	200	0.132	0.951	0.279	2
101ZAC2	ZAC2	ZANESVILLE	1	100	ERROR	200	0.43	3	6	12	25	200	0.336	2.551	0.279	1
101ZAC3	ZAC3	ZANESVILLE	1	100	ERROR	200	0.43	3	6	12	25	200	0.336	2.551	0.279	1
101ZNB	ZNB	ZANESVILLE	1	55	ERROR	200	0.43	3	2	6	25	200	0.132	0.951	0.279	2
101ZNB	ZNB	UDORTHENTS	2	45	ERROR	200	0.37	5	2	6	25	200	0.132	0.951	0.541	2
101ZNC	ZNC	ZANESVILLE	1	55	ERROR	200	0.43	3	6	12	25	150	0.336	2.209	0.279	1
101ZNC	ZNC	UDORTHENTS	2	45	ERROR	200	0.37	5	6	12	25	150	0.336	2.209	0.541	2
101ZP	ZP	ZIPP	1	100	ERROR	200	0.28	5	0	1	50	350	0.060	0.188	0.714	3