Putnam

- HIGHLY ERODIBLE LAND CLASSES -
1 = HIGHLY ERODIBLE LAND
2 = POTENTIALLY HIGHLY ERODIBLE
3 = NOT HIGHLY ERODIBLE ! WIND EROSIION !

HIGHLY ERODIBLE AND
POTENTIALLY HIGHLY ERODIBLE
LAND CACULATOR VER 1.1
WATER EROSION

HUID	MAP SYMBOL	SOIL NAME	%	C VALUE	I VALUE	HEL CLASS	R VALUE	K VALUE	T VALUE	SLOPE- MIN.	PERCEN MAX.	SLOPE--LENGTH MIN.	MAX.	LS- MIN.	VALUE MAX.	ST/RK	HEL CLASS
133ALB	ALB	ALFORD	1	100		56ERROR	180	0.37	5	2	6	35	500	0.146	1.503	0.601	2
133ALC2	ALC2	ALFORD	1	100		56ERROR	180	0.37	5	6	12	25	500	0.336	4.033	0.601	2
133ANC	ANC	ALVIN	1	100		86ERROR	180	0.24	5	6	12	25	250	0.336	2.852	0.926	2
133AVB	AVB	AVA	1	100		48ERROR	180	0.43	4	1	4	75	500	0.118	0.761	0.413	2
133AWB2	AWB2	AVA	1	100		48ERROR	180	0.43	4	3	6	25	200	0.189	0.951	0.413	2
133AWC2	AWC2	AVA	1	100		48ERROR	180	0.43	4	6	12	25	200	0.336	2.551	0.413	2
133BA	BA	BARTLE	1	100		56ERROR	180	0.43	4	0	2	0	250	0.000	0.264	0.413	3
133BD	BD	BIRDS	1	100		48ERROR	180	0.43	5	0	2	0	200	0.000	0.247	0.517	3
133CH	CH	CHAGRIN	1	100		56ERROR	180	0.32	5	0	2	0	300	0.000	0.279	0.694	3
133CKG	CKG	CHETWYND VARIANT	1	100		56ERROR	180	0.32	5	25	50	25	150	2.945	21.829	0.694	1
133CNC2	CNC2	CINCINNATI	1	100		48ERROR	180	0.43	4	6	12	50	300	0.475	3.124	0.413	1
133CND2	CND2	CINCINNATI	1	100		48ERROR	180	0.43	4	12	18	50	250	1.275	5.429	0.413	1
133COG	COG	CORYDON	1	100		48ERROR	180	0.32	2	25	50	25	150	2.945	21.829	0.278	1
133ELB	ELB	ELKINSVILLE	1	100		56ERROR	180	0.37	5	2	6	50	300	0.163	1.164	0.601	2
133EV	EV	EVANSVILLE	1	100		56ERROR	180	0.37	5	0	2	0	300	0.000	0.279	0.601	3
133FDA	FDA	FINCASTLE	1	100		56ERROR	180	0.37	5	1	3	25	350	0.085	0.418	0.601	3
133FOB2	FOB2	FOX	1	100		56ERROR	180	0.37	4	2	6	25	250	0.132	1.063	0.480	2
133FXC3	FXC3	FOX	1	100		48ERROR	180	0.32	3	6	15	25	250	0.336	4.047	0.417	2
133GNE	GNE	GILPIN	1	100		ERROR	180	0.32	3	15	25	15	150	0.991	7.214	0.417	1
RC2	GRC2	GRAYFORD	1	100		56ERROR	180	0.37	5	6	12	25	250	0.336	2.852	0.601	2
GRD2	GRD2	GRAYFORD	1	100		56ERROR	180	0.37	5	12	18	25	250	0.902	5.429	0.601	1
GRE2	GRE2	GRAYFORD	1	100		56ERROR	180	0.37	5	18	25	25	200	1.717	8.330	0.601	1
133HB	HB	HAYMOND	1	100		56ERROR	180	0.37	5	0	2	0	400	0.000	0.304	0.601	3
133HEG	HEG	HENNEPIN	1	100		56ERROR	180	0.32	3	25	50	15	150	2.281	21.829	0.417	1
133HOG	HOG	HICKORY	1	100		48ERROR	180	0.37	5	25	70	25	150	2.945	34.772	0.601	1
133HV	HV	HOOSIERVILLE	1	100		56ERROR	180	0.43	5	0	2	0	200	0.000	0.247	0.517	3
133IVA	IVA	IVA	1	100		56ERROR	180	0.43	5	0	2	0	300	0.000	0.279	0.517	3
133MCA	MCA	MARTINSVILLE	1	100		56ERROR	180	0.37	5	0	2	0	300	0.000	0.279	0.601	3
133MCB	MCB	MARTINSVILLE	1	100		56ERROR	180	0.37	5	2	6	50	300	0.163	1.164	0.601	2
133MED2	MED2	MIAMI	1	100		56ERROR	180	0.37	4	12	18	25	250	0.902	5.429	0.489	1
133MGC3	MGC3	MIAMI	1	100		48ERROR	180	0.37	3	6	12	35	350	0.398	3.374	0.360	1
133MGD3	MGD3	MIAMI	1	100		48ERROR	180	0.37	3	12	18	25	250	0.902	5.429	0.360	1
133MUB	MUB	MUREN	1	100		56ERROR	180	0.37	5	1	4	50	350	0.105	0.660	0.601	2
133OCA	OCA	OCKLEY	1	100		56ERROR	180	0.37	5	0	2	0	350	0.000	0.292	0.601	3
133OCB2	OCB2	OCKLEY	1	100		56ERROR	180	0.37	5	2	6	25	300	0.132	1.164	0.601	2
133PEB2	PEB2	PARKE	1	100		56ERROR	180	0.37	5	2	6	25	300	0.132	1.164	0.601	2
133PEC2	PEC2	PARKE	1	100		56ERROR	180	0.37	5	6	12	25	200	0.336	2.551	0.601	2
133PO	PO	PITS	1	100		ERROR	180	0.37	5	0	25	25	200	0.053	8.330	0.601	2
133RA	RA	RAGSDALE	1	100		56ERROR	180	0.28	5	0	2	0	300	0.000	0.279	0.794	3
133REA	REA	REESVILLE	1	100		56ERROR	180	0.37	5	0	2	0	300	0.000	0.279	0.601	3
133RN	RN	RENSSELAER	1	100		56ERROR	180	0.32	5	0	2	0	350	0.000	0.292	0.694	3
133RUB	RUB	RUSSELL	1	100		56ERROR	180	0.37	5	2	6	35	350	0.146	1.258	0.601	2
133RUC	RUC	RUSSELL	1	100		56ERROR	180	0.37	5	6	12	25	250	0.336	2.852	0.601	2

Putnam

1[illegible]SH	SH	SHOALS	1	100	56ERROR	160	0.37	5	0	2	0	400	0.000	0.304	0.601	3
.1	SM	SHOALS	1	60	56ERROR	180	0.37	5	0	50	0	200	0.000	25.206	0.601	2
3M	SM	HENNEPIN	2	30	56ERROR	180	0.32	3	0	50	0	200	0.000	25.206	0.417	2
133SW	SW	STONELICK	1	100	86ERROR	160	0.24	5	0	2	0	300	0.000	0.279	0.926	3
133UD	UD	UDORTHENTS, LOAMY	1	100	ERROR	180	0.37	3	0	12	0	300	0.000	3.124	0.360	2
133WA	WA	WAKELAND	1	100	56ERROR	180	0.37	5	0	2	0	300	0.000	0.279	0.601	3
133WEG	WEG	WEIKERT	1	100	ERROR	180	0.37	2	25	70	25	150	2.945	34.772	0.240	1
133WH	WH	WHITAKER	1	100	ERROR	180	0.37	5	0	2	0	400	0.000	0.304	0.601	3
133XEA	XEA	XENIA	1	100	ERROR	180	0.37	5	0	2	0	350	0.000	0.292	0.601	3
133XEB2	XEB2	XENIA	1	100	ERROR	180	0.37	5	2	6	35	350	0.146	1.258	0.601	2