HIGHLY ERODIBLE LAND of Randolph COUNTY, INDIANA

Part II
See attached maps, South of Mississinewa R.

- HIGHLY ERODIBLE LAND CLASSES -
1 = HIGHLY ERODIBLE LAND
2 = POTENTIALLY HIGHLY ERODIBLE
3 = NOT HIGHLY ERODIBLE

HIGHLY ERODIBLE AND POTENTIALLY HIGHLY ERODIBLE LAND CACULATOR VER 1.1

MUID	MAP SYMBOL	SOIL NAME	Z	WIND EROSIION C VALUE	I VALUE	HEL CLASS	R VALUE	K VALUE	T VALUE	WATER EROSION SLOPE-PERCEN MIN.	MAX.	SLOPE--LENGTH MIN.	MAX.	LS-VALUE MIN.	MAX.	ST/RK	HEL CLASS
135AN	AN	ALLISON VARIANT	1	100	38	ERROR	160	0.28	5	0	2	50	400	0.060	0.304	0.893	3
135BLA	BLA	BLOUNT	1	100	48	ERROR	160	0.43	3	0	1	100	400	0.069	0.195	0.349	3
135CA	CA	CARLISLE	1	100	86	ERROR	160	0.01	5	0	2	50	400	0.060	0.304	25.000	3
135CEB	CEB	CELINA	1	100	48	ERROR	160	0.37	5	1	4	100	350	0.129	0.660	0.676	3
135CKB	CKB	CELINA	1	100	48	ERROR	160	0.37	5	1	4	100	350	0.129	0.660	0.676	3
135CNB	CNB	CROSBY	1	100	56	ERROR	160	0.37	3	1	3	100	300	0.129	0.399	0.405	3
135EE	EE	EEL	1	100	56	ERROR	160	0.37	5	0	2	100	300	0.069	0.279	0.676	3
135ENA	ENA	ELDEAN VARIANT	1	100	48	ERROR	160	0.28	4	0	2	100	400	0.069	0.304	0.714	3
135FCA	FCA	FINCASTLE	1	55	56	ERROR	160	0.37	5	0	1	100	400	0.069	0.195	0.676	3
135FCA	FCA	CROSBY	2	35	56	ERROR	160	0.43	3	0	1	100	400	0.069	0.195	0.349	3
135FOA	FOA	FOX	1	100	56	ERROR	160	0.37	4	0	2	100	400	0.069	0.304	0.541	3
135FOB	FOB	FOX	1	100	56	ERROR	160	0.37	4	2	6	100	400	0.201	1.344	0.541	2
135FXC3	FXC3	FOX	1	100	48	ERROR	160	0.32	3	6	12	50	300	0.475	3.124	0.469	1
135GNB2	GNB2	GLYNWOOD	1	100	48	ERROR	160	0.43	3	1	4	100	400	0.129	0.696	0.349	2
135LNB2	LNB2	LOSANTVILLE	1	100	48	ERROR	160	0.37	3	2	6	100	300	0.201	1.164	0.405	2
135LNE	LNE	LOSANTVILLE	1	100	48	ERROR	160	0.37	3	18	25	50	200	2.428	8.330	0.405	1
135LOC3	LOC3	LOSANTVILLE	1	100	48	ERROR	160	0.37	2	6	12	50	300	0.475	3.124	0.270	1
135LOD3	LOD3	LOSANTVILLE	1	100	48	ERROR	160	0.37	2	12	18	50	250	1.275	5.429	0.270	1
135LSB2	LSB2	LOSANTVILLE	1	100	48	ERROR	160	0.37	3	2	6	100	300	0.201	1.164	0.405	2
[illegible]TC3	LTC3	LOSANTVILLE	1	100	48	ERROR	160	0.37	2	6	12	50	300	0.475	3.124	0.270	1
[illegible]3	LTD3	LOSANTVILLE	1	100	48	ERROR	160	0.37	2	12	18	50	250	1.275	5.429	0.270	1
[illegible]W	LW	LINWOOD	1	100		ERROR	160	0.01	4	0	2	100	400	0.069	0.304	20.000	3
135MOA	MOA	MIAMI	1	100	48	ERROR	160	0.37	5	0	2	100	400	0.069	0.304	0.676	3
135MOB2	MOB2	MIAMI	1	100	48	ERROR	160	0.37	5	2	6	50	300	0.163	1.164	0.676	2
135MUB	MUB	MORLEY	1	100	48	ERROR	160	0.43	4	3	6	50	400	0.233	1.344	0.465	2
135MYC3	MYC3	MORLEY	1	100		ERROR	160	0.32	3	6	12	50	300	0.475	3.124	0.469	1
135PN	PN	PATTON	1	100	38	ERROR	160	0.28	5	0	2	100	400	0.069	0.304	0.893	3
135PW	PW	PEWAMO	1	100	48	ERROR	160	0.28	5	0	2	100	400	0.069	0.304	0.893	3
135PX	PX	PEWAMO	1	100	56	ERROR	160	0.24	5	0	2	100	300	0.069	0.279	1.042	3
135SA	SA	SARANAC	1	100	86	ERROR	160	0.28	5	0	2	100	350	0.069	0.292	0.893	3
135SM	SM	SLEETH	1	100	56	ERROR	160	0.32	5	0	2	50	400	0.060	0.304	0.781	3
135SO	SO	SLOAN	1	100	48	ERROR	160	0.28	5	0	2	100	300	0.069	0.279	0.893	3
135TR	TR	TREATY	1	100	4B	ERROR	160	0.32	5	0	2	100	400	0.069	0.304	0.781	3
135TS	TS	TREATY	1	100	48	ERROR	160	0.32	5	0	2	100	400	0.069	0.304	0.781	3
135UD	UD	UDORTHENTS	1	100		ERROR	160	0.32	2	0	40	50	300	0.060	21.915	0.313	2
135WA	WA	WALLKILL	1	100		ERROR	160	0.37	5	0	2	100	400	0.069	0.304	0.676	3
135WO	WO	WESTLAND	1	100	48	ERROR	160	0.28	5	0	2	100	400	0.069	0.304	0.893	3