HIGHLY ERODIBLE LAND of Scott COUNTY, INDIANA

- HIGHLY ERODIBLE LAND CLASSES -
1 = HIGHLY ERODIBLE LAND
2 = POTENTIALLY HIGHLY ERODIBLE
3 = NOT HIGHLY ERODIBLE

HIGHLY ERODIBLE AND POTENTIALLY HIGHLY ERODIBLE LAND CACULATOR VER 1.1

					WIND EROSION					WATER EROSION								
	MAP			C	I	HEL	R	K	T	SLOPE- PERCEN		SLOPE--LENGTH		LS- VALUE				HEL
MUID	SYMBOL	SOIL NAME	Z	VALUE	VALUE	CLASS	VALUE	VALUE	VALUE	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	8T/RK		CLASS
14300014	14	QUARRIES	1	100		ERROR	180	0.01	2	0	80	20	300	0.050	57.811	8.889		2
143AT	AT	ATKINS	1	100		ERROR	180	0.32	4	0	2	100	400	0.069	0.304	0.556		3
143AVA	AVA	AVONBURG	1	100		56ERROR	180	0.43	4	0	2	100	400	0.069	0.304	0.413		3
143AVB	AVB	AVONBURG	1	100		56ERROR	180	0.43	4	2	6	50	100	0.163	0.672	0.413		2
143AVB2	AVB2	AVONBURG	1	100		56ERROR	180	0.43	4	2	6	50	100	0.163	0.672	0.413		2
143CAA	CAA	CANA	1	100		48ERROR	180	0.37	4	0	2	50	250	0.060	0.264	0.480		3
143CAB	CAB	CANA	1	100		48ERROR	180	0.37	4	2	6	50	250	0.163	1.063	0.480		2
143CAB2	CAB2	CANA	1	100		48ERROR	180	0.37	4	2	6	50	250	0.163	1.063	0.480		2
143CBB3	CBB3	CANA	1	100		38ERROR	180	0.37	3	2	6	50	250	0.163	1.063	0.360		2
143CCB	CCB	CINCINNATI	1	100		48ERROR	180	0.43	4	2	6	50	250	0.163	1.063	0.413		2
143CCB2	CCB2	CINCINNATI	1	100		48ERROR	180	0.43	4	2	6	50	250	0.163	1.063	0.413		2
143CCC	CCC	CINCINNATI	1	100		48ERROR	180	0.43	4	6	12	50	200	0.475	2.551	0.413		1
143CCC2	CCC2	CINCINNATI	1	100		48ERROR	180	0.43	4	6	12	50	200	0.475	2.551	0.413		1
143CCD	CCD	CINCINNATI	1	100		48ERROR	180	0.43	4	12	18	50	150	1.275	4.205	0.413		1
143CCD2	CCD2	CINCINNATI	1	100		48ERROR	180	0.43	4	12	18	50	150	1.275	4.205	0.413		1
143CCE	CCE	CINCINNATI	1	100		48ERROR	180	0.43	4	18	25	25	150	1.717	7.214	0.413		1
143CCE2	CCE2	CINCINNATI	1	100		48ERROR	180	0.43	4	18	25	25	150	1.717	7.214	0.413		1
143CCF	CCF	CINCINNATI	1	100		48ERROR	180	0.43	4	25	35	25	125	2.945	11.428	0.413		1
143CCF2	CCF2	CINCINNATI	1	100		48ERROR	180	0.43	4	25	35	25	125	2.945	11.428	0.413		1
3CEC3	CEC3	CINCINNATI	1	100		ERROR	180	0.43	3	6	12	100	200	0.672	2.551	0.310		1
143CED3	CED3	CINCINNATI	1	100		ERROR	180	0.43	3	12	25	50	150	1.275	7.214	0.310		1
143CEE3	CEE3	CINCINNATI	1	100		ERROR	180	0.43	3	25	60	100	200	5.890	32.740	0.310		1
143CM	CM	CLERMONT	1	100		48ERROR	180	0.37	4	0	2	100	400	0.069	0.304	0.480		3
143COE	COE	COLYER	1	100		ERROR	180	0.37	2	12	25	50	150	1.275	7.214	0.240		1
143COF	COF	COLYER	1	100		ERROR	180	0.37	2	25	60	100	200	5.890	32.740	0.240		1
143DBA	DBA	DUBOIS	1	100		56ERROR	180	0.43	4	0	2	100	400	0.069	0.304	0.413		3
143DBB	DBB	DUBOIS	1	100		56ERROR	180	0.43	4	2	6	50	100	0.163	0.672	0.413		2
143DBB2	DBB2	DUBOIS	1	100		56ERROR	180	0.43	4	2	6	50	100	0.163	0.672	0.413		2
143GAB	GAB	GRAYFORD	1	100		56ERROR	180	0.37	5	2	6	50	250	0.163	1.063	0.601		2
143GAB2	GAB2	GRAYFORD	1	100		56ERROR	180	0.37	5	2	6	50	250	0.163	1.063	0.601		2
143GAC2	GAC2	GRAYFORD	1	100		56ERROR	180	0.37	5	6	12	25	150	0.336	2.209	0.601		2
143GAD2	GAD2	GRAYFORD	1	100		56ERROR	180	0.37	5	12	18	25	125	0.902	3.839	0.601		1
143GAE	GAE	GRAYFORD	1	100		56ERROR	180	0.37	5	18	25	25	150	1.717	7.214	0.601		1
143GAE2	GAE2	GRAYFORD	1	100		56ERROR	180	0.37	5	18	25	50	150	2.428	7.214	0.601		1
143GAF	GAF	GRAYFORD	1	100		56ERROR	180	0.37	5	25	35	25	125	2.945	11.428	0.601		1
143GFC3	GFC3	GRAYFORD	1	100		56ERROR	180	0.37	4	6	12	25	125	0.336	2.017	0.480		2
143GFD3	GFD3	GRAYFORD	1	100		56ERROR	180	0.37	4	12	18	50	150	1.275	4.205	0.480		1
143GG	GG	GULLIED LAND	1	100		ERROR	180	0.37	2	10	30	15	100	0.530	7.953	0.240		1
143GM	GM	GULLIED LAND	1	100		ERROR	180	0.37	2	10	30	15	100	0.530	7.953	0.240		1
143GR	GR	GULLIED LAND	1	100		ERROR	180	0.43	2	10	30	15	100	0.530	7.953	0.207		1
143HAB	HAB	HAUBSTADT	1	100		48ERROR	180	0.43	4	2	6	50	300	0.163	1.164	0.413		2
143HAB2	HAB2	HAUBSTADT	1	100		48ERROR	180	0.43	4	2	6	50	300	0.163	1.164	0.413		2
143HBB3	HBB3	HAUBSTADT	1	100		48ERROR	180	0.43	3	2	6	100	200	0.201	0.951	0.310		2

143HDA	HDA	HAYMOND	1	100	56ERROR	180	0.37	5	0	2	100	400	0.069	0.304	0.601	3
143HDB	HDB	HAYMOND	1	100	56ERROR	180	0.37	5	2	6	100	400	0.201	1.344	0.601	2
143HHA	HHA	HAYMOND	1	100	56ERROR	180	0.37	5	0	2	100	400	0.069	0.304	0.601	3
143HHB	HHB	HAYMOND	1	100	56ERROR	180	0.37	5	2	6	50	200	0.163	0.951	0.601	2
143JEC	JEC	JENNINGS	1	100	56ERROR	180	0.37	4	6	12	50	200	0.475	2.551	0.480	2
143JEC2	JEC2	JENNINGS	1	100	56ERROR	180	0.37	4	6	12	50	200	0.475	2.551	0.480	2
143JED	JED	JENNINGS	1	100	56ERROR	180	0.37	4	12	18	50	150	1.275	4.205	0.480	1
143JEE	JEE	JENNINGS	1	100	56ERROR	180	0.37	4	18	25	25	150	1.717	7.214	0.480	1
143JGC3	JGC3	JENNINGS	1	100	38ERROR	180	0.37	3	6	12	50	150	0.475	2.209	0.360	1
143JGD3	JGD3	JENNINGS	1	100	38ERROR	180	0.37	3	12	18	50	150	1.275	4.205	0.360	1
143JHB	JHB	JENNINGS	1	100	56ERROR	180	0.37	4	2	6	50	250	0.163	1.063	0.480	2
143JHB2	JHB2	JENNINGS	1	100	56ERROR	180	0.37	4	2	6	50	250	0.163	1.063	0.480	2
143JHC	JHC	JENNINGS	1	100	56ERROR	180	0.37	4	6	12	50	200	0.475	2.551	0.480	2
143JHC2	JHC2	JENNINGS	1	100	56ERROR	180	0.37	4	6	12	50	200	0.475	2.551	0.480	2
143JHD	JHD	JENNINGS	1	100	56ERROR	180	0.37	4	12	18	25	150	0.902	4.205	0.480	1
143JHD2	JHD2	JENNINGS	1	100	56ERROR	180	0.37	4	12	18	25	150	0.902	4.205	0.480	1
143JHE	JHE	JENNINGS	1	100	56ERROR	180	0.37	5	6	12	50	200	0.475	2.551	0.601	2
143JHF	JHF	JENNINGS	1	100	56ERROR	180	0.37	5	2	6	50	250	0.163	1.063	0.601	2
143JKC3	JKC3	JENNINGS	1	100	38ERROR	180	0.37	3	6	12	50	200	0.475	2.551	0.360	1
143JKD3	JKD3	JENNINGS	1	100	38ERROR	180	0.37	3	12	18	25	150	0.902	4.205	0.360	1
143JKE3	JKE3	JENNINGS	1	100	38ERROR	180	0.37	4	18	25	25	150	1.717	7.214	0.480	1
143JMB	JMB	JENNINGS	1	100	56ERROR	180	0.37	4	2	6	50	250	0.163	1.063	0.480	2
143JMB2	JMB2	JENNINGS	1	100	56ERROR	180	0.37	4	2	6	50	250	0.163	1.063	0.480	2
143JMC	JMC	JENNINGS	1	100	56ERROR	180	0.37	4	6	12	50	200	0.475	2.551	0.480	2
143JMC2	JMC2	JENNINGS	1	100	56ERROR	180	0.37	4	6	12	25	150	0.336	2.209	0.480	2
143JMD	JMD	JENNINGS	1	100	56ERROR	180	0.37	4	12	18	25	150	0.902	4.205	0.480	1
143JMD2	JMD2	JENNINGS	1	100	56ERROR	180	0.37	4	12	18	25	150	0.902	4.205	0.480	1
143JNB3	JNB3	JENNINGS	1	100	38ERROR	180	0.37	3	2	6	50	200	0.163	0.951	0.360	2
143JNC3	JNC3	JENNINGS	1	100	38ERROR	180	0.37	3	6	12	50	150	0.475	2.209	0.360	1
143JND3	JND3	JENNINGS	1	100	38ERROR	180	0.37	3	12	18	25	150	0.902	4.205	0.360	1
143JRE	JRE	JENNINGS	1	50	56ERROR	180	0.37	4	18	25	25	150	1.717	7.214	0.480	1
143JRE	JRE	COLYER	2	50	ERROR	180	0.37	2	18	25	25	150	1.717	7.214	0.240	1
143JRE2	JRE2	JENNINGS	1	50	56ERROR	180	0.37	4	18	25	25	150	1.717	7.214	0.480	1
143JRE2	JRE2	COLYER	2	50	ERROR	180	0.37	2	18	25	25	150	1.717	7.214	0.240	1
143JSE3	JSE3	JENNINGS	1	50	ERROR	180	0.37	3	18	25	50	200	2.428	8.330	0.360	1
143JSE3	JSE3	COLYER	2	50	ERROR	180	0.37	2	18	25	50	150	2.428	7.214	0.240	1
143JU	JU	JOHNSBURG	1	100	56ERROR	180	0.43	4	0	2	50	150	0.060	0.227	0.413	3
143KHD	KHD	KINDERHOOK	1	100	ERROR	180	0.43	2	12	18	50	150	1.275	4.205	0.207	1
143KHF	KHF	KINDERHOOK	1	100	ERROR	180	0.43	2	18	35	50	150	2.428	12.519	0.207	1
143MA	MA	MADE LAND	1	100	ERROR	180	0.37	2	0	6	50	150	0.060	0.823	0.240	2
143MUF	MUF	MUSKINGUM	1	100	ERROR	180	0.37	3	25	35	50	300	4.165	17.705	0.360	1
143MUG	MUG	MUSKINGUM	1	100	ERROR	180	0.37	3	35	70	50	300	7.228	49.175	0.360	1
1430TB	OTB	OTWELL	1	100	56ERROR	180	0.43	4	2	6	50	300	0.163	1.164	0.413	2
1430TC2	OTC2	OTWELL	1	100	56ERROR	180	0.43	4	6	12	50	200	0.475	2.551	0.413	1
1430TD	OTD	OTWELL	1	100	56ERROR	180	0.43	4	12	18	50	200	1.275	4.856	0.413	1
1430TE	OTE	OTWELL	1	100	56ERROR	180	0.43	4	18	25	50	200	2.428	8.330	0.413	1
1430WC3	OWC3	OTWELL	1	100	56ERROR	180	0.43	3	6	12	50	200	0.475	2.551	0.310	1
1430WD3	OWD3	OTWELL	1	100	56ERROR	180	0.43	3	12	18	50	200	1.275	4.856	0.310	1
1430WE3	OWE3	OTWELL	1	100	56ERROR	180	0.43	3	18	25	50	200	2.428	8.330	0.310	1
143PAB2	PAB2	PARKE	1	100	56ERROR	180	0.37	5	2	6	50	300	0.163	1.164	0.601	2

143PAC2	PAC2	PARKE	1	100	56ERROR	180	0.37	5	6	12	50	300	0.475	3.124	0.601	2
143PAD	PAD	PARKE	1	100	56ERROR	180	0.37	5	12	18	50	300	1.275	5.947	0.601	1
AE	PAE	PARKE	1	100	56ERROR	180	0.37	5	18	25	50	150	2.428	7.214	0.601	1
.3PEC3	PEC3	PARKE	1	100	56ERROR	180	0.37	5	6	12	50	300	0.475	3.124	0.601	2
143PED3	PED3	PARKE	1	100	56ERROR	180	0.37	5	12	18	50	150	1.275	4.205	0.601	1
143PHA	PHA	PHILO	1	100	ERROR	180	0.37	5	0	2	100	400	0.069	0.304	0.601	3
143PHB	PHB	PHILO	1	100	ERROR	180	0.37	5	2	6	50	200	0.163	0.951	0.601	2
143PO	PO	POPE	1	100	ERROR	180	0.37	5	0	2	100	400	0.069	0.304	0.601	3
143RB	RB	ROBINSON	1	100	56ERROR	180	0.43	5	0	2	100	400	0.069	0.304	0.517	3
143RMA	RMA	ROSSMOYNE	1	100	48ERROR	180	0.43	4	0	2	100	300	0.069	0.279	0.413	3
143RMB	RMB	ROSSMOYNE	1	100	48ERROR	180	0.43	4	2	6	50	250	0.163	1.063	0.413	2
143RMB2	RMB2	ROSSMOYNE	1	100	48ERROR	180	0.43	4	2	6	50	250	0.163	1.063	0.413	2
143RMC2	RMC2	ROSSMOYNE	1	100	48ERROR	180	0.43	4	6	12	50	200	0.475	2.551	0.413	1
143ROB3	ROB3	ROSSMOYNE	1	100	48ERROR	180	0.43	4	2	6	100	200	0.201	0.951	0.413	2
143ROC3	ROC3	ROSSMOYNE	1	100	48ERROR	180	0.43	4	6	12	50	200	0.475	2.551	0.413	1
143ST	ST	STENDAL	1	100	56ERROR	180	0.37	5	0	2	100	400	0.069	0.304	0.601	3
143TMA	TMA	TILSIT	1	100	ERROR	180	0.43	3	0	2	50	300	0.060	0.279	0.310	3
143TMB	TMB	TILSIT	1	100	ERROR	180	0.43	3	2	6	50	300	0.163	1.164	0.310	2
143TMB2	TMB2	TILSIT	1	100	ERROR	180	0.43	3	2	6	50	300	0.163	1.164	0.310	2
143TNB	TNB	TRAPPIST	1	100	ERROR	180	0.37	3	2	6	50	250	0.163	1.063	0.360	2
143TNB2	TNB2	TRAPPIST	1	100	ERROR	180	0.37	3	2	6	50	300	0.163	1.164	0.360	2
143TRB	TRB	TRAPPIST	1	100	ERROR	180	0.37	3	2	6	50	250	0.163	1.063	0.360	2
143TRB2	TRB2	TRAPPIST	1	100	ERROR	180	0.37	3	2	6	50	200	0.163	0.951	0.360	2
143TRC	TRC	TRAPPIST	1	100	ERROR	180	0.37	3	6	12	50	200	0.475	2.551	0.360	1
143TRC2	TRC2	TRAPPIST	1	100	ERROR	180	0.37	3	6	12	50	250	0.475	2.852	0.360	1
143TRE	TRE	TRAPPIST	1	100	ERROR	180	0.37	3	12	25	50	200	1.275	8.330	0.360	1
143TRE2	TRE2	TRAPPIST	1	100	ERROR	180	0.37	3	12	25	50	200	1.275	8.330	0.360	1
.SC3	TSC3	TRAPPIST	1	100	ERROR	180	0.32	2	6	12	50	150	0.475	2.209	0.278	1
3TSE3	TSE3	TRAPPIST	1	100	ERROR	180	0.32	2	12	25	50	150	1.275	7.214	0.278	1
143WA	WA	WAKELAND	1	100	56ERROR	180	0.37	5	0	2	100	400	0.069	0.304	0.601	3
143WEB	WEB	WELLSTON	1	100	48ERROR	180	0.37	4	2	6	50	300	0.163	1.164	0.480	2
143WEC	WEC	WELLSTON	1	100	48ERROR	180	0.37	4	6	12	50	200	0.475	2.551	0.480	2
143WED	WED	WELLSTON	1	100	48ERROR	180	0.37	4	12	18	25	150	0.902	4.205	0.480	1
143WED2	WED2	WELLSTON	1	100	48ERROR	180	0.37	4	12	18	25	150	0.902	4.205	0.480	1
143WEE	WEE	WELLSTON	1	100	48ERROR	180	0.37	4	18	25	25	150	1.717	7.214	0.480	1
143WEE2	WEE2	WELLSTON	1	100	48ERROR	180	0.37	4	18	25	25	150	1.717	7.214	0.480	1
143WFD3	WFD3	WELLSTON	1	100	38ERROR	180	0.37	3	12	18	25	150	0.902	4.205	0.360	1
143WFE3	WFE3	WELLSTON	1	100	38ERROR	180	0.37	3	18	25	25	150	1.717	7.214	0.360	1
143WH	WH	WHITCOMB	1	100	56ERROR	180	0.43	4	0	2	100	400	0.069	0.304	0.413	3
143WRA	WRA	WILBUR	1	100	56ERROR	180	0.37	5	0	2	100	400	0.069	0.304	0.601	3
143WTA	WTA	WILBUR	1	100	56ERROR	180	0.37	5	0	2	100	400	0.069	0.304	0.601	3
143WTB	WTB	WILBUR	1	100	56ERROR	180	0.37	5	2	6	50	200	0.163	0.951	0.601	2
143ZAB2	ZAB2	ZANESVILLE	1	100	ERROR	180	0.43	3	2	6	50	150	0.163	0.823	0.310	2
143ZAC	ZAC	ZANESVILLE	1	100	ERROR	180	0.43	3	6	12	50	200	0.475	2.551	0.310	1
143ZAC2	ZAC2	ZANESVILLE	1	100	ERROR	180	0.43	3	6	12	50	200	0.475	2.551	0.310	1
143ZAD	ZAD	ZANESVILLE	1	100	ERROR	180	0.43	3	12	18	50	150	1.275	4.205	0.310	1
143ZAD2	ZAD2	ZANESVILLE	1	100	ERROR	180	0.43	3	12	18	50	150	1.275	4.205	0.310	1
143ZAE	ZAE	ZANESVILLE	1	100	ERROR	180	0.43	3	18	25	50	150	2.428	7.214	0.310	1
143ZSC3	ZSC3	ZANESVILLE	1	100	ERROR	180	0.37	3	6	12	50	200	0.475	2.551	0.360	1
143ZSD3	ZSD3	ZANESVILLE	1	100	ERROR	180	0.37	3	12	18	50	150	1.275	4.205	0.360	1

143ZSE3	ZSE3	ZANESVILLE	1	100		ERROR	180	0.37	3	18	25	50	150	2.428	7.214	0.360