Whitley

- HIGHLY ERODIBLE LAND CLASSES -
1 = HIGHLY ERODIBLE LAND
2 = POTENTIALLY HIGHLY ERODIBLE
3 = NOT HIGHLY ERODIBLE

HIGHLY ERODIBLE AND
POTENTIALLY HIGHLY ERODIBLE
LAND CACULATOR VER 1.1

MUID	MAP SYMBOL	SOIL NAME	%	WIND EROSIION C VALUE	I VALUE	HEL CLASS	R VALUE	K VALUE	T VALUE	WATER EROSION SLOPE-PERCEN MIN.	MAX.	SLOPE--LENGTH MIN.	MAX.	LS-VALUE MIN.	MAX.	8T/RK	HEL CLASS
183AE	AE	ADRIAN	1	100		134ERROR	160	0.01	4	0	2	100	400	0.069	0.304	20.000	3
183BMA	BMA	BLOUNT	1	100		48ERROR	160	0.43	3	0	2	100	400	0.069	0.304	0.349	3
183BMB2	BMB2	BLOUNT	1	100		48ERROR	160	0.43	3	1	4	75	250	0.118	0.577	0.349	2
183BT	BT	BOOTS	1	100		134ERROR	160	0.01	5	0	1	50	300	0.060	0.179	25.000	3
183BVB	BVB	BOYER	1	100		134ERROR	160	0.17	4	2	6	175	300	0.237	1.164	1.176	3
183BVC	BVC	BOYER	1	100		134ERROR	160	0.17	4	6	12	150	250	0.823	2.852	1.176	2
183BVD	BVD	BOYER	1	100		134ERROR	160	0.17	4	12	20	100	200	1.804	5.768	1.176	1
183BWA	BWA	BOYER	1	100		86ERROR	160	0.24	4	0	2	100	300	0.069	0.279	0.833	3
183BWB	BWB	BOYER	1	100		86ERROR	160	0.24	4	2	6	100	250	0.201	1.063	0.833	2
183BWC	BWC	BOYER	1	100		86ERROR	160	0.24	4	6	12	75	200	0.582	2.551	0.833	2
183BYC3	BYC3	BOYER	1	100		56ERROR	160	0.24	3	6	15	75	150	0.582	3.135	0.625	2
183BZ	BZ	BROOKSTON	1	100		48ERROR	160	0.28	5	0	2	100	300	0.069	0.279	0.893	3
183CO	CO	COESSE	1	100		56ERROR	160	0.37	5	0	2	100	200	0.069	0.247	0.676	3
183CSA	CSA	CROSIER	1	100		86ERROR	160	0.24	5	0	3	100	250	0.069	0.378	1.042	3
183FU	FU	FULTON	1	100		38ERROR	160	0.43	3	0	3	100	250	0.069	0.378	0.349	2
183GSB2	GSB2	GLYNWOOD	1	100		48ERROR	160	0.43	3	3	6	100	250	0.287	1.063	0.349	2
183GTB3	GTB3	GLYNWOOD	1	100		48ERROR	160	0.43	2	3	8	75	200	0.263	1.402	0.233	1
183GW	GW	GRANBY	1	100		134ERROR	160	0.17	5	0	2	75	275	0.065	0.272	1.471	3
183HBA	HBA	HASKINS	1	100		56ERROR	160	0.37	4	0	3	75	250	0.065	0.378	0.541	3
183HEG	HEG	HENNEPIN	1	100		56ERROR	160	0.32	3	25	50	50	100	4.165	17.823	0.469	1
183HO	HO	HOMER	1	100		56ERROR	160	0.37	4	0	2	100	250	0.069	0.264	0.541	3
183HS	HS	HOUGHTON	1	100		134ERROR	160	0.01	5	0	2	75	300	0.065	0.279	25.000	3
183HT	HT	HOUGHTON	1	100		134ERROR	160	0.01	5	0	2	75	300	0.065	0.279	25.000	3
183KAA	KAA	KALAMAZOO	1	100		86ERROR	160	0.24	4	0	2	100	250	0.069	0.264	0.833	3
183KAB	KAB	KALAMAZOO	1	100		86ERROR	160	0.24	4	2	6	75	250	0.184	1.063	0.833	2
183MBB	MBB	MARTINSVILLE	1	100		56ERROR	160	0.37	5	1	6	75	250	0.118	1.063	0.676	2
183MBC	MBC	MARTINSVILLE	1	100		56ERROR	160	0.37	5	6	15	75	200	0.582	3.620	0.676	2
183MD	MD	MARTISCO	1	100		134ERROR	160	0.01	3	0	2	75	300	0.065	0.279	15.000	3
183MG	MG	MERMILL	1	100		48ERROR	160	0.32	4	0	2	100	300	0.069	0.279	0.625	3
183MMB2	MMB2	MIAMI	1	100		86ERROR	160	0.24	4	2	6	75	300	0.184	1.164	0.833	2
183MMC2	MMC2	MIAMI	1	100		86ERROR	160	0.24	4	6	12	75	250	0.582	2.852	0.833	2
183MMD2	MMD2	MIAMI	1	100		86ERROR	160	0.24	4	12	18	50	200	1.275	4.856	0.833	1
183MME2	MME2	MIAMI	1	100		86ERROR	160	0.24	4	18	25	50	200	2.428	8.330	0.833	1
183MOC3	MOC3	MIAMI	1	100		48ERROR	160	0.37	3	6	12	50	200	0.475	2.551	0.405	1
183MOD3	MOD3	MIAMI	1	100		48ERROR	160	0.37	3	12	20	50	150	1.275	4.995	0.405	1
183MS	MS	MILFORD	1	100		86ERROR	160	0.28	5	0	2	100	300	0.069	0.279	0.893	3
183MVB2	MVB2	MORLEY	1	100		48ERROR	160	0.43	4	3	6	100	300	0.287	1.164	0.465	2
183MVC2	MVC2	MORLEY	1	100		48ERROR	160	0.43	4	6	12	75	200	0.582	2.551	0.465	1
183MVD2	MVD2	MORLEY	1	100		48ERROR	160	0.43	4	12	20	50	200	1.275	5.768	0.465	1
183MVE2	MVE2	MORLEY	1	100		48ERROR	160	0.43	4	20	30	50	150	2.884	9.740	0.465	1
183MXC3	MXC3	MORLEY	1	100		38ERROR	160	0.32	3	5	12	75	250	0.463	2.852	0.469	2
183MXD3	MXD3	MORLEY	1	100		38ERROR	160	0.32	3	12	20	50	200	1.275	5.768	0.469	1
183MXE3	MXE3	MORLEY	1	100		38ERROR	160	0.32	3	20	30	50	150	2.884	9.740	0.469	1

183MZ	MZ	MUSKEGO	1	100	134ERROR	160	0.01	4	0	2	50	300	0.060	0.279	20.000	3
183OMB	OMB	ORMAS	1	100	134ERROR	160	0.17	5	0	4	100	250	0.069	0.577	1.471	3
183OSA	OSA	OSHTEMO	1	100	86ERROR	160	0.24	5	0	2	100	275	0.069	0.272	1.042	3
183PA	PA	PALMS	1	100	134ERROR	160	0.01	5	0	2	50	250	0.060	0.264	25.000	3
183PB	PB	PALMS	1	100	134ERROR	160	0.01	5	0	2	50	250	0.060	0.264	25.000	3
183PW	PW	PEWAMO	1	100	48ERROR	160	0.28	5	0	2	100	300	0.069	0.279	0.893	3
183PX	PX	PITS	1	100	ERROR	160	0.28	3	0	30	50	250	0.060	12.574	0.536	2
183RCA	RCA	RAWSON	1	100	86ERROR	160	0.24	4	0	2	100	300	0.069	0.279	0.833	3
183RCB	RCB	RAWSON	1	100	86ERROR	160	0.24	4	2	6	100	250	0.201	1.063	0.833	2
183RCC	RCC	RAWSON	1	100	86ERROR	160	0.24	4	6	12	50	200	0.475	2.551	0.833	2
183RE	RE	RENSSELAER	1	100	56ERROR	160	0.32	5	0	2	100	300	0.069	0.279	0.781	3
183RHB	RHB	RIDDLES	1	100	86ERROR	160	0.24	5	1	6	100	300	0.129	1.164	1.042	2
183RHC	RHC	RIDDLES	1	100	86ERROR	160	0.24	5	6	12	50	175	0.475	2.386	1.042	2
183SA	SA	SARANAC	1	100	48ERROR	160	0.37	5	0	2	100	300	0.069	0.279	0.676	3
183SE	SE	SEBEWA	1	100	56ERROR	160	0.24	4	0	2	100	300	0.069	0.279	0.833	3
183SFB	SFB	SEWARD	1	100	134ERROR	160	0.17	4	2	6	50	250	0.163	1.063	1.176	3
183SFC	SFC	SEWARD	1	100	134ERROR	160	0.17	4	6	15	50	200	0.475	3.620	1.176	2
183SH	SH	SHOALS	1	100	56ERROR	160	0.37	5	0	2	100	300	0.069	0.279	0.676	3
183SO	SO	SLOAN	1	100	48ERROR	160	0.28	5	0	2	100	300	0.069	0.279	0.893	3
183SPB	SPB	SPINKS	1	100	310ERROR	160	0.15	5	2	6	100	275	0.201	1.115	1.667	3
183SPC	SPC	SPINKS	1	100	310ERROR	160	0.15	5	6	15	50	200	0.475	3.620	1.667	2
183ST	ST	STONELICK VARIANT	1	100	86ERROR	160	0.24	5	0	2	100	250	0.069	0.264	1.042	3
183UD	UD	UDORTHENTS	1	100	ERROR	160	0.32	3	0	18	50	250	0.060	5.429	0.469	2
183WA	WA	WALLKILL	1	100	ERROR	160	0.24	5	0	2	100	275	0.069	0.272	1.042	3
183WC	WC	WALLKILL	1	100	56ERROR	160	0.37	5	0	2	100	275	0.069	0.272	0.676	3
183WMB	WMB	WAWASEE	1	100	86ERROR	160	0.28	5	2	6	100	300	0.201	1.164	0.893	2
183WMC	WMC	WAWASEE	1	100	86ERROR	160	0.28	5	6	15	50	250	0.475	4.047	0.893	2
183WT	WT	WHITAKER	1	100	56ERROR	160	0.37	5	0	2	75	300	0.065	0.279	0.676	3