

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Adams County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Am	Armiesburg silty clay loam, frequently flooded	Armiesburg	90	130	46	0	0.0	0.0
		Saranac	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Sloan	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Tice	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
BgmA	Blount silt loam, ground moraine, 0 to 2 percent slopes	Blount, ground moraine	85	140	46	63	4.6	9.2
		Pewamo, ground moraine	9	160	46	64	5.3	10.6
		Glynwood, ground moraine	6	130	46	59	4.3	8.6
BgmB	Blount silt loam, ground moraine, 2 to 4 percent slopes	Blount, ground moraine	85	140	46	63	4.6	9.2
		Pewamo, ground moraine	9	160	46	64	5.3	10.6
		Glynwood, ground moraine	6	130	46	59	4.3	8.6
BleA	Blount silt loam, end moraine, 0 to 2 percent slopes	Blount, end moraine	85	140	46	63	4.6	9.2
		Glynwood, end moraine	9	130	46	59	4.3	8.6
		Pewamo, end moraine	6	160	46	64	5.3	10.6
BleB	Blount silt loam, end moraine, 2 to 4 percent slopes	Blount, end moraine	85	140	46	63	4.6	9.2
		Glynwood, end moraine	9	130	46	59	4.3	8.6
		Pewamo, end moraine	6	160	46	64	5.3	10.6

COMPONENT CROP YIELDS (RV)--Continued
 Adams County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ch	Chagrin loam, frequently flooded	Chagrin	90	120	42	0	0.0	0.0
		Shoals	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Sloan	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
GlpC2	Glynwood clay loam, 6 to 12 percent slopes, eroded	Glynwood	85	115	40	52	3.8	7.6
		Blount	8	140	46	63	4.6	9.2
		Morley	7	120	42	54	4.0	8.0
GlpC2	Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded	Glynwood	85	115	40	52	3.8	7.6
		Blount	8	140	46	63	4.6	9.2
		Pewamo	7	160	46	64	5.3	10.6
GlrB	Glynwood silt loam, end moraine, 2 to 6 percent slopes	Glynwood, end moraine	85	130	46	59	4.3	8.6
		Blount, end moraine	9	140	46	63	4.6	9.2
		Pewamo	6	160	46	64	5.3	10.6
GlsB	Glynwood silt loam, ground moraine, 2 to 6 percent slopes	Glynwood, ground moraine	85	130	46	59	4.3	8.6
		Blount, ground moraine	9	140	46	63	4.6	9.2
		Pewamo	6	160	46	64	5.3	10.6
HaA	Haskins loam, 1 to 3 percent slopes	Haskins	90	160	53	72	5.3	10.6
		Pewamo	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Rawson	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Adams County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ho	Houghton muck, drained	Houghton, drained	75	165	44	66	5.4	10.8
		Adrian, drained	7	145	44	58	4.8	9.6
		Edwards, drained	7	135	33	54	4.5	9.0
		Muskego, drained	6	135	33	54	4.5	9.0
		Palms, drained	5	160	42	64	5.3	10.6
McA	Martinsville loam, 0 to 2 percent slopes	Martinsville	80	145	51	58	4.8	9.6
		Digby	5	155	51	62	5.1	10.2
		Haney	5	145	51	58	4.8	9.6
		Wawaka	5	145	51	58	4.8	9.6
		Williamstown	5	145	51	65	4.8	9.6
McB	Martinsville loam, 2 to 6 percent slopes	Martinsville	80	145	51	58	4.8	9.6
		Digby	5	155	51	62	5.1	10.2
		Haney	5	145	51	58	4.8	9.6
		Rawson	5	150	53	68	5.0	10.0
		Wawaka	5	140	49	56	4.6	9.2
Mh	Milford silty clay loam	Milford	95	160	46	64	5.3	10.6
		Whitaker	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Houghton	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MoD2	Morley silty clay loam, 12 to 18 percent slopes, eroded	Morley	95	100	35	45	3.3	6.6
		Glynwood	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MsoA	Minster silty clay loam, till substratum, 0 to 1 percent slopes	Minster, till substratum	85	160	46	64	5.3	10.6
		Wallkill	8	165	47	66	5.4	10.8
		Blount	7	140	46	63	4.6	9.2

COMPONENT CROP YIELDS (RV)--Continued
 Adams County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Na	Nappanee silt loam, 0 to 3 percent slopes	Nappanee	90	135	44	54	4.5	9.0
		Pewamo	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		St. Clair	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Pm	Pewamo silty clay, 0 to 2 percent slopes	Pewamo	85	155	44	62	5.1	10.2
		Blount	9	140	46	63	4.6	9.2
		Minster	6	155	44	62	5.1	10.2
Pmg	Pits, Gravel	Pits, gravel	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Pps	Pits, Quarries, Limestone	Pits, quarries, limestone	95	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RdB	Rawson loam, 2 to 6 percent slopes	Rawson	90	150	53	68	5.0	10.0
		Haskins	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pewamo	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
SaB2	St. Clair clay loam, 3 to 8 percent slopes, eroded	St. Clair	90	115	40	52	3.8	7.6
		Morley	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Nappanee	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
SarA	Saranac silty clay loam, 0 to 1 percent slopes, frequently flooded	Saranac, brief duration	90	125	33	0	0.0	0.0
		Saranac, long duration	6	110	28	0	0.0	0.0
		Defiance	4	110	35	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Adams County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Sc	Saranac clay, frequently flooded	Saranac	95	120	32	0	0.0	0.0
		Tice	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Armiesburg	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
SgnA	Shoals silty clay loam, 0 to 1 percent slopes, frequently flooded	Shoals	85	130	42	0	0.0	0.0
		Eel	8	120	42	0	0.0	0.0
		Sloan	7	140	39	0	0.0	0.0
Sh	Shoals clay loam, frequently flooded	Shoals	85	130	42	0	0.0	0.0
		Saranac	8	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Sloan	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Sl	Sloan loam, frequently flooded	Sloan	90	140	39	0	0.0	0.0
		Shoals	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
SocA	Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded	Sloan, brief duration	90	140	39	0	0.0	0.0
		Shoals	6	130	42	0	0.0	0.0
		Sloan, long duration	4	125	33	0	0.0	0.0
Tc	Tice silty clay loam, frequently flooded	Tice	90	140	46	0	0.0	0.0
		Armiesburg	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Saranac	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Adams County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
TfsA	Tice silty clay loam, 0 to 1 percent slopes, frequently flooded	Tice	90	140	46	0	0.0	0.0
		Saranac, brief duration	6	125	33	0	0.0	0.0
		Armiesburg	4	130	46	0	0.0	0.0
Ud	Udorthents, loamy	Udorthents, loamy	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wh	Whitaker silt loam	Whitaker	95	155	51	62	5.1	10.2
		Milford	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Martinsville	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated