

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AddA—Avonburg silt loam, 0 to 2 percent slopes					
Avonburg	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AddB2—Avonburg silt loam, 2 to 4 percent slopes, eroded					
Avonburg	75	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AfsB—Alvin-Princeton fine sandy loams, 2 to 6 percent slopes					
Alvin	45	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Sand content	0.01	Sand content	0.01
Princeton	35	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AfsC2—Alvin-Princeton fine sandy loams, 6 to 12 percent slopes, eroded					
Alvin	50	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.63	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Sand content	0.01	Sand content	0.01
Princeton	35	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.63	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
AmkA—Ayrshire fine sandy loam, 0 to 2 percent slopes					
Ayrshire	92	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BbhA—Bartle silt loam, 0 to 2 percent slopes					
Bartle	83	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BbiB—Bartle-Pekin silt loams, 2 to 6 percent slopes					
Bartle	55	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pekin	35	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BcrAW—Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration					
Beanblossom	89	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.06	Dusty	0.06
BdhAH—Bellcreek silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration					
Bellcreek	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
BfbAH—Bellcreek silt loam, 0 to 1 percent slopes, frequently flooded, brief duration					
Bellcreek	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BgeAHU—Birds silt loam, undrained, 0 to 1 percent slopes, frequently flooded, brief duration					
Birds, undrained	90	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EgeAW—Birds silt loam, 0 to 1 percent slopes, occasionally flooded, very brief duration					
Birds	90	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BlgC2—Blocher-Cincinnati silt loams, 6 to 12 percent slopes, eroded					
Blocher	54	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Cincinnati	35	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BlgC3—Blocher-Cincinnati silt loams, 6 to 12 percent slopes, severely eroded					
Blocher, severely eroded	45	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Cincinnati, severely eroded	34	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BlhD2—Blocher-Bonnell silt loams, 12 to 25 percent slopes, eroded					
Blocher	40	Very limited		Somewhat limited	
		Slope	1.00	Wetness	0.97
		Wetness	0.97	Slope	0.96
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Bonnell	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BluC—Bloomfield-Alvin loamy sands, 6 to 12 percent slopes					
Bloomfield	45	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.96	Sand content	0.96
		Unstable excavation walls	0.96	Unstable excavation walls	0.96
		Slope	0.84	Slope	0.16
Alvin	40	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.84	Slope	0.16
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Sand content	0.01	Sand content	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BnuD3—Bonnell-Hickory-Blocher complex, 12 to 25 percent slopes, severely eroded					
Bonnell, severely eroded	33	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Hickory, severely eroded	27	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Blocher, severely eroded	25	Very limited		Somewhat limited	
		Slope	1.00	Wetness	0.97
		Wetness	0.97	Slope	0.96
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BobE5—Bonnell-Hickory clay loams, 15 to 30 percent slopes, gullied					
Bonnell, very severely eroded	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Hickory, very severely eroded	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BodAV—Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, very brief duration					
Bonnie	84	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.06	Dusty	0.06

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CldB2—Cincinnati-Blocher silt loams, 2 to 6 percent slopes, eroded					
Cincinnati	50	Somewhat limited		Somewhat limited	
		Wetness	0.96	Wetness	0.96
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Blocher	45	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ClfA—Cobbsfork silt loam, 0 to 1 percent slopes					
Cobbsfork	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CmbAW—Cohoctah loam, 0 to 1 percent slopes, occasionally flooded, very brief duration					
Cohoctah	90	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.03	Dusty	0.03
CmzA—Cliftycreek silt loam, 0 to 2 percent slopes					
Cliftycreek	85	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CmzB2—Clifftycreek silt loam, 2 to 6 percent slopes, eroded					
Clifftycreek	85	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CmzC2—Clifftycreek silt loam, 6 to 12 percent slopes, eroded					
Clifftycreek	85	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ColD2—Coolville-Rarden-Stonehead silt loams, 12 to 18 percent slopes, eroded					
Coolville	37	Very limited		Very limited	
		Slope	1.00	Wetness	1.00
		Wetness	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rarden	33	Very limited		Very limited	
		Slope	1.00	Wetness	1.00
		Wetness	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Stonehead	20	Very limited		Somewhat limited	
		Slope	1.00	Wetness	0.97
		Wetness	0.97	Slope	0.84
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ConC3—Coolville-Rarden complex, 6 to 12 percent slopes, severely eroded					
Coolville, severely eroded	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rarden, severely eroded	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CudA—Crosby silt loam, 0 to 2 percent slopes					
Crosby	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CuIB—Crosby-Williamstown silt loams, 2 to 4 percent slopes					
Crosby	65	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Williamstown	30	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CxdA—Cyclone silty clay loam, 0 to 1 percent slopes					
Cyclone	90	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
DbqE—Deam silt loam, very deep, 15 to 30 percent slopes					
Deam, very deep	75	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EcyAH—Eel loam, 0 to 2 percent slopes, frequently flooded, brief duration					
Eel	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.27	Water gathering surface	0.27
		Seepage	0.22	Seepage	0.22
		Dusty	0.03	Dusty	0.03
EcyAW—Eel loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Eel	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.27	Water gathering surface	0.27
		Seepage	0.22	Seepage	0.22
		Dusty	0.03	Dusty	0.03

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EdeAW—Eel silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Eel	97	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.27	Water gathering surface	0.27
		Seepage	0.22	Seepage	0.22
		Dusty	0.04	Dusty	0.04
EepAQ—Elkinsville silt loam, 0 to 2 percent slopes, rarely flooded					
Elkinsville	90	Somewhat limited		Somewhat limited	
		Flooding	0.40	Flooding	0.40
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FdbA—Fincastle silt loam, 0 to 2 percent slopes					
Fincastle	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FdqB—Fincastle-Xenia silt loams, 2 to 4 percent slopes					
Fincastle	50	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Xenia	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FexA—Fox loam, 0 to 2 percent slopes					
Fox	78	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FexAQ—Fox loam, 0 to 2 percent slopes, rarely flooded					
Fox	73	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FexB2—Fox loam, 2 to 6 percent slopes, eroded					
Fox	78	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FgqC3—Fox-Casco sandy loams, 6 to 12 percent slopes, severely eroded					
Fox, severely eroded	55	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	0.63	Slope	0.04
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Casco, severely eroded	38	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.78	Unstable excavation walls	0.78
		Slope	0.63	Slope	0.04
		Dusty	0.01	Dusty	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GccAH—Genesee loam, 0 to 2 percent slopes, frequently flooded, brief duration					
Genesee	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Water gathering surface	0.27	Water gathering surface	0.27
		Seepage	0.22	Seepage	0.22
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GccAW—Genesee loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Genesee	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Water gathering surface	0.27	Water gathering surface	0.27
		Seepage	0.22	Seepage	0.22
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GcpAW—Genesee silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Genesee	95	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Water gathering surface	0.27	Water gathering surface	0.27
		Seepage	0.22	Seepage	0.22
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GgbG—Gilwood-Brownstown silt loams, 25 to 75 percent slopes					
Gilwood	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Brownstown	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	0.52	Seepage	0.52
		Large stones	0.18	Large stones	0.18
		Dusty	0.06	Dusty	0.06
GgfD2—Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded					
Gilwood	40	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wrays	32	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	0.96
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HcgAW—Haymond silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Haymond	82	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HctAW—Haymond-Wirt silt loams, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Haymond	45	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wirt	35	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HeoF—Hickory silt loam, 25 to 50 percent slopes					
Hickory	70	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HleAW—Holton silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Holton	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.09	Seepage	0.09
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KugG—Kurtz-Gnawbone silt loams, 20 to 60 percent slopes					
Kurtz	53	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Gnawbone	32	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
LeaA—Lauer silt loam, 0 to 2 percent slopes					
Lauer	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MecAQ—Martinsville loam, 0 to 2 percent slopes, rarely flooded					
Martinsville	90	Somewhat limited		Somewhat limited	
		Flooding	0.40	Flooding	0.40
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MecB—Martinsville loam, 2 to 6 percent slopes					
Martinsville	95	Somewhat limited		Somewhat limited	
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MfwA—Martinsville loam, sandy substratum, 0 to 2 percent slopes					
Martinsville, sandy substratum	97	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MfwAQ—Martinsville loam, sandy substratum, 0 to 2 percent slopes, rarely flooded					
Martinsville, sandy substratum	95	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MfwB2—Martinsville loam, sandy substratum, 2 to 6 percent slopes, eroded					
Martinsville, sandy substratum	87	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MfxA—Martinsville sandy loam, sandy substratum, 0 to 2 percent slopes					
Martinsville, sandy substratum	95	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
MhuA—McGary silt loam, 0 to 2 percent slopes					
McGary	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.18	Unstable excavation walls	0.18
		Dusty	0.06	Dusty	0.06
MhyB—Medora silt loam, 2 to 6 percent slopes					
Medora	85	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MhyC2—Medora silt loam, 6 to 12 percent slopes, eroded					
Medora	80	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MjjAH—Medway silty clay loam, 0 to 2 percent slopes, frequently flooded, brief duration					
Medway	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MmoC3—Miami clay loam, 6 to 12 percent slopes, severely eroded					
Miami, severely eroded	97	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Slope	0.04
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MmoD3—Miami clay loam, 12 to 18 percent slopes, severely eroded					
Miami, severely eroded	97	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Wetness	0.97	Wetness	0.97
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MnpB2—Miami silt loam, 2 to 6 percent slopes, eroded					
Miami, eroded	85	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MnpC2—Miami silt loam, 6 to 12 percent slopes, eroded					
Miami, eroded	85	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.37	Dusty	0.05
		Dusty	0.05	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
MnpD2—Miami silt loam, 12 to 18 percent slopes, eroded					
Miami, eroded	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Wetness	0.97	Wetness	0.97
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MqbA—Milton silt loam, 0 to 2 percent slopes					
Milton	95	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MqbB2—Milton silt loam, 2 to 6 percent slopes, eroded					
Milton	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MqbC2—Milton silt loam, 6 to 12 percent slopes, eroded					
Milton	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MrbF—Milton-Rock outcrop complex, 25 to 40 percent slopes					
Milton	75	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Rock outcrop	1.00	Rock outcrop	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rock outcrop	15	Not rated		Not rated	
NaaB2—Nabb silt loam, 2 to 6 percent slopes, eroded					
Nabb	78	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
NpcA—Nineveh gravelly sandy loam, 0 to 2 percent slopes					
Nineveh	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.50	Unstable excavation walls	0.50
NpcAQ—Nineveh gravelly sandy loam, 0 to 2 percent slopes, rarely flooded					
Nineveh	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.50	Unstable excavation walls	0.50
		Flooding	0.40	Flooding	0.40
NpeA—Nineveh sandy loam, 0 to 2 percent slopes					
Nineveh	97	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
NpeAQ—Nineveh sandy loam, 0 to 2 percent slopes, rarely flooded					
Nineveh	97	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
NpeB2—Nineveh sandy loam, 2 to 6 percent slopes, eroded					
Nineveh	97	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ObaA—Ockley loam, 0 to 2 percent slopes					
Ockley	80	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OfaAW—Oldenburg silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Oldenburg	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.21	Seepage	0.21
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Omz—Orthents, earthen dam					
Orthents	100	Not rated		Not rated	

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PcrB2—Pekin silt loam, 2 to 6 percent slopes, eroded					
Pekin	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PcrC2—Pekin silt loam, 6 to 12 percent slopes, eroded					
Pekin, eroded	72	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PcrC3—Pekin silt loam, 6 to 12 percent slopes, severely eroded					
Pekin, severely eroded	71	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PhaA—Peoga silt loam, 0 to 1 percent slopes					
Peoga	83	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PlpAV—Piopolis silty clay loam, 0 to 1 percent slopes, frequently flooded, very brief duration					
Piopolis	97	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Pml—Pits, quarry					
Pits, quarry	100	Not rated		Not rated	
PnnD—Pike-Chetwynd silt loams, 12 to 20 percent slopes					
Pike	60	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Chetwynd	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PnnF—Pike-Chetwynd silt loams, 20 to 50 percent slopes					
Pike	55	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Chetwynd	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ppu—Pits, sand and gravel					
Pits, sand and gravel	80	Not rated		Not rated	

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RctD3—Rarden-Coolville complex, 12 to 22 percent slopes, severely eroded					
Rarden, severely eroded	40	Very limited		Very limited	
		Slope	1.00	Wetness	1.00
		Wetness	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Coolville, severely eroded	19	Very limited		Very limited	
		Slope	1.00	Wetness	1.00
		Wetness	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RehA—Rensselaer-Treaty silt loams, 0 to 1 percent slopes					
Rensselaer	60	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Treaty	40	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ReyA—Rensselaer loam, 0 to 1 percent slopes					
Rensselaer	95	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ReyAQ—Rensselaer loam, 0 to 1 percent slopes, rarely flooded					
Rensselaer	95	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.03	Dusty	0.03
RqaG—Rodman sandy loam, 25 to 50 percent slopes					
Rodman	95	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Sand content	0.86	Sand content	0.86
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
RtxAH—Rossburg silt loam, 0 to 2 percent slopes, frequently flooded, brief duration					
Rossburg	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.63	Seepage	0.63
		Dusty	0.05	Dusty	0.05
		Sand content	0.04	Sand content	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RtxAK—Rossburg silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration					
Rossburg	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.63	Seepage	0.63
		Dusty	0.05	Dusty	0.05
		Sand content	0.04	Sand content	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RywB2—Russell silt loam, 2 to 6 percent slopes, eroded					
Russell	76	Somewhat limited		Somewhat limited	
		Wetness	0.31	Wetness	0.31
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SfyA—Shircliff silt loam, 0 to 2 percent slopes					
Shircliff	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SifE—Senachwine loam, 18 to 25 percent slopes					
Senachwine	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SifG—Senachwine loam, 25 to 70 percent slopes					
Senachwine	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SldAH—Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration					
Shoals	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SldAW—Shoals silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Shoals	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SnfA—Sleeth loam, 0 to 2 percent slopes					
Sleeth	97	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SoaB—Spickert silt loam, 2 to 6 percent slopes					
Spickert	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SocAH—Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration					
Sloan	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SocAW—Sloan silty clay loam, 0 to 1 percent slopes, occasionally flooded, very brief duration					
Sloan	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SoeC2—Spickert-Wrays silt loams, 6 to 18 percent slopes, eroded					
Spickert	60	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wrays	25	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.96
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SoIC2—Spickert-Wrays silt loams, 6 to 12 percent slopes, eroded					
Spickert	44	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wrays	32	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SolC3—Spickert-Wrays silt loams, 6 to 12 percent slopes, severely eroded					
Spickert, severely eroded	44	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wrays, severely eroded	32	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
StaAV—Steff silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration					
Steff	88	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.02	Unstable excavation walls	0.02
StdAQ—Stendal silt loam, 0 to 2 percent slopes, rarely flooded					
Stendal	88	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Flooding	0.40	Flooding	0.40
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
StdAV—Stendal silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration					
Stendal	89	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
StmB—Stonehead silt loam, 2 to 6 percent slopes					
Stonehead	85	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SucC2—Stonehead-Coolville silt loams, 6 to 12 percent slopes, eroded					
Stonehead	52	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Coolville	20	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SujD5—Stonehead silt loam, 10 to 20 percent slopes, gullied					
Stonehead, very severely eroded	72	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Dusty	0.08	Dusty	0.08
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SulC2—Stonehead-Wellrock silt loams, 6 to 15 percent slopes, eroded					
Stonehead	55	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.84	Slope	0.16
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wellrock	25	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.84
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SuoAH—Stonelick fine sandy loam, 0 to 2 percent slopes, frequently flooded, brief duration					
Stonelick	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.52	Seepage	0.52
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
Uaz—Udorthents, sandy					
Udorthents, sandy	100	Not rated		Not rated	
Uby—Udorthents, loamy					
Udorthents, loamy	100	Not rated		Not rated	
UemB—Urban land-Alvin-Princeton complex, 2 to 6 percent slopes					
Urban land	50	Not rated		Not rated	
Alvin	23	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Sand content	0.01	Sand content	0.01
Princeton	17	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UemC—Urban land-Alvin-Princeton complex, 6 to 12 percent slopes					
Urban land	50	Not rated		Not rated	
Alvin	25	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.63	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Sand content	0.01	Sand content	0.01
Princeton	17	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.63	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
UenA—Urban land-Fox complex, 0 to 2 percent slopes					
Urban land	50	Not rated		Not rated	
Fox	39	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UenB—Urban land-Fox complex, 2 to 6 percent slopes					
Urban land	50	Not rated		Not rated	
Fox	44	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UepC—Urban land-Fox-Casco complex, 6 to 12 percent slopes					
Urban land	50	Not rated		Not rated	
Fox	28	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	0.63	Slope	0.04
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Casco	18	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Unstable excavation walls	0.78	Unstable excavation walls	0.78
		Slope	0.63	Slope	0.04
		Dusty	0.01	Dusty	0.01
UfcB—Urban land-Cincinnati-Nabb complex, 2 to 12 percent slopes					
Urban land	49	Not rated		Not rated	
Cincinnati	16	Somewhat limited		Somewhat limited	
		Wetness	0.96	Wetness	0.96
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Nabb	16	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UfdA—Urban land-Cobbsfork-Avonburg complex, 0 to 2 percent slopes					
Urban land	57	Not rated		Not rated	
Cobbsfork	17	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Avonburg	16	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UfnA—Urban land-Crosby complex, 0 to 2 percent slopes					
Urban land	50	Not rated		Not rated	
Crosby	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UfoA—Urban land-Cyclone complex, 0 to 1 percent slopes					
Urban land	50	Not rated		Not rated	
Cyclone	40	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UfxA—Urban land-Fincastle complex, 0 to 2 percent slopes					
Urban land	50	Not rated		Not rated	
Fincastle	42	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UfyB—Urban land-Fincastle-Russell complex, 2 to 6 percent slopes					
Urban land	50	Not rated		Not rated	
Fincastle	25	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Russell	25	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UhyA—Urban land-Martinsville, sandy substratum, complex, 0 to 2 percent slopes					
Urban land	50	Not rated		Not rated	
Martinsville, sandy substratum	48	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UkbC—Urban land-Miami complex, 6 to 12 percent slopes					
Urban land	50	Not rated		Not rated	
Miami	45	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Dusty	0.04
		Dusty	0.04	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UkpA—Urban land-Ockley complex, 0 to 2 percent slopes					
Urban land	50	Not rated		Not rated	
Ockley	35	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UkqA—Urban land-Nineveh complex, 0 to 2 percent slopes					
Urban land	50	Not rated		Not rated	
Nineveh	47	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UkqB—Urban land-Nineveh complex, 2 to 6 percent slopes					
Urban land	50	Not rated		Not rated	
Nineveh	47	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Water gathering surface	0.27	Water gathering surface	0.27
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UmqA—Urban land-Sleeth complex, 0 to 2 percent slopes					
Urban land	50	Not rated		Not rated	
Sleeth	47	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UnnA—Urban land-Westland complex, 0 to 1 percent slopes					
Urban land	50	Not rated		Not rated	
Westland	45	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.02	Dusty	0.02

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Usl—Udorthents, rubbish					
Udorthents, rubbish	100	Not rated		Not rated	
W—Water					
Water	100	Not rated		Not rated	
WaaAV—Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration					
Wakeland	83	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WaaAW—Wakeland silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Wakeland	82	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WacAW—Wakeland-Birds silt loams, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Wakeland	59	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Birds	29	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WbiAW—Wilbur-Wakeland silt loams, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Wilbur	54	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wakeland	30	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WdIC2—Wawaka loam, 6 to 12 percent slopes, eroded					
Wawaka	82	Somewhat limited		Somewhat limited	
		Slope	0.63	Slope	0.04
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WdrB2—Wawaka silt loam, 2 to 6 percent slopes, eroded					
Wawaka	80	Somewhat limited		Somewhat limited	
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WokAW—Wilbur silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Wilbur	83	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WolAV—Wilhite silty clay, 0 to 1 percent slopes, frequently flooded, very brief duration					
Wilhite	96	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WprAV—Wirt loam, 0 to 2 percent slopes, frequently flooded, very brief duration					
Wirt	83	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WprAW—Wirt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Wirt	83	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WqlA—Westland clay loam, 0 to 1 percent slopes					
Westland	95	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.03	Dusty	0.03

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WqIAQ—Westland clay loam, 0 to 1 percent slopes, rarely flooded					
Westland	95	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Flooding	0.40	Flooding	0.40
		Water gathering surface	0.33	Water gathering surface	0.33
WsuA—Whitaker loam, 0 to 2 percent slopes					
Whitaker	93	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WsyAQ—Whitaker sandy loam, 0 to 2 percent slopes, rarely flooded					
Whitaker	92	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Flooding	0.40	Flooding	0.40
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
WufB2—Williamstown silt loam, 2 to 6 percent slopes, eroded					
Williamstown	82	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
XabB2—Xenia silt loam, 2 to 6 percent slopes, eroded					
Xenia	95	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
XfuB2—Miami-Rainsville silt loams, 2 to 6 percent slopes, eroded					
Miami	60	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rainsville	30	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
XrbC2—Miami-Rainsville loams, 6 to 12 percent slopes, eroded					
Miami	55	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Slope	0.04
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rainsville	40	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Slope	0.04
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
XrkD2—Miami-Kendallville loams, 12 to 18 percent slopes, eroded					
Miami	60	Very limited		Somewhat limited	
		Slope	1.00	Wetness	0.97
		Wetness	0.97	Slope	0.96
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Kendallville	40	Very limited		Somewhat limited	
		Slope	1.00	Slope	0.96
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Bartholomew County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ZboA—Zipp silty clay loam, 0 to 1 percent slopes					
Zipp	80	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Data Source Information

Soil Survey Area: Bartholomew County, Indiana
 Survey Area Data: Version 17, Sep 8, 2014