

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Bartholomew County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AddA	Avonburg silt loam, 0 to 2 percent slopes	Avonburg	85	145	49	65	4.8	9.6
AddB2	Avonburg silt loam, 2 to 4 percent slopes, eroded	Avonburg	75	140	47	63	4.6	9.2
AfsB	Alvin-Princeton fine sandy loams, 2 to 6 percent slopes	Alvin	45	115	40	46	3.8	7.6
		Princeton	35	135	47	54	4.5	9.0
AfsC2	Alvin-Princeton fine sandy loams, 6 to 12 percent slopes, eroded	Alvin	50	105	37	42	3.5	7.0
		Princeton	35	120	42	48	4.0	8.0
AmkA	Ayrshire fine sandy loam, 0 to 2 percent slopes	Ayrshire	92	150	49	60	5.0	10.0
BbhA	Bartle silt loam, 0 to 2 percent slopes	Bartle	83	145	49	58	4.8	9.6
BbiB	Bartle-Pekin silt loams, 2 to 6 percent slopes	Bartle	55	145	49	58	4.8	9.6
		Pekin	35	140	49	56	4.6	9.2
BcrAW	Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Beanblossom	89	105	37	15	3.5	7.0
BdhAH	Bellcreek silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration	Bellcreek	80	125	33	0	0.0	0.0
BfbAH	Bellcreek silt loam, 0 to 1 percent slopes, frequently flooded, brief duration	Bellcreek	80	125	33	0	0.0	0.0
BgeAHU	Birds silt loam, undrained, 0 to 1 percent slopes, frequently flooded, brief duration	Birds, undrained	90	0	0	0	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Bartholomew County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BgeAW	Birds silt loam, 0 to 1 percent slopes, occasionally flooded, very brief duration	Birds	90	145	40	20	4.8	9.6
BlgC2	Blocher-Cincinnati silt loams, 6 to 12 percent slopes, eroded	Blocher	54	135	47	54	4.5	9.0
		Cincinnati	35	120	42	54	4.0	8.0
BlgC3	Blocher-Cincinnati silt loams, 6 to 12 percent slopes, severely eroded	Blocher, severely eroded	45	120	42	48	4.0	8.0
		Cincinnati, severely eroded	34	110	39	50	3.6	7.2
BlhD2	Blocher-Bonnell silt loams, 12 to 25 percent slopes, eroded	Blocher	40	120	42	48	4.0	8.0
		Bonnell	30	---	---	---	2.6	5.2
BluC	Bloomfield-Alvin loamy sands, 6 to 12 percent slopes	Bloomfield	45	85	30	34	2.8	5.6
		Alvin	40	100	35	40	3.3	6.6
BnuD3	Bonnell-Hickory-Blocher complex, 12 to 25 percent slopes, severely eroded	Bonnell, severely eroded	33	---	---	---	2.5	5.0
		Hickory, severely eroded	27	---	---	---	3.1	6.2
		Blocher, severely eroded	25	105	37	42	3.5	7.0
BobE5	Bonnell-Hickory clay loams, 15 to 30 percent slopes, gullied	Bonnell, very severely eroded	45	0	0	0	0.0	0.0
		Hickory, very severely eroded	30	0	0	0	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Bartholomew County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BodAV	Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, very brief duration	Bonnie	84	145	40	20	4.8	9.6
CldB2	Cincinnati-Blocher silt loams, 2 to 6 percent slopes, eroded	Cincinnati	50	130	46	59	4.3	8.6
		Blocher	45	145	51	58	4.8	9.6
ClfA	Cobbsfork silt loam, 0 to 1 percent slopes	Cobbsfork	85	155	47	62	5.1	10.2
CmbAW	Cohoctah loam, 0 to 1 percent slopes, occasionally flooded, very brief duration	Cohoctah	90	155	44	22	5.1	10.2
CmzA	Cliftycreek silt loam, 0 to 2 percent slopes	Cliftycreek	85	145	51	58	4.8	9.6
CmzB2	Cliftycreek silt loam, 2 to 6 percent slopes, eroded	Cliftycreek	85	140	49	56	4.6	9.2
CmzC2	Cliftycreek silt loam, 6 to 12 percent slopes, eroded	Cliftycreek	85	130	46	52	4.3	8.6
ColD2	Coolville-Rarden-Stonehead silt loams, 12 to 18 percent slopes, eroded	Coolville	37	80	28	32	2.6	5.2
		Rarden	33	60	21	24	2.0	4.0
		Stonehead	20	115	40	46	3.8	7.6
ConC3	Coolville-Rarden complex, 6 to 12 percent slopes, severely eroded	Coolville, severely eroded	45	85	30	34	2.8	5.6
		Rarden, severely eroded	45	65	23	26	2.1	4.2
CudA	Crosby silt loam, 0 to 2 percent slopes	Crosby	85	140	46	63	4.6	9.2
CulB	Crosby-Williamstown silt loams, 2 to 4 percent slopes	Crosby	65	140	46	63	4.6	9.2
		Williamstown	30	145	51	65	4.8	9.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Bartholomew County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Cxda	Cyclone silty clay loam, 0 to 2 percent slopes	Cyclone	83	190	56	76	6.3	12.6
DbqE	Deam silt loam, very deep, 15 to 30 percent slopes	Deam, very deep	75	95	33	38	0.0	0.0
EcyAH	Eel loam, 0 to 2 percent slopes, frequently flooded, brief duration	Eel	90	120	42	0	0.0	0.0
EcyAW	Eel loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Eel	90	135	47	19	4.5	9.0
EdeAW	Eel silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Eel	97	135	47	19	4.5	9.0
EepAQ	Elkinsville silt loam, 0 to 2 percent slopes, rarely flooded	Elkinsville	90	150	53	60	5.0	10.0
Fdba	Fincastle silt loam, 0 to 2 percent slopes	Fincastle	85	165	54	74	5.4	10.8
FdqB	Fincastle-Xenia silt loams, 2 to 4 percent slopes	Fincastle	50	165	54	74	5.4	10.8
		Xenia	40	155	54	70	5.1	10.2
FexA	Fox loam, 0 to 2 percent slopes	Fox	80	100	35	50	3.3	6.6
FexAQ	Fox loam, 0 to 2 percent slopes, rarely flooded	Fox	73	100	35	50	3.3	6.6
FexB2	Fox loam, 2 to 6 percent slopes, eroded	Fox, eroded	80	95	33	48	3.1	6.2
FgqC3	Fox-Casco sandy loams, 6 to 12 percent slopes, severely eroded	Fox, severely eroded	55	75	26	38	2.5	5.0
		Casco, severely eroded	38	60	21	30	2.0	4.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Bartholomew County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
GccAH	Genesee loam, 0 to 2 percent slopes, frequently flooded, brief duration	Genesee	90	120	42	0	0.0	0.0
GccAW	Genesee loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Genesee	90	135	47	19	4.5	9.0
GcpAW	Genesee silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Genesee	95	135	47	19	4.5	9.0
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	Gilwood	45	---	---	---	0.0	0.0
		Brownstown	35	---	---	---	0.0	0.0
GgfD2	Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded	Gilwood	40	75	26	30	2.5	5.0
		Wrays	32	95	33	38	3.1	6.2
HcgAW	Haymond silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Haymond	82	135	47	19	4.5	9.0
HctAW	Haymond-Wirt silt loams, 0 to 2 percent slopes, occasionally flooded, very brief duration	Haymond	45	135	47	19	4.5	9.0
		Wirt	35	120	42	17	4.0	8.0
HeoF	Hickory silt loam, 25 to 50 percent slopes	Hickory	70	---	---	---	0.0	0.0
HleAW	Holton silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Holton	85	130	39	18	4.3	8.6
KugG	Kurtz-Gnawbone silt loams, 20 to 60 percent slopes	Kurtz	53	---	---	---	0.0	0.0
		Gnawbone	32	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Bartholomew County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
LeaA	Lauer silt loam, 0 to 2 percent slopes	Lauer	90	170	56	68	5.6	11.2
MecAQ	Martinsville loam, 0 to 2 percent slopes, rarely flooded	Martinsville	90	145	51	58	4.8	9.6
MecB	Martinsville loam, 2 to 6 percent slopes	Martinsville	95	145	51	58	4.8	9.6
MfWA	Martinsville loam, sandy substratum, 0 to 2 percent slopes	Martinsville, sandy substratum	97	145	51	73	4.8	9.6
MfWAQ	Martinsville loam, sandy substratum, 0 to 2 percent slopes, rarely flooded	Martinsville, sandy substratum	95	145	51	73	4.8	9.6
MfWB2	Martinsville loam, sandy substratum, 2 to 6 percent slopes, eroded	Martinsville, sandy substratum	87	140	49	70	4.6	9.2
MfxA	Martinsville sandy loam, sandy substratum, 0 to 2 percent slopes	Martinsville, sandy substratum	95	125	44	63	4.1	8.2
MhuA	McGary silt loam, 0 to 2 percent slopes	McGary	90	140	46	56	4.6	9.2
MhyB	Medora silt loam, 2 to 6 percent slopes	Medora	85	130	46	52	4.3	8.6
MhyC2	Medora silt loam, 6 to 12 percent slopes, eroded	Medora	80	115	40	46	3.8	7.6
MjjAH	Medway silty clay loam, 0 to 2 percent slopes, frequently flooded, brief duration	Medway	90	130	46	0	0.0	0.0
MmoC3	Miami clay loam, 6 to 12 percent slopes, severely eroded	Miami, severely eroded	97	120	42	54	4.0	8.0
MmoD3	Miami clay loam, 12 to 18 percent slopes, severely eroded	Miami, severely eroded	97	110	39	50	3.6	7.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Bartholomew County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MnpB2	Miami silt loam, 2 to 6 percent slopes, eroded	Miami, eroded	85	140	49	63	4.6	9.2
MnpC2	Miami silt loam, 6 to 12 percent slopes, eroded	Miami, eroded	85	130	46	59	4.3	8.6
MnpD2	Miami silt loam, 12 to 18 percent slopes, eroded	Miami, eroded	85	115	40	52	3.8	7.6
MqbA	Milton silt loam, 0 to 2 percent slopes	Milton	95	100	35	40	3.3	6.6
MqbB2	Milton silt loam, 2 to 6 percent slopes, eroded	Milton	100	95	33	38	3.1	6.2
MqbC2	Milton silt loam, 6 to 12 percent slopes, eroded	Milton	100	85	30	34	2.8	5.6
MrbF	Milton-Rock outcrop complex, 25 to 40 percent slopes	Milton	75	0	0	0	0.0	0.0
		Rock outcrop	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
NaaB2	Nabb silt loam, 2 to 6 percent slopes, eroded	Nabb, eroded	78	115	40	52	3.8	7.6
NpcA	Nineveh gravelly sandy loam, 0 to 2 percent slopes	Nineveh	90	105	37	53	3.5	7.0
NpcAQ	Nineveh gravelly sandy loam, 0 to 2 percent slopes, rarely flooded	Nineveh	90	105	37	53	3.5	7.0
NpeA	Nineveh sandy loam, 0 to 2 percent slopes	Nineveh	97	105	37	53	3.5	7.0
NpeAQ	Nineveh sandy loam, 0 to 2 percent slopes, rarely flooded	Nineveh	97	105	37	53	3.5	7.0
NpeB2	Nineveh sandy loam, 2 to 6 percent slopes, eroded	Nineveh	97	100	35	50	3.3	6.6
ObaA	Ockley loam, 0 to 2 percent slopes	Ockley	80	135	47	68	4.5	9.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Bartholomew County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
OfaAW	Oldenburg silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Oldenburg	85	125	44	18	4.1	8.2
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PcrB2	Pekin silt loam, 2 to 6 percent slopes, eroded	Pekin	85	135	47	54	4.5	9.0
PcrC2	Pekin silt loam, 6 to 12 percent slopes, eroded	Pekin, eroded	72	125	44	50	4.1	8.2
PcrC3	Pekin silt loam, 6 to 12 percent slopes, severely eroded	Pekin, severely eroded	71	120	42	48	4.0	8.0
PhaA	Peoga silt loam, 0 to 1 percent slopes	Peoga	83	150	46	60	5.0	10.0
PlpAV	Piopolis silty clay loam, 0 to 1 percent slopes, frequently flooded, very brief duration	Piopolis	97	135	37	19	4.5	9.0
Pml	Pits, quarry	Pits, quarry	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PnnD	Pike-Chetwynd silt loams, 12 to 20 percent slopes	Pike	60	120	42	48	4.0	8.0
		Chetwynd	30	110	39	44	3.6	7.2
PnnF	Pike-Chetwynd silt loams, 20 to 50 percent slopes	Pike	55	---	---	---	0.0	0.0
		Chetwynd	35	---	---	---	0.0	0.0
Ppu	Pits, sand and gravel	Pits, sand and gravel	80	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RctD3	Rarden-Coolville complex, 12 to 22 percent slopes, severely eroded	Rarden, severely eroded	40	50	18	20	1.7	3.4
		Coolville, severely eroded	19	70	25	28	2.3	4.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Bartholomew County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RehA	Rensselaer-Treaty silt loams, 0 to 1 percent slopes	Rensselaer	60	175	51	70	5.8	11.6
		Treaty	40	185	54	74	6.1	12.2
ReyA	Rensselaer loam, 0 to 1 percent slopes	Rensselaer	95	175	51	70	5.8	11.6
ReyAQ	Rensselaer loam, 0 to 1 percent slopes, rarely flooded	Rensselaer	95	175	51	70	5.8	11.6
RqaG	Rodman sandy loam, 25 to 50 percent slopes	Rodman	95	---	---	---	0.0	0.0
RtxAH	Rosburg silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Rosburg	90	130	46	0	0.0	0.0
RtxAK	Rosburg silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Rosburg	90	135	47	19	4.5	9.0
RywB2	Russell silt loam, 2 to 6 percent slopes, eroded	Russell, eroded	85	150	53	68	5.0	10.0
SfyA	Shircliff silt loam, 0 to 2 percent slopes	Shircliff	90	130	46	52	4.3	8.6
Sife	Senachwine loam, 18 to 25 percent slopes	Senachwine	90	---	---	---	3.5	7.0
SifG	Senachwine loam, 25 to 70 percent slopes	Senachwine	90	---	---	---	0.0	0.0
SldAH	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Shoals	90	130	42	0	0.0	0.0
SldAW	Shoals silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Shoals	90	145	47	20	4.8	9.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Bartholomew County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
SnfA	Sleeth loam, 0 to 2 percent slopes	Sleeth	97	145	47	73	4.8	9.6
SoaB	Spickert silt loam, 2 to 6 percent slopes	Spickert	85	125	44	50	4.1	8.2
SocAH	Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration	Sloan	85	140	39	0	0.0	0.0
SocAW	Sloan silty clay loam, 0 to 1 percent slopes, occasionally flooded, very brief duration	Sloan	85	155	44	22	5.1	10.2
SolC2	Spickert-Wrays silt loams, 6 to 12 percent slopes, eroded	Spickert	44	100	35	40	3.3	6.6
		Wrays	32	110	39	44	3.6	7.2
SolC3	Spickert-Wrays silt loams, 6 to 12 percent slopes, severely eroded	Spickert, severely eroded	44	95	33	38	3.1	6.2
		Wrays, severely eroded	32	105	37	42	3.5	7.0
StaAV	Steff silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Steff	88	130	46	18	4.3	8.6
StdAQ	Stendal silt loam, 0 to 2 percent slopes, rarely flooded	Stendal	88	150	49	60	5.0	10.0
StdAV	Stendal silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Stendal	89	135	44	19	4.5	9.0
StmB	Stonehead silt loam, 2 to 6 percent slopes	Stonehead	85	145	51	58	4.8	9.6
SucC2	Stonehead-Coolville silt loams, 6 to 12 percent slopes, eroded	Stonehead	52	130	46	52	4.3	8.6
		Coolville	20	105	37	42	3.5	7.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Bartholomew County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
SujD5	Stonehead silt loam, 10 to 20 percent slopes, gullied	Stonehead, very severely eroded	72	0	0	0	0.0	0.0
SulC2	Stonehead-Wellrock silt loams, 6 to 15 percent slopes, eroded	Stonehead	55	130	46	52	4.3	8.6
		Wellrock	25	105	37	42	3.5	7.0
SuoAH	Stonelick fine sandy loam, 0 to 2 percent slopes, frequently flooded, brief duration	Stonelick	100	90	32	0	0.0	0.0
Uaz	Udorthents, sandy	Udorthents, sandy	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Uby	Udorthents, loamy	Udorthents, loamy	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UemB	Urban land-Alvin-Princeton complex, 2 to 6 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Alvin	23	0	0	0	0.0	0.0
		Princeton	17	0	0	0	0.0	0.0
UemC	Urban land-Alvin-Princeton complex, 6 to 12 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Alvin	25	0	0	0	0.0	0.0
		Princeton	17	0	0	0	0.0	0.0
UenA	Urban land-Fox complex, 0 to 2 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Fox	39	0	0	0	0.0	0.0
UenB	Urban land-Fox complex, 2 to 6 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Fox	44	0	0	0	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Bartholomew County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
UepC	Urban land-Fox-Casco complex, 6 to 12 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Fox	28	0	0	0	0.0	0.0
		Casco	18	0	0	0	0.0	0.0
UfcB	Urban land-Cincinnati-Nabb complex, 2 to 12 percent slopes	Urban land	49	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Cincinnati	16	0	0	0	0.0	0.0
		Nabb	16	0	0	0	0.0	0.0
UfdA	Urban land-Cobbsfork-Avonburg complex, 0 to 2 percent slopes	Urban land	57	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Cobbsfork	17	0	0	0	0.0	0.0
		Avonburg	16	0	0	0	0.0	0.0
UfnA	Urban land-Crosby-Treaty complex, fine loamy subsoil, 0 to 2 percent slopes	Urban land	45	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Crosby	25	0	0	0	0.0	0.0
		Treaty, drained	20	0	0	0	0.0	0.0
UfoA	Urban land-Cyclone complex, 0 to 1 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Cyclone	40	0	0	0	0.0	0.0
UfxA	Urban land-Fincastle complex, 0 to 2 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Fincastle	42	0	0	0	0.0	0.0
UfyB	Urban land-Fincastle-Russell complex, 2 to 6 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Fincastle	25	0	0	0	0.0	0.0
		Russell	25	0	0	0	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Bartholomew County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
UhyA	Urban land-Martinsville, sandy substratum, complex, 0 to 2 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Martinsville, sandy substratum	48	0	0	0	0.0	0.0
Ukbc	Urban land-Miami complex, 6 to 12 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Miami	45	0	0	0	0.0	0.0
UkpA	Urban land-Ockley complex, 0 to 2 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ockley	35	0	0	0	0.0	0.0
UkqA	Urban land-Nineveh complex, 0 to 2 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Nineveh	47	0	0	0	0.0	0.0
UkqB	Urban land-Nineveh complex, 2 to 6 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Nineveh	47	0	0	0	0.0	0.0
UmqA	Urban land-Sleeth complex, 0 to 2 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Sleeth	47	0	0	0	0.0	0.0
UnnA	Urban land-Westland complex, 0 to 1 percent slopes	Urban land	50	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Westland	45	0	0	0	0.0	0.0
Us1	Udorthents, rubbish	Udorthents, rubbish	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WaaAV	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Wakeland	83	140	42	20	4.6	9.2
WaaAW	Wakeland silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wakeland	82	145	44	20	4.8	9.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Bartholomew County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WacAW	Wakeland-Birds silt loams, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wakeland	59	145	44	20	4.8	9.6
		Birds	29	145	40	20	4.8	9.6
WbiAW	Wilbur-Wakeland silt loams, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wilbur	54	140	49	20	4.6	9.2
		Wakeland	30	145	44	20	4.8	9.6
WdlC2	Wawaka loam, 6 to 12 percent slopes, eroded	Wawaka	82	130	46	52	4.3	8.6
WdrB2	Wawaka silt loam, 2 to 6 percent slopes, eroded	Wawaka	80	140	49	56	4.6	9.2
WokAW	Wilbur silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wilbur	83	140	49	20	4.6	9.2
WolAV	Wilhite silty clay, 0 to 1 percent slopes, frequently flooded, very brief duration	Wilhite	96	120	32	17	4.0	8.0
WprAV	Wirt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Wirt	83	115	40	16	3.8	7.6
WprAW	Wirt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wirt	83	120	42	17	4.0	8.0
WqlA	Westland clay loam, 0 to 1 percent slopes	Westland	95	165	47	83	5.4	10.8
WqlAQ	Westland clay loam, 0 to 1 percent slopes, rarely flooded	Westland	95	165	47	83	5.4	10.8
WsuA	Whitaker loam, 0 to 2 percent slopes	Whitaker	93	155	51	62	5.1	10.2
WsyAQ	Whitaker sandy loam, 0 to 2 percent slopes, rarely flooded	Whitaker	92	150	49	60	5.0	10.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Bartholomew County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WufB2	Williamstown silt loam, 2 to 6 percent slopes, eroded	Williamstown	82	140	49	63	4.6	9.2
XabB2	Xenia silt loam, 2 to 6 percent slopes, eroded	Xenia, eroded	85	150	53	68	5.0	10.0
XfuB2	Miami-Rainsville silt loams, 2 to 6 percent slopes, eroded	Miami	60	140	49	63	4.6	9.2
		Rainsville	30	140	49	63	4.6	9.2
XrbC2	Miami-Rainsville loams, 6 to 12 percent slopes, eroded	Miami	55	130	46	59	4.3	8.6
		Rainsville	40	140	49	63	4.6	9.2
XrkD2	Miami-Kendallville loams, 12 to 18 percent slopes, eroded	Miami	60	115	40	52	3.8	7.6
		Kendallville	40	125	44	50	4.1	8.2
ZboA	Zipp silty clay loam, 0 to 1 percent slopes	Zipp	80	150	42	60	5.0	10.0
SoeC2	Spickert-Wrays silt loams, 6 to 18 percent slopes, eroded	Spickert	60	110	39	44	3.6	7.2
		Wrays	25	95	33	38	3.1	6.2

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.