

Crop and Pasture Limitations  
 Bartholomew County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
AddA: Avonburg-----	85	Wetness, low ph, crusting, restricted permeability.	Trafficability limitation, low ph.
AddB2: Avonburg-----	75	Wetness, low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Trafficability limitation, low ph, water erosion.
AfsB: Alvin-----	45	Low ph, water erosion, wind erosion, moderate available water capacity.	Low ph, water erosion, wind erosion.
Princeton-----	35	Low ph, water erosion, wind erosion.	Low ph, water erosion, wind erosion.
AfsC2: Alvin-----	50	Low ph, water erosion, wind erosion, moderate available water capacity.	Low ph, water erosion, wind erosion.
Princeton-----	35	Low ph, water erosion, wind erosion.	Low ph, water erosion, wind erosion.
AmkA: Ayrshire-----	92	Wetness, low ph, wind erosion.	Trafficability limitation, low ph, wind erosion.
BbhA: Bartle-----	83	Wetness, low ph, crusting, moderate available water capacity, restricted permeability.	Trafficability limitation, low ph.
BbiB: Bartle-----	55	Wetness, low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Trafficability limitation, low ph, water erosion.
Pekin-----	35	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.

Crop and Pasture Limitations--Continued  
 Bartholomew County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
BcrAW: Beanblossom-----	89	Flooding, low ph, moderate available water capacity.	Flooding, low ph.
BdhAH: Bellcreek-----	80	Flooding, ponding, wetness, high ph, clodding.	Flooding, ponding, wetness, trafficability limitation, high ph.
BfbAH: Bellcreek-----	80	Flooding, ponding, wetness, high ph.	Flooding, ponding, wetness, trafficability limitation, high ph.
BgeAHU: Birds-----	90	Flooding, ponding, wetness, low ph, crusting.	Flooding, ponding, wetness, trafficability limitation, low ph.
BgeAW: Birds-----	90	Flooding, ponding, wetness, low ph, crusting.	Flooding, ponding, wetness, trafficability limitation, low ph.
BlgC2: Blocher-----	54	Low ph, crusting, water erosion, restricted permeability.	Low ph, water erosion.
Cincinnati-----	35	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
BlgC3: Blocher-----	45	Low ph, crusting, water erosion, restricted permeability.	Low ph, water erosion.
Cincinnati-----	34	Wetness, limited rooting depth (fragipan), low ph, crusting, water erosion, low available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion, low available water capacity.

Crop and Pasture Limitations--Continued  
 Bartholomew County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
BlhD2: Blocher-----	40	Equipment limitation(slope), low ph, crusting, water erosion, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
Bonnell-----	30	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
BluC: Bloomfield-----	45	Low ph, water erosion, wind erosion, low available water capacity.	Low ph, water erosion, wind erosion, low available water capacity.
Alvin-----	40	Low ph, water erosion, wind erosion, moderate available water capacity.	Low ph, water erosion, wind erosion.
BnuD3: Bonnell-----	33	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Hickory-----	27	Equipment limitation(slope), low ph, crusting, water erosion.	Equipment limitation(slope), low ph, water erosion.
Blocher-----	25	Equipment limitation(slope), low ph, crusting, water erosion, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
BobE5: Bonnell-----	45	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Hickory-----	30	Equipment limitation(slope), low ph, crusting, water erosion.	Equipment limitation(slope), low ph, water erosion.
BodAV: Bonnie-----	84	Flooding, ponding, wetness, low ph, crusting.	Flooding, ponding, wetness, trafficability limitation, low ph.

Crop and Pasture Limitations--Continued  
 Bartholomew County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
CldB2: Cincinnati-----	50	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
Blocher-----	45	Low ph, crusting, water erosion, restricted permeability.	Low ph, water erosion.
ClfA: Cobbsfork-----	85	Ponding, wetness, low ph, crusting, restricted permeability.	Ponding, wetness, trafficability limitation, low ph.
CmbAW: Cohoctah-----	90	Flooding, ponding, wetness, high ph.	Flooding, ponding, wetness, trafficability limitation, high ph.
CmzA: Cliftycreek-----	85	Crusting.	This soil is well suited to pastureland.
CmzB2: Cliftycreek-----	85	Crusting, water erosion.	Water erosion.
CmzC2: Cliftycreek-----	85	Crusting, water erosion.	Water erosion.

Crop and Pasture Limitations--Continued  
 Bartholomew County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
ColD2:			
Coolville-----	37	Equipment limitation(slope), wetness, low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
Rarden-----	33	Equipment limitation(slope), wetness, low ph, crusting, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Stonehead-----	20	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
ConC3:			
Coolville-----	45	Wetness, low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
Rarden-----	45	Wetness, low ph, crusting, water erosion, low available water capacity, restricted permeability.	Low ph, water erosion, low available water capacity.
CudA:			
Crosby-----	85	Wetness, low ph, moderate available water capacity, restricted permeability.	Trafficability limitation, low ph.
CulB:			
Crosby-----	65	Wetness, low ph, water erosion, moderate available water capacity, restricted permeability.	Trafficability limitation, low ph, water erosion.
Williamstown-----	30	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
CxdA:			
Cyclone-----	83	Wetness, low ph.	Wetness, trafficability limitation, low ph.

Crop and Pasture Limitations--Continued  
 Bartholomew County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
DbqE: Deam-----	75	Equipment limitation(slope), low ph, water erosion.	Equipment limitation(slope), low ph, water erosion.
EcyAH: Eel-----	90	Flooding, high ph, crusting.	Flooding, high ph.
EcyAW: Eel-----	90	Flooding, high ph, crusting.	Flooding, high ph.
EdeAW: Eel-----	97	Flooding, crusting.	Flooding.
EepAQ: Elkinsville-----	90	Low ph, crusting.	Low ph.
FdbA: Fincastle-----	85	Wetness, low ph.	Trafficability limitation, low ph.
FdqB: Fincastle-----	50	Wetness, low ph, water erosion.	Trafficability limitation, low ph, water erosion.
Xenia-----	40	Low ph, water erosion.	Low ph, water erosion.
FexA: Fox-----	80	Limited rooting depth (sand and gravel), low ph, crusting, moderate available water capacity.	Limited rooting depth (sand and gravel), low ph.
FexAQ: Fox-----	73	Limited rooting depth (sand and gravel), low ph, crusting, moderate available water capacity.	Limited rooting depth (sand and gravel), low ph.
FexB2: Fox-----	80	Limited rooting depth (sand and gravel), low ph, crusting, water erosion, low available water capacity.	Limited rooting depth (sand and gravel), low ph, water erosion, low available water capacity.

Crop and Pasture Limitations--Continued  
 Bartholomew County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
FgqC3: Fox-----	55	Limited rooting depth (sand and gravel), low ph, high ph, water erosion, wind erosion, moderate available water capacity.	Limited rooting depth (sand and gravel), low ph, high ph, water erosion, wind erosion.
Casco-----	38	Limited rooting depth (sand and gravel), low ph, high ph, water erosion, wind erosion, low available water capacity.	Limited rooting depth (sand and gravel), low ph, high ph, water erosion, wind erosion, low available water capacity.
GccAH: Genesee-----	90	Crusting.	This soil is well suited to pastureland.
GccAW: Genesee-----	90	Crusting.	This soil is well suited to pastureland.
GcpAW: Genesee-----	95	This soil is well suited to cropland.	This soil is well suited to pastureland.
GgbG: Gilwood-----	45	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Brownstown-----	35	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
GgfD2: Gilwood-----	40	Equipment limitation(slope), low ph, crusting, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Wrays-----	32	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.

Crop and Pasture Limitations--Continued  
 Bartholomew County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
HcgAW: Haymond-----	82	Low ph, crusting.	Low ph.
HctAW: Haymond-----	45	Low ph, crusting.	Low ph.
Wirt-----	35	Low ph, crusting.	Low ph.
HeoF: Hickory-----	70	Equipment limitation(slope), low ph, water erosion.	Equipment limitation(slope), low ph, water erosion.
HleAW: Holton-----	85	Flooding, wetness, low ph, crusting.	Flooding, trafficability limitation, low ph.
KugG: Kurtz-----	53	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Gnawbone-----	32	Equipment limitation(slope), low ph, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
LeaA: Lauer-----	90	Wetness, low ph, crusting.	Trafficability limitation, low ph.
MecAQ: Martinsville-----	90	Low ph, crusting.	Low ph.
MecB: Martinsville-----	95	Low ph, crusting, water erosion.	Low ph, water erosion.
MfwA: Martinsville-----	97	Low ph, crusting.	Low ph.
MfwAQ: Martinsville-----	95	Low ph, crusting.	Low ph.
MfwB2: Martinsville-----	87	Low ph, crusting, water erosion.	Low ph, water erosion.

Crop and Pasture Limitations--Continued  
 Bartholomew County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
MfxA: Martinsville-----	95	Low ph, wind erosion, moderate available water capacity.	Low ph, wind erosion.
MhuA: McGary-----	90	Wetness, low ph, crusting.	Trafficability limitation, low ph.
MhyB: Medora-----	85	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
MhyC2: Medora-----	80	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
MjjAH: Medway-----	90	Flooding, high ph.	Flooding, high ph.
MmoC3: Miami-----	97	Low ph, crusting, water erosion, low available water capacity, restricted permeability.	Low ph, water erosion, low available water capacity.
MmoD3: Miami-----	97	Equipment limitation(slope), low ph, crusting, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
MnpB2: Miami-----	85	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
MnpC2: Miami-----	85	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.

Crop and Pasture Limitations--Continued  
 Bartholomew County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
MnpD2: Miami-----	85	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
MqbA: Milton-----	95	Low ph, crusting, moderate available water capacity, restricted permeability.	Low ph.
MqbB2: Milton-----	100	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
MqbC2: Milton-----	100	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
MrbF: Milton-----	75	Equipment limitation(slope), high ph, crusting, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), high ph, water erosion, low available water capacity.
NaaB2: Nabb-----	78	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
NpcA: Nineveh-----	90	Equipment limitation (rock fragments in the surface layer), limited rooting depth (sand and gravel), low available water capacity.	Equipment limitation (rock fragments in the surface layer), limited rooting depth (sand and gravel), low available water capacity.

Crop and Pasture Limitations--Continued  
 Bartholomew County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
NpcAQ: Nineveh-----	90	Equipment limitation (rock fragments in the surface layer), limited rooting depth (sand and gravel), low available water capacity.	Equipment limitation (rock fragments in the surface layer), limited rooting depth (sand and gravel), low available water capacity.
NpeA: Nineveh-----	97	Limited rooting depth (sand and gravel), wind erosion, moderate available water capacity.	Limited rooting depth (sand and gravel), wind erosion.
NpeAQ: Nineveh-----	97	Limited rooting depth (sand and gravel), wind erosion, moderate available water capacity.	Limited rooting depth (sand and gravel), wind erosion.
NpeB2: Nineveh-----	97	Limited rooting depth (sand and gravel), wind erosion, moderate available water capacity.	Limited rooting depth (sand and gravel), wind erosion.
ObaA: Ockley-----	80	Low ph, crusting, moderate available water capacity.	Low ph.
OfaAW: Oldenburg-----	85	Flooding, low ph, crusting.	Flooding, low ph.
PcrB2: Pekin-----	85	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
PcrC2: Pekin-----	72	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
PcrC3: Pekin-----	71	Wetness, low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.

Crop and Pasture Limitations--Continued  
 Bartholomew County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
PhaA: Peoga-----	83	Ponding, wetness, low ph, crusting, restricted permeability.	Ponding, wetness, trafficability limitation, low ph.
PlpAV: Piopolis-----	97	Flooding, ponding, wetness, low ph, crusting, restricted permeability.	Flooding, ponding, wetness, trafficability limitation, low ph.
PnnD: Pike-----	60	Equipment limitation(slope), low ph, crusting, water erosion.	Equipment limitation(slope), low ph, water erosion.
Chetwynd-----	30	Equipment limitation(slope), low ph, water erosion.	Equipment limitation(slope), low ph, water erosion.
PnnF: Pike-----	55	Equipment limitation(slope), low ph, crusting, water erosion.	Equipment limitation(slope), low ph, water erosion.
Chetwynd-----	35	Equipment limitation(slope), low ph, water erosion.	Equipment limitation(slope), low ph, water erosion.
RctD3: Rarden-----	40	Equipment limitation(slope), wetness, low ph, crusting, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Coolville-----	19	Equipment limitation(slope), wetness, low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
RehA: Rensselaer-----	60	Ponding, wetness.	Ponding, wetness, trafficability limitation.
Treaty-----	40	Ponding, wetness, low ph.	Ponding, wetness, trafficability limitation, low ph.

Crop and Pasture Limitations--Continued  
 Bartholomew County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
ReyA: Rensselaer-----	95	Ponding, wetness.	Ponding, wetness, trafficability limitation.
ReyAQ: Rensselaer-----	95	Ponding, wetness.	Ponding, wetness, trafficability limitation.
RqaG: Rodman-----	95	Equipment limitation(slope), limited rooting depth (sand and gravel), high ph, water erosion, wind erosion, low available water capacity.	Equipment limitation(slope), limited rooting depth (sand and gravel), high ph, water erosion, wind erosion, low available water capacity.
RtxAH: Rossburg-----	90	High ph.	High ph.
RtxAK: Rossburg-----	90	High ph.	High ph.
RywB2: Russell-----	85	Low ph, crusting, water erosion.	Low ph, water erosion.
SfyA: Shircliff-----	90	Low ph, crusting.	Low ph.
SifE: Senachwine-----	90	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
SifG: Senachwine-----	90	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
SldAH: Shoals-----	90	Flooding, wetness, high ph.	Flooding, trafficability limitation, high ph.
SldAW: Shoals-----	90	Flooding, wetness, high ph.	Flooding, trafficability limitation, high ph.

Crop and Pasture Limitations--Continued  
 Bartholomew County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
SnfA: Sleeth-----	97	Wetness, low ph, crusting.	Trafficability limitation, low ph.
SoaB: Spickert-----	85	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
SocAH: Sloan-----	85	Flooding, ponding, wetness, high ph.	Flooding, ponding, wetness, trafficability limitation, high ph.
SocAW: Sloan-----	85	Flooding, ponding, wetness, high ph.	Flooding, ponding, wetness, trafficability limitation, high ph.
SolC2: Spickert-----	44	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
Wrays-----	32	Low ph, crusting, water erosion, moderate available water capacity.	Low ph, water erosion.
SolC3: Spickert-----	44	Wetness, low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
Wrays-----	32	Low ph, crusting, water erosion, moderate available water capacity.	Low ph, water erosion.
StaAV: Steff-----	88	Flooding, low ph, crusting.	Flooding, low ph.
StdAQ: Stendal-----	88	Wetness, low ph, crusting.	Trafficability limitation, low ph.

Crop and Pasture Limitations--Continued  
 Bartholomew County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
StdAV: Stendal-----	89	Flooding, wetness, low ph, crusting.	Flooding, trafficability limitation, low ph.
StmB: Stonehead-----	85	Low ph, water erosion, restricted permeability.	Low ph, water erosion.
SucC2: Stonehead-----	52	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
Coolville-----	20	Wetness, low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
SujD5: Stonehead-----	72	Equipment limitation(slope), wetness, low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
SulC2: Stonehead-----	55	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
Wellrock-----	25	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
SuoAH: Stonelick-----	100	High ph, wind erosion, moderate available water capacity.	High ph, wind erosion.
UemB: Alvin-----	23	Not Rated	Not Rated
Princeton-----	17	Not Rated	Not Rated

Crop and Pasture Limitations--Continued  
 Bartholomew County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
UemC:			
Alvin-----	25	Not Rated	Not Rated
Princeton-----	17	Not Rated	Not Rated
UenA:			
Fox-----	39	Not Rated	Not Rated
UenB:			
Fox-----	44	Not Rated	Not Rated
UepC:			
Fox-----	28	Not Rated	Not Rated
Casco-----	18	Not Rated	Not Rated
UfcB:			
Cincinnati-----	16	Not Rated	Not Rated
Nabb-----	16	Not Rated	Not Rated
UfdA:			
Cobbsfork-----	17	Not Rated	Not Rated
Avonburg-----	16	Not Rated	Not Rated
UfnA:			
Crosby-----	25	Not Rated	Not Rated
Treaty-----	20	Not Rated	Not Rated
UfoA:			
Cyclone-----	40	Not Rated	Not Rated
UfxA:			
Fincastle-----	42	Not Rated	Not Rated
UfyB:			
Fincastle-----	25	Not Rated	Not Rated
Russell-----	25	Not Rated	Not Rated
UhyA:			
Martinsville-----	48	Not Rated	Not Rated
UkbC:			
Miami-----	45	Not Rated	Not Rated

Crop and Pasture Limitations--Continued  
 Bartholomew County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
UkpA: Ockley-----	35	Not Rated	Not Rated
UkqA: Nineveh-----	47	Not Rated	Not Rated
UkqB: Nineveh-----	47	Not Rated	Not Rated
UmqA: Sleeth-----	47	Not Rated	Not Rated
UnnA: Westland-----	45	Not Rated	Not Rated
WaaAV: Wakeland-----	83	Flooding, wetness, low ph, crusting.	Flooding, trafficability limitation, low ph.
WaaAW: Wakeland-----	82	Flooding, wetness, low ph, crusting.	Flooding, trafficability limitation, low ph.
WacAW: Wakeland-----	59	Flooding, wetness, low ph, crusting.	Flooding, trafficability limitation, low ph.
Birds-----	29	Flooding, ponding, wetness, low ph, crusting.	Flooding, ponding, wetness, trafficability limitation, low ph.
WbiAW: Wilbur-----	54	Flooding, low ph, crusting.	Flooding, low ph.
Wakeland-----	30	Flooding, wetness, low ph, crusting.	Flooding, trafficability limitation, low ph.
WdlC2: Wawaka-----	82	Low ph, crusting, water erosion, moderate available water capacity.	Low ph, water erosion.
WdrB2: Wawaka-----	80	Low ph, crusting, water erosion, moderate available water capacity.	Low ph, water erosion.

Crop and Pasture Limitations--Continued  
 Bartholomew County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
WokAW: Wilbur-----	83	Flooding, low ph, crusting.	Flooding, low ph.
WolAV: Wilhite-----	96	Flooding, ponding, wetness, low ph, clodding, moderate available water capacity, restricted permeability.	Flooding, ponding, wetness, trafficability limitation, low ph.
WprAV: Wirt-----	83	Low ph, crusting.	Low ph.
WprAW: Wirt-----	83	Low ph, crusting.	Low ph.
WqlA: Westland-----	95	Ponding, wetness.	Ponding, wetness, trafficability limitation.
WqlAQ: Westland-----	95	Ponding, wetness.	Ponding, wetness, trafficability limitation.
WsuA: Whitaker-----	93	Wetness, low ph, crusting.	Trafficability limitation, low ph.
WsyAQ: Whitaker-----	92	Wetness, low ph, wind erosion.	Trafficability limitation, low ph, wind erosion.
WufB2: Williamstown-----	82	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
XabB2: Xenia-----	85	Low ph, crusting, water erosion.	Low ph, water erosion.
XfuB2: Miami-----	60	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
Rainsville-----	30	Low ph, crusting, water erosion.	Low ph, water erosion.

Crop and Pasture Limitations--Continued  
 Bartholomew County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
XrbC2: Miami-----	55	Low ph, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
Rainsville-----	40	Low ph, crusting, water erosion.	Low ph, water erosion.
XrkD2: Miami-----	60	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Kendallville-----	40	Equipment limitation(slope), low ph, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
ZboA: Zipp-----	80	Ponding, wetness, low ph, clodding, moderate available water capacity, restricted permeability.	Ponding, wetness, trafficability limitation, low ph.
SoeC2: Spickert-----	60	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
Wrays-----	25	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.