

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Brown County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AvA—Avonburg silt loam, 0 to 2 percent slopes					
Avonburg	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ba—Bartle silt loam, 0 to 3 percent slopes					
Bartle	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BbhA—Bartle silt loam, 0 to 2 percent slopes					
Bartle	83	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Brown County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BbiB--Bartle-Pekin silt loams, 2 to 6 percent slopes					
Bartle	55	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pekin	35	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BcrAW--Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration					
Beanblossom	89	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.07	Dusty	0.07
Be--Beanblossom channery silt loam, occasionally flooded					
Beanblossom	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.07	Dusty	0.07
BeG--Berks channery silt loam, 25 to 75 percent slopes					
Berks	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	0.52	Seepage	0.52
		Large stones	0.18	Large stones	0.18
		Dusty	0.07	Dusty	0.07

Selected Soil Interpretations--Brown County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BgF--Berks-Trevlac-Wellston complex, 20 to 70 percent slopes					
Berks	50	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	0.52	Seepage	0.52
		Large stones	0.34	Large stones	0.34
		Dusty	0.07	Dusty	0.07
Trevlac	25	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Large stones	0.56	Large stones	0.56
		Seepage	0.52	Seepage	0.52
		Unstable excavation walls	0.14	Unstable excavation walls	0.14
Wellston	25	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BlgC2--Blocher-Cincinnati silt loams, 6 to 12 percent slopes, eroded					
Blocher	54	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Cincinnati	35	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Brown County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BlhD2--Blocher-Bonnell silt loams, 12 to 25 percent slopes, eroded					
Blocher	40	Very limited		Somewhat limited	
		Slope	1.00	Wetness	0.97
		Wetness	0.97	Slope	0.96
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Bonnell	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BnD2--Bonnell silt loam, 12 to 20 percent slopes, eroded					
Bonnell	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BpD3--Bonnell clay loam, 12 to 20 percent slopes, gullied					
Bonnell, very severely eroded	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CdD2--Chetwynd loam, 12 to 20 percent slopes, eroded					
Chetwynd	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CdF--Chetwynd loam, 20 to 50 percent slopes					
Chetwynd	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Brown County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CnC2—Cincinnati silt loam, 6 to 12 percent slopes, eroded					
Cincinnati	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CwB—Crosby silt loam, 1 to 5 percent slopes					
Crosby	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FdbA—Fincastle silt loam, 0 to 2 percent slopes					
Fincastle	84	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FdqB—Fincastle-Xenia silt loams, 2 to 4 percent slopes					
Fincastle	50	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Xenia	40	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Brown County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GgbG—Gilwood-Brownstown silt loams, 25 to 75 percent slopes					
Gilwood	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Brownstown	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	0.52	Seepage	0.52
		Large stones	0.18	Large stones	0.18
		Dusty	0.07	Dusty	0.07
GgfD2—Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded					
Gilwood	40	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wrays	32	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	0.96
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GnF—Gilpin silt loam, 25 to 55 percent slopes					
Gilpin	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Brown County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GpD—Gilpin-Wellston silt loams, 10 to 25 percent slopes					
Gilpin	50	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wellston	50	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.96
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Hc—Haymond silt loam, frequently flooded					
Haymond	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HeoF—Hickory silt loam, 25 to 50 percent slopes					
Hickory	70	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HkD2—Hickory silt loam, 12 to 20 percent slopes, eroded					
Hickory	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HkF—Hickory silt loam, 20 to 70 percent slopes					
Hickory	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Brown County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KugG—Kurtz-Gnawbone silt loams, 20 to 60 percent slopes					
Kurtz	53	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Gnawbone	32	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MnC2—Miami loam, 6 to 15 percent slopes, eroded					
Miami	100	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Slope	0.04
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Omz—Orthents, earthen dam					
Orthents	100	Not rated		Not rated	
PcrC2—Pekin silt loam, 6 to 12 percent slopes, eroded					
Pekin	72	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PeB—Pekin silt loam, 2 to 6 percent slopes					
Pekin	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Brown County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PeC2--Pekin silt loam, 6 to 12 percent slopes, eroded					
Pekin	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RoB2--Rossmoyne silt loam, 2 to 6 percent slopes, eroded					
Rossmoyne	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Sf--Steff silt loam, frequently flooded					
Steff	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SifG--Senachwine loam, 25 to 70 percent slopes					
Senachwine	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SoaB--Spickert silt loam, 2 to 6 percent slopes					
Spickert	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Brown County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SoeC2—Spickert-Wrays silt loams, 6 to 18 percent slopes, eroded					
Spickert	60	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wrays	25	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.96
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
St—Stendal silt loam, frequently flooded					
Stendal	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
StmB—Stonehead silt loam, 2 to 6 percent slopes					
Stonehead	85	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Brown County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SulC2—Stonehead-Wellrock silt loams, 6 to 15 percent slopes, eroded					
Stonehead	55	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.84	Slope	0.16
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wellrock	25	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.84
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Sv—Stendal silt loam, frequently flooded, very long duration					
Stendal	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SwC2—Stonehead silt loam, 6 to 10 percent slopes, eroded					
Stonehead	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Slope	0.37	Dusty	0.07
		Dusty	0.07	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		

Selected Soil Interpretations--Brown County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SwD3—Stonehead silt loam, 10 to 20 percent slopes, gullied					
Stonehead, very severely eroded	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SxD2—Stonehead-Trevlac silt loams, 10 to 20 percent slopes, eroded					
Stonehead	65	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Wetness	0.97
		Wetness	0.97	Slope	0.96
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Trevlac	35	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
TIB—Tilsit silt loam, 2 to 6 percent slopes					
Tilsit	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ud—Udorthents, loamy					
Udorthents, loamy	100	Not rated		Not rated	
W—Water					
Water	100	Not rated		Not rated	

Selected Soil Interpretations--Brown County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WacAW—Wakeland-Birds silt loams, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Wakeland	59	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Birds	29	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WaD—Wellston-Berks-Trevlac complex, 6 to 20 percent slopes					
Wellston	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.84
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Berks	35	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Seepage	0.52	Seepage	0.52
		Large stones	0.18	Large stones	0.18
		Dusty	0.07	Dusty	0.07
Trevlac	25	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00
		Large stones	0.56	Large stones	0.56
		Seepage	0.52	Seepage	0.52
		Unstable excavation walls	0.14	Unstable excavation walls	0.14

Selected Soil Interpretations--Brown County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WbiAW--Wilbur-Wakeland silt loams, 0 to 2 percent slopes, occasionally flooded, very brief duration					
Wilbur	54	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wakeland	30	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WeC2--Wellston-Gilpin silt loams, 6 to 20 percent slopes, eroded					
Wellston	58	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Gilpin	42	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	0.96
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WeD2--Wellston silt loam, 12 to 18 percent slopes, eroded					
Wellston	100	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Brown County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Wt--Wilbur silt loam, frequently flooded					
Wilbur	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
XfuB2--Miami-Rainsville silt loams, 2 to 6 percent slopes, eroded					
Miami	60	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rainsville	30	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
XrbC2--Miami-Rainsville loams, 6 to 12 percent slopes, eroded					
Miami	55	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Slope	0.04
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rainsville	40	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Slope	0.04
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Brown County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
XrkD2--Miami-Kendallville loams, 12 to 18 percent slopes, eroded					
Miami	60	Very limited		Somewhat limited	
		Slope	1.00	Wetness	0.97
		Wetness	0.97	Slope	0.96
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Kendallville	40	Very limited		Somewhat limited	
		Slope	1.00	Slope	0.96
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Data Source Information

Soil Survey Area: Brown County, Indiana
 Survey Area Data: Version 15, Sep 8, 2014