

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Brown County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AvA	Avonburg silt loam, 0 to 2 percent slopes	Avonburg	85	145	49	65	4.8	9.6
Ba	Bartle silt loam, 0 to 3 percent slopes	Bartle	90	140	47	63	4.6	9.2
BbhA	Bartle silt loam, 0 to 2 percent slopes	Bartle	83	145	49	58	4.8	9.6
BbiB	Bartle-Pekin silt loams, 2 to 6 percent slopes	Bartle	55	145	49	58	4.8	9.6
		Pekin	35	140	49	56	4.6	9.2
BcrAW	Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Beanblossom	89	110	39	15	3.6	7.2
Be	Beanblossom channery silt loam, occasionally flooded	Beanblossom	100	100	35	14	3.3	6.6
BeG	Berks channery silt loam, 25 to 75 percent slopes	Berks	100	---	---	---	0.0	0.0
BgF	Berks-Trevlac-Wellston complex, 20 to 70 percent slopes	Berks	50	---	---	---	0.0	0.0
		Trevlac	25	---	---	---	0.0	0.0
		Wellston	25	75	26	30	2.5	5.0
BlgC2	Blocher-Cincinnati silt loams, 6 to 12 percent slopes, eroded	Blocher	54	135	47	54	4.5	9.0
		Cincinnati	35	120	42	54	4.0	8.0
Blhd2	Blocher-Bonnell silt loams, 12 to 25 percent slopes, eroded	Blocher	40	120	42	48	4.0	8.0
		Bonnell	30	---	---	---	2.6	5.2
BnD2	Bonnell silt loam, 12 to 20 percent slopes, eroded	Bonnell	100	100	35	40	3.3	6.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Brown County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BpD3	Bonnell clay loam, 12 to 20 percent slopes, gullied	Bonnell, very severely eroded	100	0	0	0	0.0	0.0
CdD2	Chetwynd loam, 12 to 20 percent slopes, eroded	Chetwynd	100	105	37	42	3.5	7.0
CdF	Chetwynd loam, 20 to 50 percent slopes	Chetwynd	100	---	---	---	0.0	0.0
CnC2	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded	Cincinnati, eroded	90	105	37	47	3.5	7.0
CwB	Crosby silt loam, 1 to 5 percent slopes	Crosby	85	155	51	70	5.1	10.2
FdbA	Fincastle silt loam, 0 to 2 percent slopes	Fincastle	84	165	54	74	5.4	10.8
FdqB	Fincastle-Xenia silt loams, 2 to 4 percent slopes	Fincastle	50	165	54	74	5.4	10.8
		Xenia	40	155	54	70	5.1	10.2
GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	Gilwood	45	---	---	---	0.0	0.0
		Brownstown	35	---	---	---	0.0	0.0
GgfD2	Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded	Gilwood	40	75	26	30	2.5	5.0
		Wrays	32	95	33	38	3.1	6.2
GnF	Gilpin silt loam, 25 to 55 percent slopes	Gilpin	100	---	---	---	0.0	0.0
GpD	Gilpin-Wellston silt loams, 10 to 25 percent slopes	Gilpin	50	65	23	26	2.1	4.2
		Wellston	50	100	35	40	3.3	6.6
Hc	Haymond silt loam, frequently flooded	Haymond	100	120	42	0	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
Brown County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HeoF	Hickory silt loam, 25 to 50 percent slopes	Hickory	70	---	---	---	0.0	0.0
HkD2	Hickory silt loam, 12 to 20 percent slopes, eroded	Hickory	100	115	40	46	3.8	7.6
HkF	Hickory silt loam, 20 to 70 percent slopes	Hickory	100	---	---	---	0.0	0.0
KugG	Kurtz-Gnawbone silt loams, 20 to 60 percent slopes	Kurtz	53	---	---	---	0.0	0.0
		Gnawbone	32	---	---	---	0.0	0.0
MnC2	Miami loam, 6 to 15 percent slopes, eroded	Miami	100	130	46	59	4.3	8.6
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PcrC2	Pekin silt loam, 6 to 12 percent slopes, eroded	Pekin	72	125	44	50	4.1	8.2
PeB	Pekin silt loam, 2 to 6 percent slopes	Pekin	95	130	46	59	4.3	8.6
PeC2	Pekin silt loam, 6 to 12 percent slopes, eroded	Pekin, eroded	95	115	40	52	3.8	7.6
RoB2	Nabb silt loam, 2 to 6 percent slopes, eroded	Nabb, eroded	78	115	40	52	3.8	7.6
Sf	Steff silt loam, frequently flooded	Steff	100	110	39	0	0.0	0.0
SifG	Senachwine loam, 25 to 70 percent slopes	Senachwine	90	---	---	---	0.0	0.0
SoaB	Spickert silt loam, 2 to 6 percent slopes	Spickert	85	125	44	50	4.1	8.2
SoeC2	Spickert-Wrays silt loams, 6 to 18 percent slopes, eroded	Spickert	60	110	39	44	3.6	7.2
		Wrays	25	95	33	38	3.1	6.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Brown County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
St	Stendal silt loam, frequently flooded	Stendal	90	125	40	0	0.0	0.0
StmB	Stonehead silt loam, 2 to 6 percent slopes	Stonehead	85	145	51	58	4.8	9.6
SulC2	Stonehead-Wellrock silt loams, 6 to 15 percent slopes, eroded	Stonehead	55	130	46	52	4.3	8.6
		Wellrock	25	105	37	42	3.5	7.0
Sv	Stendal silt loam, frequently flooded, very long duration	Stendal	100	50	14	0	0.0	0.0
SwC2	Stonehead silt loam, 6 to 10 percent slopes, eroded	Stonehead	100	130	46	52	4.3	8.6
SwD3	Stonehead silt loam, 10 to 20 percent slopes, gullied	Stonehead, very severely eroded	100	0	0	0	0.0	0.0
SxD2	Stonehead-Trevlac silt loams, 10 to 20 percent slopes, eroded	Stonehead	65	105	37	42	3.5	7.0
		Trevlac	35	75	26	30	2.5	5.0
TlB	Tilsit silt loam, 2 to 6 percent slopes	Tilsit	100	125	44	56	4.1	8.2
Ud	Udorthents, loamy	Udorthents, loamy	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WacAW	Wakeland-Birds silt loams, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wakeland	59	145	44	20	4.8	9.6
		Birds	29	145	40	20	4.8	9.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Brown County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WaD	Wellston-Berks-Trevlac complex, 6 to 20 percent slopes	Wellston	40	110	39	44	3.6	7.2
		Berks	35	50	18	20	1.7	3.4
		Trevlac	25	50	18	20	1.7	3.4
WbiAW	Wilbur-Wakeland silt loams, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wilbur	54	140	49	20	4.6	9.2
		Wakeland	30	145	44	20	4.8	9.6
WeC2	Wellston-Gilpin silt loams, 6 to 20 percent slopes, eroded	Wellston	58	120	42	48	4.0	8.0
		Gilpin	42	75	26	30	2.5	5.0
WeD2	Wellston silt loam, 12 to 18 percent slopes, eroded	Wellston	100	95	33	38	3.1	6.2
Wt	Wilbur silt loam, frequently flooded	Wilbur	100	125	44	0	0.0	0.0
XfuB2	Miami-Rainsville silt loams, 2 to 6 percent slopes, eroded	Miami	60	140	49	63	4.6	9.2
		Rainsville	30	140	49	63	4.6	9.2
XrbC2	Miami-Rainsville loams, 6 to 12 percent slopes, eroded	Miami	55	130	46	59	4.3	8.6
		Rainsville	40	140	49	63	4.6	9.2
XrkD2	Miami-Kendallville loams, 12 to 18 percent slopes, eroded	Miami	60	115	40	52	3.8	7.6
		Kendallville	40	125	44	50	4.1	8.2

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.