

Crop and Pasture Limitations
 Brown County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
AvA: Avonburg-----	85	Wetness, low ph, crusting, restricted permeability.	Trafficability limitation, low ph.
Ba: Bartle-----	90	Wetness, limited rooting depth (fragipan), low ph, crusting, moderate available water capacity, restricted permeability.	Trafficability limitation, limited rooting depth (fragipan), low ph.
BbhA: Bartle-----	83	Wetness, low ph, crusting, moderate available water capacity, restricted permeability.	Trafficability limitation, low ph.
BbiB: Bartle-----	55	Wetness, low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Trafficability limitation, low ph, water erosion.
Pekin-----	35	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
BcrAW: Beanblossom-----	89	Flooding, low ph, moderate available water capacity.	Flooding, low ph.
Be: Beanblossom-----	100	Flooding, low ph, moderate available water capacity.	Flooding, low ph.
BeG: Berks-----	100	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.

Crop and Pasture Limitations--Continued
 Brown County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
BgF: Berks-----	50	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Trevlac-----	25	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Wellston-----	25	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
BlgC2: Blocher-----	54	Low ph, crusting, water erosion, restricted permeability.	Low ph, water erosion.
Cincinnati-----	35	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
Blhd2: Blocher-----	40	Equipment limitation(slope), low ph, crusting, water erosion, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
Bonnell-----	30	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
BnD2: Bonnell-----	100	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.

Crop and Pasture Limitations--Continued
 Brown County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
BpD3: Bonnell-----	100	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
CdD2: Chetwynd-----	100	Equipment limitation(slope), low ph, water erosion.	Equipment limitation(slope), low ph, water erosion.
CdF: Chetwynd-----	100	Equipment limitation(slope), low ph, water erosion.	Equipment limitation(slope), low ph, water erosion.
CnC2: Cincinnati-----	90	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
CwB: Crosby-----	85	Moderate available water capacity, restricted permeability.	Trafficability limitation.
FdbA: Fincastle-----	84	Wetness, low ph.	Trafficability limitation, low ph.
FdqB: Fincastle-----	50	Wetness, low ph, water erosion.	Trafficability limitation, low ph, water erosion.
Xenia-----	40	Low ph, crusting, water erosion.	Low ph, water erosion.
GgbG: Gilwood-----	45	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Brownstown-----	35	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.

Crop and Pasture Limitations--Continued
 Brown County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
GgfD2: Gilwood-----	40	Equipment limitation(slope), low ph, crusting, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Wrays-----	32	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
GnF: Gilpin-----	100	Equipment limitation(slope), low ph, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
GpD: Gilpin-----	50	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Wellston-----	50	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Hc: Haymond-----	100	Low ph, crusting.	Low ph.
HeoF: Hickory-----	70	Equipment limitation(slope), low ph, water erosion.	Equipment limitation(slope), low ph, water erosion.
HkD2: Hickory-----	100	Equipment limitation(slope), low ph, water erosion.	Equipment limitation(slope), low ph, water erosion.
HkF: Hickory-----	100	Equipment limitation(slope), low ph, water erosion.	Equipment limitation(slope), low ph, water erosion.

Crop and Pasture Limitations--Continued
 Brown County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
KugG: Kurtz-----	53	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Gnawbone-----	32	Equipment limitation(slope), low ph, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
MnC2: Miami-----	100	Equipment limitation(slope), low ph, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
PcrC2: Pekin-----	72	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
PeB: Pekin-----	95	Wetness, limited rooting depth (fragipan), low ph, crusting, water erosion, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
PeC2: Pekin-----	95	Wetness, limited rooting depth (fragipan), low ph, crusting, water erosion, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
RoB2: Nabb-----	78	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
Sf: Steff-----	100	Flooding, low ph, crusting.	Flooding, low ph.

Crop and Pasture Limitations--Continued
 Brown County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
SifG: Senachwine-----	90	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
SoaB: Spickert-----	85	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
SoeC2: Spickert-----	60	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
Wrays-----	25	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
St: Stendal-----	90	Flooding, wetness, low ph, crusting.	Flooding, trafficability limitation, low ph.
StmB: Stonehead-----	85	Low ph, water erosion, restricted permeability.	Low ph, water erosion.
SulC2: Stonehead-----	55	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
Wellrock-----	25	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Sv: Stendal-----	100	Flooding, ponding, wetness, low ph, crusting.	Flooding, ponding, trafficability limitation, low ph.

Crop and Pasture Limitations--Continued
 Brown County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
SwC2: Stonehead-----	100	Low ph, crusting, water erosion, restricted permeability.	Low ph, water erosion.
SwD3: Stonehead-----	100	Equipment limitation(slope), wetness, low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
SxD2: Stonehead-----	65	Equipment limitation(slope), low ph, crusting, water erosion, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
Trevlac-----	35	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
TlB: Tilsit-----	100	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
WacAW: Wakeland-----	59	Flooding, wetness, low ph, crusting.	Flooding, trafficability limitation, low ph.
Birds-----	29	Flooding, ponding, wetness, low ph, crusting.	Flooding, ponding, wetness, trafficability limitation, low ph.

Crop and Pasture Limitations--Continued
 Brown County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
WaD:			
Wellston-----	40	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Berks-----	35	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Trevlac-----	25	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
WbiAW:			
Wilbur-----	54	Flooding, low ph, crusting.	Flooding, low ph.
Wakeland-----	30	Flooding, wetness, low ph, crusting.	Flooding, trafficability limitation, low ph.
WeC2:			
Wellston-----	58	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Gilpin-----	42	Equipment limitation(slope), low ph, crusting, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
WeD2:			
Wellston-----	100	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Wt:			
Wilbur-----	100	Flooding, low ph, crusting.	Flooding, low ph.

Crop and Pasture Limitations--Continued
 Brown County, Indiana

Soil name and map symbol	Comp Pct.	Cropland limitations and hazards	Pastureland limitations and hazards
XfuB2: Miami-----	60	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
Rainsville-----	30	Low ph, crusting, water erosion.	Low ph, water erosion.
XrbC2: Miami-----	55	Low ph, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
Rainsville-----	40	Low ph, crusting, water erosion.	Low ph, water erosion.
XrkD2: Miami-----	60	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Kendallville-----	40	Equipment limitation(slope), low ph, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.